MARK SCHEME for the October/November 2013 series

0581 MATHEMATICS

0581/31   Paper 3 (Core), maximum raw mark 104

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

Abbreviations

cao   correct answer only
cso   correct solution only
dep   dependent
ft   follow through after error
isw   ignore subsequent working
oe   or equivalent
SC   Special Case
www   without wrong working

Qu.			Answers	Mark	Part Marks
1	(a)	(i)	36 cao	1	
		(ii)	5, 2, 3, 4, 3, 8, 1, 4	2	**B1** for 6 or 7 frequencies correct or 8 correct tallies if frequency column blank or 8 correct frequencies in tally column
		(iii)	fully correct bar chart	3FT	**B1** for a correct linear scaled frequency axis **B2FT** for correct height and equal width of bars or **B1FT** for correct height of at least 5 bars or all bars correct height but unequal widths or gaps **SC2** for a fully correct bar chart but linear scale not marked
		(iv)	26 – 30 cao	1	
	(b)		7 (hours) 25 (minutes) cao	1	
	(c)	(i)	238.48	2	**M1** for 167 × 1.428 soi by 238.47(6) or 238.5 or 238
		(ii)	75	2	**M1** for 107.1 ÷ 1.428
2	(a)	(i)	2, 3, 4, 5, 6, 8, 10, 12, 15, 20, 24, 30, 40, 60.	1	Award mark for any one from list.
		(ii)	60	2	**B1** for any common factor on answer line, 1, 2, 3, 4, 5, 6, 10, 12, 15, 20, 30
	(b)	(i)	60	1	
		(ii)	49	1	
		(iii)	2	1	
	(c)	(i)	Any correct example	1	Calculation and correct answer must be seen

		(ii)	Any correct example	1	Calculation and correct answer must be seen
	(d)	(i)	>	1	
		(ii)	>	1	
		(iii)	<	1	
3	(a)	(i)	44 – 46	1	
		(ii)	231 – 235	1	
	(b)	(i)	Fully correct drawing with arcs	3	**B2** for correct triangle without arcs **B1** for 1 correct length side Or arc of 6cm or 8cm
			52250 to 60500 **nfww**	3FT	**M2** for $\frac{1}{2} \times 550 \times$ (*their* correct height × 50) Or $\frac{1}{2} \times 11 \times$ *their* correct height in cm or **B1** for *their* correct height in cm or *their* correct height × 50 seen If 0 scored then **SC1** for $\frac{1}{2} \times 550 \times$ (50 × k)
4	(a)	(i)	Translation $\begin{bmatrix} -7 \\ -8 \end{bmatrix}$	1 1	 Accept 7 left and 8 down
		(ii)	Enlargement [Scale factor] 0.5 [Centre] (0, 0)	1 1 1	
	(b)	(i)	D at (–2, 4) (–4 , 4) (–3 , 6)	1	
		(ii)	E at (–4, 2) (–4 , 4) (–6 ,3)	2	**B1** for correct orientation, incorrect centre or 90° rotation clockwise about (0,0).

5	(a)	(i)	230	2	**M1** for $130 + 4 \times 25$ or better
		(ii)	252	2	**M1** for $4n = 1138 - 130$ or better Or $(1138 - 130)/4$ or better
	(b)	(i)	9	1	
		(ii)	3.5	2	**M1** for $8y = 24 + 4$ or better Or $y - 4/8 = 24/8$ or better
		(iii)	4	3	**M1** for first correct step **M1FT** for second correct step
	(c)		$x = 1.5$ or $3/2$ $y = -5$	4	**M1** for correctly equating one set of coefficients. **M1** for correct method to eliminate one variable. **A1** for $x = 1.5$ **A1** for $y = -5$
6	(a)		252.56	2	**M1** for $(30 + 30 + 17) \times 3.28$ or better oe
	(b)	(i)	510	2	**M1** for 30×17
		(ii)	170 102 136	3	**M2** for 2 correct areas clearly identified or **M1** for $408 \div (5 + 3 + 4)$ soi by 34 or one correct area clearly identified **SC2** for three correct answers in incorrect places
	(c)		34.5	3	**M2** for $\sqrt{30^2 + 17^2}$ soi by $\sqrt{1189}$ or **M1** for $30^2 + 17^2$ soi by 1189
	(d)	(i)	63.6 or 63.61 – 63.63	2	**M1** for $4.5^2 \times \pi$ or $20.25\,\pi$
		(ii)	127 or 127.2…	1FT	**FT** for *their* **(d)(i)** $\times 2$

7	(a)		14, 4, 2, 8, 14	3	**B2** for 4 correct **B1** for 2 or 3 correct
	(b)		8 points correctly plotted	P3FT	**P2FT** for 6 or 7 points correctly plotted **P1FT** for 4 or 5 points correctly plotted
			Smooth and correct curve through all correct points	C1	
	(c)		$x = 0.5$ or $x = \dfrac{1}{2}$	1	
	(d)	(i)	$y = 9$ ruled	1	
		(ii)	–2.15 to –2.25 3.15 to 3.25	1FT 1FT	
8	(a)	(i)	July or Jul	1	
		(ii)	10.9	1	
		(iii)	– 9.6	1	
	(b)	(i)	$150 \div \dfrac{90}{360}$ oe	1	Accept $150 \times \dfrac{360}{90}$, 150×4
		(ii)	250	3	**M1** for *their* 150/360 × 600 or *their* 150 × 150/90 and **B1** for 150 seen as angle
	(c)		11682	3	**M2** for 885 × 15 × 0.88 oe **M1** for 885 × 0.88 oe or 885 × 15 × 0.12 oe
	(d)	(i)	4.48×10^6 cao	1	
		(ii)	9.82	3	**M2** for $\dfrac{4920000 - 4480000}{4480000} \times 100$ oe or $\left(\dfrac{4920000}{4480000} - 1\right) \times 100$ oe or **B1** for 440000 or 0.44 or 1.098(….) or 109.8(…..)

9	(a)	(i)	Chord	1	
			Radius	1	
		(ii)	12	1	
			Tangent [meets] radius [at] 90 [°]	1	
		(iii)	66	2	**M1** for BCD identified as 90 or 180–24–90
			Angles [in] triangle 180 **or** Angle [in a] semi–circle [= 90]	1	
	(b)	(i)	Octagon	1	
		(ii)	360 ÷ 8 [= 45]	**M1**	alternative method **M1** for (8–2) × 180 [=1080] or 6 × 180 [=1080]
			(180 – *their* 45) ÷ 2	**M1FT**	**M1FT** for (*their* 1080 ÷ 8) ÷ 2 or *their* 1080 ÷ 16
			67.5	**A1**	**A1** for 67.5
	(c)		15	2	**M1** for 360 / 24