MARK SCHEME for the October/November 2013 series

0581 MATHEMATICS

0581/42

Paper 4 (Extended), maximum raw mark 130

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



Page 2	age 2 Mark Scheme		Paper
	IGCSE – October/November 2013	0581	42

Abbreviations

cao	correct answer only
cso	correct solution only
dep	dependent
ft	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
www	without wrong working
art	anything rounding to
coi	soon or implied

soi seen or implied

Correct answer	Mark	Part marks
(a) (i) 3216 Final answer	2	M1 for (18900 – 5500) × 0.24 oe
(ii) 1307 Final answer	2FT	FT (18900 – <i>their</i> (a)(i)) ÷ 12 correctly evaluated M1 for (18900 – <i>their</i> (a)(i)) ÷ 12
(b) 4.5[%] nfww	2	M1 for $\frac{19750.50[-18900]}{18900} \times 100$ or $\frac{19750.50 - 18900}{18900}$
(c) A by 31.05 or 31.04 to 31.05 or 31.[0] 31.1[0]	5	M1 for $1500 \times 4.1/100 \times 3$ [+ 1500] oe M1 for 1500×1.033^3 [- 1500] oe A1 for 1684.5 or 184.5 or 1653[.45] or 153[.45]
		and M1dep for subtraction of <i>their</i> amounts or <i>their</i> interests
(a) 36.9° or 36.86 to 36.87	2	M1 for $tan[DBC] = 1.8/2.4$ oe
(b) (i) $1.8^2 + 2.4^2$ leading to $\sqrt{9}$	2	M1 for $1.8^2 + 2.4^2$ or better
(ii) $[\cos ABD] = \frac{6.46^2 + 3^2 - 8.6^2}{2 \times 6.46 \times 3}$	M2	M1 for correct cos rule but implicit version
127 or 126.8	A2	A1 for -0.599
		After 0 scored, SC2 nfww for answer 127 or 126.8 to 126.96 from other methods or no working shown
(c) 39.6 or 39.7 or 39.59 to 39.68	3	M2 for $\frac{1}{2}(2.4 + 8.6) \times 1.8 \times 4$ oe Or M1 for $\frac{1.8}{2}(2.4 + 8.6)$ oe soi by 9.9 to 9.92
	(a) (i) 3216 Final answer (ii) 1307 Final answer (b) 4.5[%] nfww (c) A by 31.05 or 31.04 to 31.05 or 31.[0] 31.1[0] (a) 36.9° or 36.86 to 36.87 (b) (i) $1.8^2 + 2.4^2$ leading to $\sqrt{9}$ (ii) $[\cos ABD) = \frac{6.46^2 + 3^2 - 8.6^2}{2 \times 6.46 \times 3}$ 127 or 126.8	(a) (i) 3216 Final answer2(ii) 1307 Final answer2FT(b) 4.5[%] nfww2(c) A by 31.05 or 31.04 to 31.05 or 31.[0] 31.1[0]5(a) 36.9° or 36.86 to 36.87 2(b) (i) $1.8^2 + 2.4^2$ leading to $\sqrt{9}$ 2(ii) $[\cos ABD) =] \frac{6.46^2 + 3^2 - 8.6^2}{2 \times 6.46 \times 3}$ 127 or 126.8M2A2

Pa	ge 3	Mark Schen	ne		Syllabus	Paper
		IGCSE – October/Nov	vember 20	mber 2013 0581		
				1		
3	(a) $\frac{4x}{1}$	$\frac{-7}{0}$ final answer nfww	3	or $\frac{5(2x-5)}{5\times 2}$ or M1 for	$\frac{2x-1)-2(3x+1)}{2\times 5}$ $\frac{1}{2} - \frac{2(3x+1)}{5\times 2}$ attempt to convert tor of 10 or multiple unerator	
	(b) x ² +	9 final answer nfww	4	answer giv then spoilt or B1 for		en and B1 for
	(c) (i)	(2x-1)(x+3) isw solving	2		(x + a)(x + b) where with integers a and	
	(ii)	$\frac{2x-1}{2(x-3)} \text{ or } \frac{2x-1}{2x-6}$ final answer nfww	3	(2x+6)(x	(x + 3)(x - 3) or $(2x - 3)$ seen 2 $(x^2 - 9)$ seen	(x+3) or
4	(a) (i)	$90 \div (42/360 \times \pi \times 8^2)$ o.e.	M3		$\frac{2}{360} \times \pi \times 8^2 \times h = \frac{42}{360} \times \pi \times 8^2$	= 90
		3.836 to 3.837	A1			
	(ii)	131 or 130.75 to 130.9 nfww	5	[22.48 to 2 or M1 for [5.86 to 5. and M1 fo [61.37 to 6	$42/360 \times \pi \times 2 \times 8$ 87] or 2 × (8 × 3.84) 51.44] or 2 × (42/360 × π >	oe soi
	(b) 2.42	2 or 2.416 to 2.419	3		$34 \times \sqrt[3]{\frac{22.5}{90}}$ oe or h $\sqrt[3]{\frac{22.5}{90}}$ oe or $\sqrt[3]{\frac{90}{22.}}$ $= \frac{90}{22.5}$ oe	

	Page 4	Mark Sche	me		Syllabus	Paper
		IGCSE – October/No	0581	42		
5	(a) 7, 1	1.5, 4.5	1,1,1			
	(b) Cor	rect curve cao	5	grid line a vertically Or B2FT Or B1FT and B1 in	10 correct plots, on and within correct 2 for 8 or 9 correct p for 6 or 7 correct p idep for two separate of <i>y</i> -axis	mm square lots lots
		0.69 < <i>x</i> < 0.81 -2.3 < <i>x</i> < -2.2	1			
		-0.8 < <i>x</i> < -0.6 0.35 < <i>x</i> < 0.5	3		ch correct cored, allow SC1 for ng enough to cross o	-
	(d) (i)	y = 10 - 3x ruled correctly	B2	B1 for rul 10 but no	high to cross curve two led line gradient -3 of t $y = 10$ r 'correct' but freeha	or y intercept at
		-0.55 < <i>x</i> < -0.45 0.35 < <i>x</i> < 0.45	B1dep B1dep	Depender	nt on at least B1 scor	red for line
				After 0 sc solving ec	cored, SC2 for -0.5 quation]	and 0.4 [from
	(ii)	$ \begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	3	Or B1 for eliminatir	$x^2 - x - 3x^3 = 10x^2 - $	

Pa	age 5			Mark Scher	Syllabus	Paper			
			IGCSE	– October/Nov	ember 20	013	0581 42		
6	(a) (i)	$\frac{1}{110}$	oe		2	M1 for $\frac{1}{1}$	$\frac{1}{1} \times \frac{1}{10}$		
	(ii)	$\frac{6}{110}$	oe	$\left[\frac{3}{55}\right]$	2	M1 for $\frac{3}{1}$	$\frac{2}{1} \times \frac{2}{10}$		
	(iii)	$\frac{8}{110}$	oe	$\left[\frac{4}{55}\right]$	2FT	FT their (a)(ii) + $\frac{2}{11} \times \frac{1}{10}$ correctly evaluate or M1 their (a)(ii) + $\frac{2}{11} \times \frac{1}{10}$			
	(b) (i)	6	06	$\left\lceil \frac{1}{165} \right\rceil$	2	M1 for $\frac{3}{1}$	11 10		
		$\frac{336}{990}$		$\begin{bmatrix} 165 \end{bmatrix}$		M1 for $\frac{1}{1}$			
	(iii)	<u>198</u> 990	oe	$\left[\frac{1}{5}\right]$	5		$\left(\frac{3}{11} \times \frac{2}{10} \times \frac{8}{9}\right) + 3\left(\frac{2}{11}\right)$	/	
						oe Or	$3\left(\frac{3}{11}\times\frac{2}{10}\times\frac{8}{9}\right)$ or		
						M1 for $\frac{3}{1}$	$\frac{1}{1} \times \frac{2}{10} \times \frac{8}{9} \text{ oe seen } \mathbf{a}$	nd M1 for	

Pa	ige 6	Mark Scher		Syllabus	Paper
		IGCSE – October/Nov	/ember 20	013 0581	42
7	(a) 14	10 or 2 10 pm final answer	2	M1 for (0)8 10 oe or answer 1 10 minutes or answer 2 10 [am	
	(b) 5 h	ours 45 minutes cao	2	M1 for 345 [mins] seen or for 5.75 seen	805 /7 × 3 oe or
	(c) (i)	798 or 798.2 to 798.4	2	M1 for $10712 / 13\frac{25}{60}$ or 1071	2 ÷ 13.4
	(ii)	1.82×10^5 or 1.815×10^5 to 1.816×10^5	4	B3 for 182000 or 181500 to 18 or M2 for 10712000/59 oe or M1 for figs 10712/figs 59 s figs 1815 to 1816 and B1 FT for their number o converted to standard form rou better	oi by figs 182 or f litres correctly
	(d) 860	00	3	M2 for 10148 ÷ 1.18 oe or M1 for 10148 associated w	ith 118[%]
8	(a) (i)	6	1		
	(ii)	2.75 oe	2	M1 for $[g(x) =] 0.5$ or 7/14 Or $\left(\frac{7}{x+1}\right)^2 + 5\left(\frac{7}{x+1}\right)$ oe	
	(b) $\frac{x}{2}$	$\frac{-3}{4}$ or $\frac{x}{4} - \frac{3}{4}$ Final answer	2	M1 for $y - 3 = 4x$ or better or x better or $\frac{y}{4} = \frac{3}{4} + x$ or flowchart wi	-
	(c) (i)	5	2	M1 for $4x = 23 - 3$ or $x + \frac{3}{4} =$	$=\frac{23}{4}$ or better
	(ii)	$x^2 + 5x - 7 = 0$	B1	May be implied by correct value	ues in formula
		$\frac{-5 \pm \sqrt{5^2 - 4(1)(-7)}}{2(1)} \text{oe}$	B1 B1	B1 for $\sqrt{5^2 - 4(1)(-7)}$ or better If in form $\frac{p + \sqrt{q}}{r}$ or $\frac{p - \sqrt{q}}{r}$, 2(1) or better No recovery of full line unless	B1 for −5 and
		1.14 and –6.14 final answers	B1 B1	Or SC1 for 1.1 or 1.140 an or – 6.140 Or answers –1.14 and 6.14	d –6.1

Pag	ge 7		Mark Sche	Syllabus	Paper					
		IG	CSE – October/Nov	vem	ber 20	13	0581	42		
9	(a) (i) (ii) (iii)	Reflection x = -2 oe Translation $\begin{pmatrix} -7\\ 2 \end{pmatrix}$ oe Stretch x-axis oe		2		B1 for eitherB1 for either				
		[factor] 3	invariant	3		B1 for each				
	(b) (i)	(i) Triangle with coords at (8, 2) (7, 3) and (7, 5)				B1 for rotation about (6, 0) but 90° anticlockwise Or for rotation 90° clockwise around any poin				
	(ii)	U	ith coords at 6, -5) and (-8, -7)		2	B1 for 2 correct points or for enlargement of SF –2 any centre				
	(iii)	Triangle w $(4, -6)$ and	ith coords at (1, -1) (3, -5)		2	B1 for 2 correct points or coordinates of 2 points shown				
	(c) $\begin{pmatrix} 1 \\ - \end{pmatrix}$	$ (c) \begin{pmatrix} 1 & 0 \\ -2 & 1 \end{pmatrix} $				identity m	e row or one columnatrix. or $\begin{pmatrix} 1 & -2 \\ 0 & 1 \end{pmatrix}$	n correct but not		
10	(a) 48 a	and 57,	9 <i>n</i> +3 oe	1	2	B1 for 9 <i>n</i>				
	(b) 56 a		86 – 6 <i>n</i> oe	1	2	B1 for <i>k</i> –	6 <i>n</i> oe			
	(c) 125	and 216,	n^3 oe	1	1					
	(d) 130	and 222	$n^3 + n$ oe	1	1FT	FT their (c) + n dep on expre	ssion in <i>n</i> in (c)		