

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education


CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	
MATHEMATICS			0580/04, 0581/04
Paper 4 (Extended)			
SPECIMEN PAPER (N	ew Format)		
			2 hours 30 minutes
Candidates answer on	the Question Paper.		
Additional Materials:	Electronic calculator Geometrical instruments	Mathematical tables Tracing paper (option	
READ THESE INSTRU	JCTIONS FIRST		
Write in dark blue or bla	or any diagrams or graphs. per clips, highlighters, glue or corre	·	
Marks will be given for answer wrong. Electronic calculators is lift the degree of accurate correct to three significations.	early shown in the space below the r working that shows that you know thould be used. The property of the pro	w how to solve the proble , and if the answer is not e	exact, give the answer
	ination, fasten all your work secure		
The number of marks in The total of the marks in	s given in brackets [] at the end of for this paper is 130	each question or part ques ۲	
The total of the marks	or this paper is 100.		For Examiner's Use

This document consists of 15 printed pages and 1 blank page.



[Turn over

1	(a)	The	scale of a map is 1:20 000 000.
		On	the map, the distance between Cairo and Addis Ababa is 12 cm.
		(i)	Calculate the distance, in kilometres, between Cairo and Addis Ababa.
			Answer (a)(i) km [2]
		(ii)	On the map the area of a desert region is 13 square centimetres.
			Calculate the actual area of this desert region, in square kilometres.
			Answer (a)(ii) km^2 [2]
	(b)	(i)	The actual distance between Cairo and Khartoum is 1580 km.
			On a different map this distance is represented by 31.6 cm.
			Calculate, in the form $1:n$, the scale of this map.
			Answer $(b)(i)$ 1: [2]
		(ii)	A plane flies the 1580 km from Cairo to Khartoum.
			It departs from Cairo at 1155 and arrives in Khartoum at 1403.
			Calculate the average speed of the plane, in kilometres per hour.
			Answer (b)(ii) km/h [4]



- (a) On the grid above, draw and label x and y axes from -6 to 6.
- **(b)** Draw triangle ABC with A(2,1), B(3,3) and C(5,1). [1]
- (c) Draw the reflection of triangle ABC in the line y = x. Label this $A_1B_1C_1$. [2]
- (d) Rotate triangle $A_1B_1C_1$ about (0,0) through 90° anti-clockwise. Label this $A_2B_2C_2$. [2]
- (e) Describe fully the single transformation which maps triangle ABC onto triangle $A_2B_2C_2$.

Answer (e) [2]

- **(f)** A transformation is represented by the matrix $\begin{pmatrix} 1 & 0 \\ -1 & 1 \end{pmatrix}$.
 - (i) Draw the image of triangle ABC under this transformation. Label this $A_3B_3C_3$. [3]
 - (ii) Describe fully the single transformation represented by the matrix $\begin{pmatrix} 1 & 0 \\ -1 & 1 \end{pmatrix}$.


Answer (f)(ii) [2]

(iii) Find the matrix which represents the transformation that maps triangle $A_3B_3C_3$ onto triangle ABC.

Answer (f)(iii) [2]

3 (a)

For Examiner's Use



A, B, C and D lie on a circle. AC and BD intersect at X. Angle $ABX = 55^{\circ}$ and angle $AXB = 92^{\circ}$. BX = 26.8 cm, AX = 40.3 cm and XC = 20.1 cm.

(i) Calculate the area of triangle *AXB*. You must show your working.

American (a)(i)	am ²	гэ:
Answer (a)(i)	cm ²	12

NOT TO

SCALE

(ii) Calculate the length of AB.

You must show your working.

(iii) Write down the size of angle ACD. Give a reason for your answer.

Answer(a)(iii) ACD = because [2]

(iv) Find the size of angle BDC.

Answer (a)(iv) [1]


(v) Write down the geometrical word which completes the statement

"Triangle AXB is to triangle DXC" [1]

(vi)	Calculate the length of <i>XD</i> .
	You must show your working.

Answer (a)(vi) cm [2]

(b)



In the diagram PQ is parallel to RS. PS and QR intersect at X.

PX = y cm, QX = (y + 2) cm, RX = (2y - 1) cm and SX = (y + 1) cm.

(i) Show that
$$y^2 - 4y - 2 = 0$$
.

[3]

[Turn over


(ii) Solve the equation $y^2 - 4y - 2 = 0$.

Show all your working and give your answers correct to two decimal places.

Answer (b)(ii) y =

(iii) Write down the length of RX.

Answer (b)(iii) cm [1] 4



For Examiner's Use

OBCD is a rhombus with sides of 25 cm. The length of the diagonal OC is 14 cm.

(a) Show, by calculation, that the length of the diagonal BD is 48 cm. [3]

- (b) Calculate, correct to the nearest degree,
 - (i) angle BCD,

Answer (b)(i) [2]

(ii) angle OBC.

Answer (b)(ii) [1]


- (c) $\overrightarrow{DB} = 2\mathbf{p}$ and $\overrightarrow{OC} = 2\mathbf{q}$. Find, in terms of \mathbf{p} and \mathbf{q} ,
 - (i) \overrightarrow{OB} ,

Answer (c)(i) [1]

(ii) \overrightarrow{OD} .

Answer (c)(ii) [1]

	•		
(d)	BE is parallel to OC and DCE is a straight line. Find, in its simplest form, \overrightarrow{OE} in terms of \mathbf{p} and \mathbf{q} .		For Examiner's Use
(e)	Answer (d) M is the mid-point of CE . Find, in its simplest form, \overrightarrow{OM} in terms of \mathbf{p} and \mathbf{q} .	[2]	
	Answer (e)	[2]	
(f)	O is the origin of a co-ordinate grid. OC lies along the x-axis and $\mathbf{q} = \begin{bmatrix} 7 \\ 0 \end{bmatrix}$.		
	$(\overrightarrow{DB} \text{ is vertical and } \overrightarrow{DB} = 48.)$ Write down as column vectors		
	(i) p,		
	Answer (f)(i)	[1]	
	(ii) \overrightarrow{BC} .		
	Answer (f)(ii)	[2]	
(g)	· ·		
	Answer (g)	[1]	



The diagram shows the accurate graph of y = f(x).

- (a) Use the graph to find
 - (i) f(0),

Answer (a)(i) [1]

(ii) f(8).

Answer (a)(ii) [1]

- **(b)** Use the graph to solve
 - (i) f(x) = 0,

Answer
$$(b)(i) x =$$
 [2]

(ii) f(x) = 5.

Answer
$$(b)$$
(ii) $x =$ [1]

(c) k is an integer for which the equation f(x) = k has exactly two solutions. Use the graph to find the two values of k.

Answer (c)
$$k =$$
 or [2]

(d) Write down the range of values of x for which the graph of y = f(x) has a negative gradient.

- (e) The equation f(x) + x 1 = 0 can be solved by drawing a line on the grid.
 - (i) Draw this line on the grid.

[1]

(ii) How many solutions are there for f(x) + x - 1 = 0?

Αp	packet of sweets contains chocolates and toff	fees.	
(a)	There are <i>x</i> chocolates which have a total i	mass of 105 grams.	
	Write down, in terms of x , the mean mass	of a chocolate. Answer (a) g	[1]
(b)	There are $x + 4$ toffees which have a total	mass of 105 grams.	
	Write down, in terms of x , the mean mass	of a toffee.	
		Answer (b) g	[1]
(c)	The difference between the two mean mas	ses in parts (a) and (b) is 0.8 grams.	
	Write down an equation in x and show that	t it simplifies to $x^2 + 4x - 525 = 0$.	[4]
(d)	(i) Factorise $x^2 + 4x - 525$.		
(d)	(i) Factorise $x^2 + 4x - 525$.		
(d)		<i>Answer (d)</i> (i)	 [2]
(d)			<u></u> [2]
(d)	(ii) Write down the solutions of $x^2 + 4x = 4x$	-525 = 0.	
(d) (e)	(ii) Write down the solutions of $x^2 + 4x + 4x = 2$	-525 = 0. Answer (d)(ii) $x =$ or	[2] [1]
	(ii) Write down the solutions of $x^2 + 4x - 4x = 2$	-525 = 0. Answer (d)(ii) $x =$ or	
	(ii) Write down the solutions of $x^2 + 4x + 4x = 4$ Write down the total number of sweets in the	-525 = 0. Answer (d)(ii) $x =$ or	
	(ii) Write down the solutions of $x^2 + 4x + 4x = 4$ Write down the total number of sweets in the	-525 = 0. Answer (d)(ii) $x =$ or the packet. Answer (e)	[1]
(e)	(ii) Write down the solutions of $x^2 + 4x + 4x = 0$ Write down the total number of sweets in the	-525 = 0. Answer (d)(ii) $x =$ or the packet. Answer (e)	[1]
(e)	(ii) Write down the solutions of $x^2 + 4x + 4x = 0$ Write down the total number of sweets in the	-525 = 0. Answer (d)(ii) $x =$ or the packet. Answer (e)	[1]
(e)	(ii) Write down the solutions of $x^2 + 4x + 4$	-525 = 0. Answer (d)(ii) $x =$ or the packet. Answer (e)	[1]

6

7 Kristina asked 200 people how much water they drink in one day. The table shows her results.

For Examiner's Use

Amount of water (x litres)	Number of people
$0 < x \le 0.5$	8
$0.5 < x \le 1$	27
$1 < x \le 1.5$	45
$1.5 < x \le 2$	50
$2 < x \le 2.5$	39
$2.5 < x \le 3$	21
$3 < x \le 3.5$	7
$3.5 < x \le 4$	3

(a)	Wri	te down the modal interval.	Answer (a)	[1]
(b)	Cal	culate an estimate of the mean.		
			Answer (b)	[4]
(c)	Con	nplete the cumulative frequency table	for this data opp	posite.
(d)		ng a scale of 4 cm to 1 litre of water of tical axis, draw the cumulative frequent		1 1
(e)	Use	e your cumulative frequency graph to	find	
	(i)	the median,	Answer (e)(i)	litres [1]
	(ii)	the 40 th percentile,	Answer (e)(ii)	litres [1]
	(iii)	the number of people who drink at le	east 2.6 litres of	water.
			Answer (e)(111)	[2]
(f)		loctor recommends that a person drink at percentage of these 200 people do 1		•
			Answer (f)	[2]


Amount of water $x \le 0.5$ $x \le 1$ $x \le 1.5$ $x \le 2$ $x \le 2.5$ $x \le 3$ $x \le 3.5$ $x \le 4$ Cumulative frequency (Number of people)

For Examiner's Use

[2]

8

For Examiner's Use



The diagram shows water in a channel.

This channel has a rectangular cross-section, 1.2 metres by 0.8 metres.

(a) When the depth of water is 0.3 metres, the water flows along the channel at 3 metres/minute.

Calculate the number of cubic metres which flow along the channel in one hour.

Answer (a) m³ [3]

(b) When the depth of water in the channel increases to 0.8 metres, the water flows at 15 metres/minute.


Calculate the percentage increase in the number of cubic metres which flow along the channel in one hour.

Answer (b) % [4]

(c)	The water comes from a cylindrical tank. When 2 cubic metres of water leave the tank, the level of water in the tank goes down by 1.3 millimetres. Calculate the radius of the tank, in metres, correct to one decimal place.	7	
(d)	Answer (c)n When the channel is empty, its interior surface is repaired. This costs \$0.12 per square metre. The total cost is \$50.40. Calculate the length, in metres, of the channel.	1	[4]
	<i>Answer (d)</i> n	1	[4]

[Turn over www.theallpapers.com © UCLES 2009 0580/04a/SP/11

For Examiner's Use



The first three diagrams in a sequence are shown above. The diagrams are made up of dots and lines. Each line is one centimetre long.

(a) Make a sketch of the next diagram in the sequence in the space above. [1]

(b) The table below shows some information about the diagrams.

Diagram	1	2	3	4	 n
Area	1	4	9	16	 X
Number of dots	4	9	16	p	 у
Number of one centimetre lines	4	12	24	q	 Z

(i) Write down the values of p and q.

Answer (b)(i)
$$p =$$

$$q =$$
[2]

Diagram 4

(ii) Write down each of x, y and z in terms of n.

Answer (b)(ii)
$$x =$$

$$y =$$

$$z =$$
[4]

(c) The total number of one centimetre lines in the first n diagrams is given by the expression

For Examiner's Use

$$\frac{2}{3}n^3 + fn^2 + gn.$$

(i) Use
$$n = 1$$
 in this expression to show that $f + g = \frac{10}{3}$. [1]

(ii) Use
$$n = 2$$
 in this expression to show that $4f + 2g = \frac{32}{3}$. [2]

(iii) Find the values of f and g.

Answer (c)(iii)
$$f =$$

$$g = [3]$$

(iv) Find the total number of one centimetre lines in the first 10 diagrams.

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.