

NOVEMBER 2002


INTERNATIONAL GCSE

MARK SCHEME

MAXIMUM MARK: 60

SYLLABUS/COMPONENT: 0652/6

PHYSICAL SCIENCE (ALTERNATIVE TO PRACTICAL)



D 4			
Page 1	Mark Scheme	Syllabus	Paper
	ICCSE Everying the Paris I Company		- aper
	IGCSE Examinations – November 2002	0652	6

All points plotted correctly [2] (one mark lost for each incorrectly plotted to minimum 0) Smooth curve drawn [1] (tramlines = 0; straight line = 0) (allow ecf from plotted points). (c) the higher the temperature the shorter the time (OWTTE) (allow conversallow 'the higher the temperature the faster the (rate of the) reaction' (d) value depends upon candidate's graph (allow ecf from plotted points)	Part Mark	Marking Scheme Details	Q. No.
 (b) Suitable labeled axes (at least ½ grid) [1] (time must be vertical or mark All points plotted correctly [2] (one mark lost for each incorrectly plotted to minimum 0) Smooth curve drawn [1] (tramlines = 0; straight line = 0) (allow ecf from plotted points). (c) the higher the temperature the shorter the time (OWTTE) (allow conversallow 'the higher the temperature the faster the (rate of the) reaction' (d) value depends upon candidate's graph (allow ecf from plotted points) (e) plot graph of 1/time against temperature (or determine gradients from continuous distribution) (f) surround the flask with ice do NOT allow - 'put in fridge/freezer' or 'cool' 	2	(a) Readings: 39s, 22s, 13s, 7s (No tolerance)	1.
All points plotted correctly [2] (one mark lost for each incorrectly plotted to minimum 0) Smooth curve drawn [1] (tramlines = 0; straight line = 0) (allow ecf from plotted points). (c) the higher the temperature the shorter the time (OWTTE) (allow conversallow 'the higher the temperature the faster the (rate of the) reaction' (d) value depends upon candidate's graph (allow ecf from plotted points) (e) plot graph of 1/time against temperature (or determine gradients from continuous distribution of the surround the flask with ice do NOT allow – 'put in fridge/freezer' or 'cool'		(4 correct 2 marks, 2/3 correct 1 mark, 1/0 correct zero)	
to minimum 0) Smooth curve drawn [1] (tramlines = 0; straight line = 0) (allow ecf from plotted points). (c) the higher the temperature the shorter the time (OWTTE) (allow conversallow 'the higher the temperature the faster the (rate of the) reaction' (d) value depends upon candidate's graph (allow ecf from plotted points) (e) plot graph of 1/time against temperature (or determine gradients from conversallow) from the flask with ice do NOT allow – 'put in fridge/freezer' or 'cool'	lost)	(b) Suitable labeled axes (at least ½ grid) [1] (time must be vertical or mark lost)	
(c) the higher the temperature the shorter the time (OWTTE) (allow conver allow 'the higher the temperature the faster the (rate of the) reaction' (d) value depends upon candidate's graph (allow ecf from plotted points) (e) plot graph of 1/time against temperature (or determine gradients from c (f) surround the flask with ice do NOT allow – 'put in fridge/freezer' or 'cool'	d point	All points plotted correctly [2] (one mark lost for each incorrectly plotted point to minimum 0)	
allow 'the higher the temperature the faster the (rate of the) reaction' (d) value depends upon candidate's graph (allow ecf from plotted points) (e) plot graph of 1/time against temperature (or determine gradients from c (f) surround the flask with ice do NOT allow – 'put in fridge/freezer' or 'cool'	m 4	Smooth curve drawn [1] (tramlines = 0; straight line = 0) (allow ecf from plotted points).	
 (e) plot graph of 1/time against temperature (or determine gradients from c (f) surround the flask with ice do NOT allow - 'put in fridge/freezer' or 'cool' 	se) 1		
(f) surround the flask with ice do <u>NOT</u> allow – 'put in fridge/freezer' or 'cool'	1	(d) value depends upon candidate's graph (allow ecf from plotted points)	
do <u>NOT</u> allow – 'put in fridge/freezer' or 'cool'	arve) 1	(e) plot graph of 1/time against temperature (or determine gradients from curve)	
	1	(f) surround the flask with ice do <u>NOT</u> allow - 'put in fridge/freezer' or 'cool'	

Page 2	Mark Scheme	Syllabus	Paper	
	IGCSE Examinations – November 2002	0652	6	

Q. No.		Marking Scheme Details	Part Mark
2.	(a)	Counts/minute: 775, 352, 128, 67, 17, 9	2
		5 or 6 correct 2 marks; 3 or 4 correct 1 mark; 1 or 2 correct 0 mark	
	(b)	As a control/ to measure background radiation only	1
	(c)(i)	Gamma radiation (allow symbol for gamma)	1
	(c)(ii)	Alpha and Beta radiation (allow answers in either order) (allow symbols)	2
	(c)(iii)	Alpha radiation (allow symbol)	1
	(d)	Any suitable safety procedure related to the use of radioactive materials	1
		answer should indicate use of shield (lead), teacher not handling materials directly (i.e. use of tweezers etc), pupils/teacher as far from source as possible, not pointing source at anyone etc.	-
		do NOT allow vague references to use of protective clothing or goggles	
	(e)	Inside locked [1], lead-lined [1] safe (marks independent)	2
		ignore references to radioactive warning signs	
	it and a		

Page 3	Mark Scheme	Syliabus	Paper
	IGCSE Examinations – November 2002	0652	6

Q. No.		Marking Scheme Details	Part Mark
3.	(a)	$M_1 = 38.2g[1]$ (no tolerance)	
		$M_2 = 41.7g [1]$ (no tolerance)	
		$M_3 = 3.5g[1]$ (no tolerance)	
		$T_1 = 25.5$ °C [1] (no tolerance)	
		$T_2 = 16.8$ °C [1] (allow 16.75 to 16.85)	5
	(b)	Temperature change = -8.7 °C (negative sign NOT required for mark) allow ecf from Candidate's answers for T_1 and T_2	1
	(c)(i)	Correct division by 1000 from candidate's answer for M ₁ i.e. 0.0382kg	1
	(c)(ii)	Heat energy stored = $670 \times (c)(i) = 25.594$ joules (allow ecf from candidate's answer to $(c)(i)$) (allow correct answer to 2 dp)	. 1
	(d)	Total heat change = 1136 J (allow ecf from candidate's answers to (b) and (c)(ii))	1
	(e)	Endothermic because temperature falls (explanation required for mark)	1
		(allow 'endothermic because heat is lost')	
	Mary war		

Page 4	Mark Scheme	Syllabus	Paper
	IGCSE Examinations – November 2002	0652	6

Q. No.	Marking Scheme Details	Part Mark
4.	(a) Any THREE points from:	
<u> </u>	Filter the juice [1]	
	boil the filtrate [1] (allow heat the filtrate)	
	to partly evaporate [1]	
	leave to cool/crystallise [1]	3
	(b) Any <u>SEVEN</u> points from:	
	dissolve the <u>weighed</u> [1] crystals	1-
	in a <u>measured volume</u> of water [1] allow dissolve crystals in water for 1 m	IK
+ *:	take a measured volume [1] and add indicator[1]	
	add sodium hydroxide from a burette [1]	-
	record volume needed to change colour of indicator [1]	
	repeat and average volume of sodium hydroxide required [1]	
	repeat without the indicator using same volumes [1]	
	evaporate solution [1]	
	allow to cool / crystallise [1]	7
· ·		
٠		

Page 5	Mark Scheme	Syllabus	Paper
	IGCSE Examinations – November 2002	0652	6

Q. No.	Marking Scheme Details	Part Mark
5.	(a) Correct symbol for switch	1
	(b) (i) Switch drawn somewhere on the circuit between points A-B or C-D	1 .
	(b) (ii) Switch drawn somewhere on the circuit between points A & D	1
	(b) (iii) Switch drawn somewhere on the circuit between points A-F or D-E	1
	Ecf from (a) – if incorrect / no symbol drawn allow correct positions to score but must be labeled as required i.e. S1, S2, S3	
		·
	В	
	A	
	F	
	(c) Correct symbol for voltmeter [1]	
	Drawn in correct place parallel to battery [1]	2
	These marks independent of each other e.g. incorrect symbol in correct place still scores one mark and vice versa.	

Page 6	Mark Scheme	Syllabus	Paper
	IGCSE Examinations – November 2002	0652	6

Q. No.	Marking Scheme I	Details	Part Mark
6.	(a) Conclusion – (Gas was) carbon dioxide /(CO ₂)[1]	Liquid is sulphuric acid/A [1]	2
	(b) Conclusion – (the pH was) alkali(ne) [1] or greater than 7 or writes number 8 - 14	Liquid is calcium hydroxide/B [1]	2
	(c)	Liquid is (purified) water/C [1]	1
	(d) Conclusion –Precipitate was barium sulphate/ a sulphate (SO ₄ ²) (ions) [1]	Liquid is sulphuric acid/A [1]	2
	(e)	Liquid is calcium hydroxide/B [1]	1
		Accept <i>correct</i> chemical formulae for answers above.	
	Assertation of the second of t	en de la companya de La companya de la companya de	

Page 7	Mark Scheme	Syllabus	Paper
	IGCSE Examinations – November 2002	0652	6

Q. No.	Marking Scheme Details	Part Mark
7.	Indicates pencil/ruler used to draw line on paper [1]	
	Teat pipettes used to put spots of M and all dyes on the paper [1], just above or on the line [1]	
. • • • • • • • • • • • • • • • • • • •	Spots are separated by small distances [1]	
•	Paper is coiled (and held with paper clip) [1] / dipped into beaker containing water ('solvent' or named solvent e.g. ethanol)[1] (accept paper suspended in water using paper clip to hold it)	
	Water/solvent level is below pencil line [1]	F63
	Water/solvent is allowed to soak up paper to separate dyes [1]	[6]
	Spots / colours are compared to see which ones are present in M [1]	
	ANY SIX points from the above indicated by description or clearly identified by diagrams.	
	Clearly labelled and accurate diagrams may gain all marks with little explanation.	
	The sequence should generally be in the above order but allow minor deviations as long as the experiment would work	
		1