

Centre Number	Candidate Number	Name
---------------	------------------	------

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

PHYSICAL SCIENCE

0652/03

Paper 3

October/November 2004

1 hour 15 minutes

Candidates answer on the Question Paper.
No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.
Write in dark blue or black pen in the spaces provided on the Question Paper.
You may use a pencil for any diagrams, graphs, tables or rough working.
Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer **all** questions.
The number of marks is given in brackets [] at the end of each question or part question.
A copy of the Periodic Table is printed on page 16.

For Examiner's Use	
1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

If you have been given a label, look at the details. If any details are incorrect or missing, please fill in your correct details in the space given at the top of this page.

Stick your personal label here, if provided.



This document consists of **15** printed pages and **1** blank page.



Answer **all** the questions.

Write your answers in the spaces provided.

- 1 Element X burns in excess air to form the oxide XO_2 . This oxide dissolves in water to form an acid H_2XO_3 .
The two reactions are represented by the following equations.



- (a) (i) The relative atomic mass, A_r , of element X is 32. Calculate the number of moles in 4.8 g of X.

number of moles =[2]

- (ii) How many moles of oxygen gas are required to react completely with 4.8 g of X?

number of moles of oxygen =[1]


- (iii) How many moles of H_2XO_3 would be formed if all the XO_2 formed was dissolved in water?

number of moles H_2XO_3 =[1]

- (iv) Calculate the mass of H_2XO_3 formed.

mass of H_2XO_3 formed =[2]

- (b) The acid H_2XO_3 reacts with aqueous sodium hydroxide to form a salt and water. Complete the following equation which represents this reaction:



- (c) Suggest the identity of element X, stating your reason.

X is because [1]

2 Fig. 2.1 shows three situations in which forces act on a book.




Fig. 2.1

A shows the book resting on a bench.

B shows the book being dragged horizontally for a distance of 0.3 m by a net pulling force of 11 N.

C shows the book being lifted through a vertical distance of 0.5 m.

In **B** and **C** the movement takes place over a period of 0.7 s.

Calculate the work done and the power used in each case. Show any working that you do and write down any equations that you use.

Case **A**

work done =

power used =
[2]

Case **B**

work done =

power used =
[3]

Case **C**

work done =

power used =
[3]

3 Use the Periodic Table on page 16 to help you answer the following questions.

(a) Use your knowledge of the trends across Period 3 (sodium to argon) to deduce which of these elements

(i) is the metal with the lowest melting point,[1]

(ii) is a covalent macromolecule,[1]

(iii) has four electrons in the outer shell of one atom,[1]

(iv) forms an ion with a charge of -2 ,[1]

(v) is a reactive gas at room temperature.[1]

(b) The boiling point of argon is 87 K. Explain what this very low boiling point suggests about the forces between argon atoms.

.....
.....
.....
.....[2]

(c) Suggest why sodium is a more reactive metal than aluminium.

.....
.....
.....
.....[2]

4 Fig. 4.1 shows a block of a thermal conductor that is being heated at the left edge. The block is painted silver.




Fig. 4.1

(a) With the aid of a diagram explain how heat is transferred along the block.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....[4]

(b) When the two thermometers show constant temperatures the block is said to be in thermal equilibrium. The block is still being heated.
Explain why the block reaches thermal equilibrium.

.....
.....
.....
.....
.....
.....
.....[3]

(c) Suggest and explain what difference painting the block a dull black colour would make.

.....
.....
.....
.....
.....
.....
.....[3]

- 5 (a) (i) Draw the arrangements of the electrons in shells for an atom of carbon and an atom of oxygen. You may wish to refer to the Periodic Table on page 16.

electron arrangement of carbon

electron arrangement of oxygen

[2]

- (ii) Draw a dot-cross diagram to show how bonds are formed between carbon and oxygen in carbon dioxide.

[2]

- (iii) By referring to your diagram, explain why carbon dioxide is relatively unreactive.

.....

.....

.....

.....[2]

- (b) Magnesium oxide has a similar relative formula mass to carbon dioxide, but magnesium oxide is a very high melting point solid. Explain this difference in terms of the structures of the two oxides.

.....

.....

.....

.....[2]

- 6 Fig. 6.1 shows how the ripples in a pond spread out as they pass through a gap between two concrete pillars.




Fig. 6.1

- (a) Name the process by which the waves spread out after passing through the gap between the pillars.
[1]
- (b) Mark on the diagram the wavelength of the waves. [1]
- (c) The diagram is drawn $\frac{1}{20}$ th full size. The frequency of the waves is 3 Hz.

Calculate the speed of the waves. Show all your working and write down any equation that you use.

wave speed = [3]

(d) Explain how you would use the pond and any other necessary apparatus to demonstrate (i) reflection and (ii) refraction of waves. In each case draw a diagram to help your explanation.

reflection

.....
.....
.....
.....
.....[3]

refraction

.....
.....
.....
.....
.....[3]

7 (a) A number of pollutants may be found in car exhaust gases. Explain how the following pollutants are formed:

(i) oxides of nitrogen[2]

.....

(ii) carbon monoxide

.....[1]

(b) Name **one** other pollutant formed in car exhaust gases.

.....[1]

(c) Explain how nitrogen oxides in the atmosphere can cause damage to limestone buildings.

.....

.....

.....

.....[2]

(d) Both nitrogen monoxide, NO, and carbon monoxide, CO, can be removed from exhaust fumes by using a catalyst to make them react together. The products are carbon dioxide and nitrogen. Write a balanced equation for this reaction.

.....[2]

8 Fig. 8.1 shows a transformer. The output is connected to a lamp rated at 6 V, 1.8 W and the input is connected to a 220 V supply.




Fig. 8.1

(a) (i) Name the type of transformer used.

.....[1]

- (ii) Calculate the ratio of the number of turns on the secondary to the number of turns on the primary.
Write down the equation that you use and show your working.

turns ratio = [2]

- (b) (i) Calculate the normal working current for the lamp.
Write down the equation that you use and show your working.

current = [3]

- (ii) Calculate the working resistance of the lamp.
Write down the equation that you use and show your working.

resistance = [2]

- (iii) Explain why the initial current for the lamp is likely to be higher than the normal working current.

.....
.....
.....
.....
.....
.....
.....[3]

9 The salt lead(II) chloride is insoluble in cold water, whereas the salt lead(II) nitrate is soluble.

(a) Lead(II) chloride is to be prepared from a solution of lead(II) nitrate.

(i) What other solution should be added to the solution of lead(II) nitrate?

.....[1]

(ii) How would you decide when to stop adding this solution?

.....[1]

(iii) How would you separate a sample of lead(II) chloride from the mixture?

.....
.....
.....[2]

(b) Draw a labelled diagram of the apparatus to carry out the separation described in (a)(iii).

[2]

DATA SHEET
The Periodic Table of the Elements

		Group													
		I	II	III	IV	V	VI	VII	0						
		1 H Hydrogen 1													
7	9	3	4	5	6	7	8	9	10	2					
Li Lithium	Be Beryllium	B Boron	C Carbon	N Nitrogen	O Oxygen	F Fluorine	Ne Neon	Na Sodium	Mg Magnesium	Al Aluminium	Si Silicon	P Phosphorus	S Sulphur	Cl Chlorine	Ar Argon
11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
Na Sodium	Mg Magnesium	Al Aluminium	Si Silicon	P Phosphorus	S Sulphur	Cl Chlorine	Ar Argon	K Potassium	Ca Calcium	Sc Scandium	Ti Titanium	V Vanadium	Cr Chromium	Mn Manganese	Fe Iron
19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
K Potassium	Ca Calcium	Sc Scandium	Ti Titanium	V Vanadium	Cr Chromium	Mn Manganese	Fe Iron	Co Cobalt	Ni Nickel	Cu Copper	Zn Zinc	Ga Gallium	Ge Germanium	As Arsenic	Se Selenium
37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
Rb Rubidium	Sr Strontium	Y Yttrium	Zr Zirconium	Nb Niobium	Mo Molybdenum	Tc Technetium	Ru Ruthenium	Rh Rhodium	Pd Palladium	Ag Silver	Cd Cadmium	In Indium	Sn Tin	Sb Antimony	Te Tellurium
55	56	57	72	73	74	75	76	77	78	79	80	81	82	83	84
Cs Caesium	Ba Barium	La Lanthanum	Hf Hafnium	Ta Tantalum	W Tungsten	Re Rhenium	Os Osmium	Ir Iridium	Pt Platinum	Au Gold	Hg Mercury	Tl Thallium	Pb Lead	Bi Bismuth	Po Polonium
87	88	89	89	90	91	92	93	94	95	96	97	98	99	100	101
Fr Francium	Ra Radium	Ac Actinium	Th Thorium	Pa Protactinium	U Uranium	Np Neptunium	Pu Plutonium	Am Americium	Cm Curium	Bk Berkelium	Cf Californium	Es Einsteinium	Fm Fermium	Md Mendelevium	No Nobelium
133	137	139	141	142	143	144	145	146	147	148	149	150	151	152	153
Cs Caesium	Ba Barium	La Lanthanum	Hf Hafnium	Ta Tantalum	W Tungsten	Re Rhenium	Os Osmium	Ir Iridium	Pt Platinum	Au Gold	Hg Mercury	Tl Thallium	Pb Lead	Bi Bismuth	Po Polonium
171	173	175	177	179	181	183	185	187	189	191	193	195	197	199	201
Lu Lutetium	Yb Ytterbium	Lu Lutetium	Yb Ytterbium	Lu Lutetium	Yb Ytterbium	Lu Lutetium	Yb Ytterbium	Lu Lutetium	Yb Ytterbium	Lu Lutetium	Yb Ytterbium	Lu Lutetium	Yb Ytterbium	Lu Lutetium	Yb Ytterbium
103	102	101	100	99	98	97	96	95	94	93	92	91	90	89	88
Lr Lawrencium	No Nobelium	Md Mendelevium	Fm Fermium	Es Einsteinium	Cf Californium	Bk Berkelium	Cm Curium	Am Americium	Pu Plutonium	Np Neptunium	U Uranium	Th Thorium	Pa Protactinium	U Uranium	Th Thorium

*58-71 Lanthanoid series
†90-103 Actinoid series

a = relative atomic mass
X = atomic symbol
b = proton (atomic) number

Key

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).