

**MARK SCHEME for the October/November 2007 question paper**

**0652 PHYSICAL SCIENCE**

**0652/02**

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2007 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2007	0652	02

1	(a)	20 (m/s)		1	[1]
	(b)	(i) constant speed or implied, e.g. continues at 20 m/s,		1	
		(ii) deceleration <b>not</b> accept decreasing acceleration constant (constant acceleration 1)		1 +1	[3]
	(c)	use of area under graph OR speed x time OR 20 x 1.5 = 30 m		1 1 1	[3]
				<b>[Total: 7]</b>	
2	(a)	2 3 4 2 (accept correct multiples)		1	[1]
	(b)	toxic/poisonous interferes with respiration or implied, e.g. less oxygen passed around prevents oxygen/carbon dioxide exchange combines with haemoglobin/red blood cells ANY TWO		1 + 1	[2]
	(c)	carbon dioxide		1	[1]
				<b>[Total: 4]</b>	
3	SO <sub>2</sub>	burning fossil fuels, etc.	acid rain/consequence	3	[3]
	NO <sub>2</sub>	car engines	acid rain/consequence	3	[3]
				<b>[Total: 6]</b>	
4	(a)	(i) wavelength correctly marked		1	
		(ii) $f = 12/5$ = 2.4 Hz or per second		1 1 1	[4]
	(b)	(i) gets shorter accept wavelengths get closer together		1	
		(ii) remains the same		1	[2]
				<b>[Total: 6]</b>	

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2007	0652	02

5	(a)	magnesium most reactive copper least reactive (allow one mark if copper and magnesium reversed with zinc in middle, ignore 'in Mg <sup>2+</sup> etc'.)	1 1	[2]
	(b)	Mg + CuSO <sub>4</sub> → Mg SO <sub>4</sub> + Cu	1	[1]
	(c)	no reaction/nothing/no change	1	[1]
			<b>[Total: 4]</b>	
6	(a) (i)	circuit 4	1	[1]
	(ii)	lowest resistance resistors in parallel three in parallel, lower resistance than two in parallel	+1 +1* +1*	[any 2]
	(b)	reading the same Current the same all the way round a (series) circuit	1 +1	[2]
(c)	reading less or ½ original Current splits between	1 +1	[2]	
			<b>[Total: 7]</b>	
7	(a)	11 23 12 or difference between RAM & proton number 2.8.1 (accept 1s <sup>2</sup> 2s <sup>2</sup> 2p <sup>6</sup> 3s <sup>1</sup> ) (ecf from proton number)	1 1 1 1	[4]
	(b)	lithium Li ecf for other Group 1 elements only	1 1	[2]
			<b>[Total: 6]</b>	

Page 4	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2007	0652	02

<b>8</b>	<b>(a) (i)</b> beta (this mark can only be scored if no other radiation is stated) betas absorbed by aluminium (Not accept if either included)	1	
		1	
<b>8</b>	<b>(ii)</b> alpha gamma alphas stopped by paper gammas go through aluminium but stopped by lead (If $\alpha$ , $\beta$ and $\gamma$ give 0q, 0q then mark on merit)	1	
		1	
		1	
		1	[6]
<b>8</b>	<b>(b) (i)</b> Use of tongs, hold away from body, wear lead apron etc.	1	
<b>8</b>	<b>(ii)</b> Store in lead box/fireproof container/locked store	1	[2]
		<b>[Total: 8]</b>	
<b>9</b>	<b>(a)</b> C <sub>2</sub> H <sub>4</sub> (accept correct structural formula)	1	[1]
<b>9</b>	<b>(b)</b> ethene is unsaturated/has a double bond ethane is saturated/has only single bonds	1	
		1	[2]
<b>9</b>	<b>(c)</b> bromine water decolourised no reaction/remains brown/yellow	1	
		1	
		1	[3]
<b>9</b>	<b>(d)</b> polymerisation	1	[1]
		<b>[Total: 7]</b>	
<b>10</b>	<b>(a)</b> K is the cathode cathode hot emits electrons A is anode/positive accelerates electrons	1	
		1	
		1	
		1	
		1	[any 4]
<b>10</b>	<b>(b) (i)</b> b: greater peak to peak on trace	1	
<b>10</b>	<b>(ii)</b> b: more waves on screen thus more waves per second	1	
		1	[3]
		<b>[Total: 7]</b>	

Page 5	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2007	0652	02

11 (a)	calcium carbonate CaCO <sub>3</sub>	1 1	[2]
(b) (i)	heating	1	
(ii)	water	1	
(iii)	heat/energy given out	1	[3]
(c)	neutralise acid/increase pH (NOT fertiliser/to make crops grow)	1	[1]
		<b>[Total: 6]</b>	
12 (a)	refracted towards normal (NOT along or beyond) refracted away from normal at exit emergent ray parallel to incident ray (refraction beyond or along normal at first face only third mark can score, refraction away from normal at first face allow ecf if consistent at second face, i.e. 2nd & 3rd marks can score)	1 1 1	[3]
(b) (i)	normal drawn and angle of incidence correctly marked	1	
(ii)	normal drawn and angle of incidence correctly marked	1	[2]
		<b>[Total: 5]</b>	
13 (a)	kill bacteria/germs/micro-organisms	1	[1]
(b)	all three correct (2 correct – 1 mark) covalent covalent ionic	2	[2]
(c) (i)	Cl <sup>-</sup>	1	
(ii)	8	1	
(iii)	full/complete outer shell Clear that both Cl and neon have full outer shell (allow 1 mark for the same number of electrons)	1 1	[4]
		<b>[Total: 7]</b>	