UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the May/June 2011 question paper for the guidance of teachers

0625 PHYSICS

0625/33

Paper 3 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2011	0625	33

Notes about Mark Scheme Symbols and Other Matters

B marks are independent marks, which do not depend on any other marks. For a B mark to be scored, the point to which it refers must actually be seen in the candidate's answer.

M marks are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers **must** be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be scored.

C marks are compensatory method marks which can be scored even if the points to which they refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it e.g. if an equation carries a C mark and the candidate does not write down the actual equation but does correct working which shows he knew the equation, then the C mark is scored.

A marks are accuracy or answer marks which either depend on an M mark, or which are one of the ways which allow a C mark to be scored.

c.a.o. means "correct answer only".

e.c.f. means "error carried forward". This indicates that if a candidate has made an earlier mistake and has carried his incorrect value forward to subsequent stages of working, he may be given marks indicated by e.c.f. provided his subsequent working is correct, bearing in mind his earlier mistake. This prevents a candidate being penalised more than once for a particular mistake, but **only** applies to marks annotated "e.c.f."

e.e.o.o. means "each error or omission".

brackets () around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.

underlining indicates that this must be seen in the answer offered, or something very similar.

OR/or indicates alternative answers, any one of which is satisfactory for scoring the marks.

Significant Answers are acceptable to any number of significant figures ≥ 2, except if specified otherwise, or if only 1 sig. fig. is appropriate.

Units Deduct one mark for each incorrect or missing unit from an answer that would otherwise gain all the marks available for that answer: maximum 1 per question. No deduction is incurred if the unit is missing from the final answer but is shown correctly in the working.

Fractions These are only acceptable where specified.

Extras Ignore extras in answers if they are irrelevant; if they contradict an otherwise correct response or are forbidden by mark scheme, use right + wrong = 0

Ignore Indicates that something which is not correct is disregarded and does not cause a right plus wrong penalty.

Not/NOT Indicates that an incorrect answer is not to be disregarded, but cancels another otherwise correct alternative offered by the candidate i.e. right plus wrong penalty applies.

	Page 3				Syllabus	Paper	
				IGCSE – May/June 2011	0625	33	
1	(a)	sca	ılar, ve	ector, scalar, vector, scalar			В3
	(b)	(i)		rage speed) = distance / time OR 18/1.2 m/s		C1 A1	
		(ii)	(time = 1.4	e =) (total) distance / speed OR 21/15 4 s		C1 A1	
		(iii)	air re	esistance / friction / force opposing motion		B1	
		(iv)	velo	city changes because direction changes		B1	[9]
2	(a)	hea		nergy (of the package / belt / motor) ermal / internal energy / work done <u>against friction</u> nergy		B2	
	(b)			2 36 × 10 × 2.4 DR N m		C1 A1	
	(c)	OR	E/t	n any form: words, symbols or numbers OR 864 / 4.4 OR J/s		C1 A1	
	(d)			n any form, words or symbols s is increased AND power is constant		B1	
				in <u>potential</u> energy of mass is greater done / energy used (to raise mass) is greater		B1	
		spe	ed re	duced / time taken is longer		B1	[9]
3	(a)		ce AN pendi	D <u>cular</u> distance (of force) from the point.		B1	
	(b)	(i)	dow	nward arrow at centre of bar		B1	
		(ii)	0.5(0	0) m / 50 cm		B1	
		(iii)	(+) 3	1.2 OR 48 seen anywhere 30 × 0.5 0R 15 seen anywhere Nm		C1 C1 A1	
		(iv)		0.2 = 63 63/0.2 = 315 N		C1 A1	
		(v)	OR OR	e bar / B longer move pivot / stone to the left increase distance between force and pivot (by movin increase mass of the bar / B	ng pivot to left)	B1	[9]

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2011	0625	33

4 (a) 330 J of heat / energy required to change 1 g of ice to water at constant temperature / at melting point / at 0 degrees C **B1** (b) (i) (B to C ice is) changing to water / melting / changing to liquid / changing state **B**1 (D to E water is) changing to steam / vaporising / boiling / changing to gas **B1** (ii) Sp. latent of vaporisation of water is greater than sp. latent of fusion of ice **B1** (iii) s.h.c. of ice is less than s.h.c. of water **B1** more heat required to raise temperature of water OR rate of temperature rise of water is slower OR temperature rise of water takes longer **B1** [6] 5 (a) (i) (Molecules) move randomly / in random directions (Molecules) have high speeds (Molecules) collide with each other / with walls **B**1 (ii) (Force is caused by) collision (and rebound) of molecules (with the walls) o.w.t.t.e C1 (iii) p = F/A OR (force =) pA OR 300 × 0.12 C1 OR 300 000 × 0.12 OR any other recognisable pressure × area = 36 kN / 36 000 N **A1 (b) (i)** $p_1V_1 = p_2V_2 / 300 \times 0.1 \times 0.12 = p_2 \times 0.05 \times 0.12$ OR if *V* is halved, *p* is doubled OR vice versa C1 $p_2 = 600 \text{ kPa}$ Α1 (ii) (molecules) collide with walls more often o.w.t.t.e. OR more collisions with walls per second or per unit time o.w.t.t.e В1 [7]

	Page 5)	wark Scheme: Teachers Version	Syllabus	Paper	
				IGCSE – May/June 2011	0625	33	
6	(a)	(i)	shake end of rope (e.g. from side to side / up and down)				
	` '			ance from crest to crest / trough to trough / any se, labelled $\boldsymbol{\lambda}$	2 adjacent point	s in B1	
			dista	ance from central horizontal line to peak or trough, la	abelled A	B1	
		(iii)		ease rate of shaking end of rope (to increase freque more quickly	(to increase frequency) / shake faster /		
	(b)	 in shallow water wavelength is smaller OR waves / lines are closer together frequency is constant (slower because) speed = frequency × wavelength OR 			B1 B1 B1		
		line sma	s / wa aller c	aves closer together in shallow water / waves in sha distance travelled in same time by waves in shallow pecause) speed = distance / time		nind B1 B1 B1	[7]
7	(a)	dist	ance	from (principal) focus/focal point to (the centre of) the	ne lens	B1	
	(b)	b) (i) image can be formed on a screen					
				is formed by rays of light meeting is formed on the opposite side of the lens from the c	bject	B1	
		(ii)	2.	straight line ray from point A to point B AND lens at intersection of ray and axis. ray from A parallel to axis, bent at lens to paintersection of ray and axis.	ass through B. <u>F</u>	B1 - at	
				OR Ray from point A through nearer focus, <u>labelled</u> lens, then parallel to axis, to point B any third ray from A to B, bent at lens	<u>ed F,</u> to lens, ber	nt at B1 B1	
		(iii)		ance from image to lens is) reduced ge is) smaller		B1 B1	[7]

Mark Scheme: Teachers' version

Syllabus

Paper

Page 5

	Page 6			Mark Scheme: Teachers' version Syllal		Paper	
				IGCSE – May/June 2011	0625	33	
8	(a)	drive cha		upplied / work done (per unit charge) to arge round a (complete) circuit		B1 B1	
		p.d. / voltage across battery / power source				B1	
		<i>.</i> n.	_				
	(b)			IV OR $(I =) P/V$ OR $(I =) 60/240$ 25 A OR $\frac{1}{4}$ A		C1 A1	
				I/R OR other version OR $(R =)V/I$		C1	
			OR I	(R =)240/0.25 $P = V^2/R$ or other version e.g. $(R =)V^2/P$ $(R =)240^2/60$			
			R= 9	060 Ω		A1	
	(c)	curre	ent ir	n series circuit = 240 / 972 =0.247 A		B1	
		curre OR	ent s	uits both bulbs, (so both light up so Y is correct)		B1	
			acro	ss bulb A = 240 × (960/972) = 237 V			
		•		ss bulb B = 240 × 12/972 = 2.96 V		B1 B1	[01
		p.u.	Suits	both bulbs, (so both light up so Y correct)		БΙ	[8]
9	(a)	(i)	arro	w pointing vertically downwards		B1	
				netic fields due to current and magnet interact with e	each other		
				current produces <u>magnetic</u> field. wire contains moving charges which experience a	force in a magneti	<u>с</u> В1	
		(iii) dire		ction of force unchanged		B1	
	(b)			P pointing down the page		B1	[[]
		curv	ed p	atn		B1	[5]
10	(a)	corre	ect s	ymbol for OR gate			
	` ,	Α-	$\neg \Gamma$	OUTPUT			
		₿-				B1	
	(b)	outp	ut is	low / zero / off if both inputs are low / zero / off		B1	
				high / one / on if one input is high / one / on	a bath innuta biab	D4	
		DU I TNIS		mark is not scored if candidate puts output low when	i botti iriputs fiigii	B1	
	(c)	swite	ches	in doors are on if doors are open or vice versa		B1	
	. ,	(swi	tches	s in) doors provide inputs (to gate)		B1	[G]
		output (f gate) is connected to buzzer / warning light / alarm		B1	[6]

Page 7			7	Mark Scheme: Teachers' version	Syllabus	Paper	
				IGCSE – May/June 2011	0625	33	
11	(a)	(i)	prote	on		B1	
		(ii)	prote	on and neutron		B1	
	(b)			nber of protons = 47 nber of neutrons = 60			
	(c)	(i)	8 hrs	s +/- 0.25 hrs		B1	
		(ii)		point plotted is half the count-rate of a point on the that point (ecf from (c)(i))	e curve, and 8 ho	urs B1	
			seco	ond point plotted same as above or with respect to f	irst point plotted	B1	
			16 h 24 h 13.5 21.5	sible points include: urs, 80 counts/s urs, 40 counts/s 5 hrs, 100 counts/s 5 hrs, 50 counts/s 6 hrs, 75 counts/s			[7]
			10.0	riio, ro ocumoro			[,]