## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

**International General Certificate of Secondary Education** 

## MARK SCHEME for the October/November 2010 question paper for the guidance of teachers

## 0625 PHYSICS

0625/23

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2010		23

## NOTES ABOUT MARK SCHEME SYMBOLS & OTHER MATTERS

B marks are independent marks, which do not depend on any other marks. For a B mark to be scored, the point to which it refers must actually be seen in the candidate's answer.

M marks are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers **must** be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be scored.

C marks are compensatory method marks which can be scored even if the points to which they refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it. e.g. if an equation carries a C mark and the candidate does not write down the actual equation but does correct working which shows he knew the equation, then the C mark is scored.

A marks are accuracy or answer marks which either depend on an M mark, or which are one of the ways which allow a C mark to be scored.

c.a.o. means "correct answer only".

e.c.f. means "error carried forward". This indicates that if a candidate has made an earlier mistake and has carried his incorrect value forward to subsequent stages of working, he may be given marks indicated by e.c.f. provided his subsequent working is correct, bearing in mind his earlier mistake. This prevents a candidate being penalised more than once for a particular mistake, but **only** applies to marks annotated "e.c.f."

e.e.o.o. means "each error or omission".

brackets () around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets.
e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.

underlining indicates that this must be seen in the answer offered, or something very similar.

un.pen. means "unit penalty". An otherwise correct answer will have one mark deducted if the unit is wrong or missing. This **only** applies where specifically stated in the mark scheme. Elsewhere, incorrect or missing units are condoned.

OR/or indicates alternative answers, any one of which is satisfactory for scoring the marks.

Spelling Be generous about spelling and use of English. If an answer can be understood to mean what we want, give credit.

Significant Answers are acceptable to any number of significant figures ≥ 2, except if specified figures otherwise, or if only 1 sig. fig. is appropriate.

Units Ignore units, except where a mark is specified for a particular unit.

Fractions These are only acceptable where specified.

Extras Ignore extras in answers if they are irrelevant; if they contradict an otherwise correct response or are forbidden by mark scheme, use right + wrong = 0

Work which has been crossed out, but not replaced, should be marked as if it had not been crossed out.

Page 3 Mark Scheme: Teachers' version Syllabus IGCSE – October/November 2010 0625  1 (a) 13.6 (s)  (b) 13.6/40 e.c.f. 0.34 (s) e.c.f.  (c) more accurate OR errors less significant OR time for 1 interval too small	<b>Paper 23</b> B1 C1 A1
(b) 13.6/40 e.c.f. 0.34 (s) e.c.f.	C1
0.34 (s) e.c.f.	
(c) more accurate OR errors less significant OR time for 1 interval too small	ΛI
	B1
(d) 4 intervals OR 4 and a bit intervals OR 5 intervals 4 × his (b) OR (4 and a bit) × his (b) 5 × his (b) 1.36 – 1.5 (s) e.c.f.	C1 C1 A1
(e) drops accelerate/go faster	B1
	[Total: 8]
2 (a) extension indicated between two broken lines	B1
<ul><li>(b) (i) 4 points correctly plotted ± ½ small square −1 e.e.o.o. (condone 0,0 not plotted)</li></ul>	B2
straight line through points and origin, by eye	B1
(ii) proportional	B1
(iii) 1. newton(s) 2. 25 – 26 (mm) 75 – 76 (mm)	B1 C1 A1
	[Total: 8]
3 (a) (i) (engine) thrust and (air) friction	B1
(ii) force shown vertically upwards, anywhere on plane	B1
(b) (i) v = s/t in any form 2200/2.75 800 (km/h)	C1 C1 A1
<ul> <li>(ii) idea of         headwind on outward journey         OR tailwind on return journey         OR shorter route on return journey         OR air friction is less</li> </ul>	
	D4
OR idea of less weight NOT flies slower	B1

Page 4			Teachers' version	Syllabus	Paper
		IGCSE – Octob	ber/November 2010	0625	23
4	kinetic/KE/mcconstant/the	vitational/PE/GPE/positi ovement same/uniform R J condone j	ion		B1 B1 B1 B1
					[Total: 5]
5	(a) (i) inter	rnal energy			B1
	(ii) ther	mal capacity			B1
	(iii) boili	ng point			B1
	(b) increase changes		s OR mercury/alcohol/liquid ls	expands	B1 + B1 B1 + B1
					[Total: 7]
6	(a) 40 cond	done no unit			B1
	<b>(b) (i)</b> ray	reflected at angle > 40°	to dotted line		В1
	<b>(ii)</b> 60	condone no unit			B1
	(iii) his (	(ii) — 40			C1
	20	e.c.f. condone no unit			A1
	(c) (i) 2 (c)	m)			B1
	(ii) idea 10 (	of distance behind = di cm)	istance in front		C1 A1
					[Total: 8]
7	(a) (i) refra	action			B1
	(ii) disp	ersion			В1
	/ <b>b</b> )				
	(b)	red			B1
		yellow	e.c.f. from red		B1

Page 5		5	Mark Scheme: Teachers' version	Syllabus	Paper
			IGCSE – October/November 2010	0625	23
(	gai	any two from gamma, cosmic, X-rays, UV, IR, microwaves, radio, TV (ignore extras, unless wrong, in which case ✓ + × = 0)			B1 + B1 [Total: 6]
8 (	a) (i)	amp	ilitude		ъ
·	(ii)		elength		B1
(	(b) (i)	back	g moves air kwards & forwards OR up & down compressions & rarefactions		M1 A1
	(ii)	gets	quieter/softer/less loud		B1
					[Total: 5]
9 (	(a) (i)	batte voltr stan	ept any recognisable symbols for M1 and A1 marks ery/cell, ammeter, coil in series (ignore any switch conter clearly in parallel with coil dard symbols used for battery/cell, voltmeter and ar	or rheostat)	M1 A1 B1
	(ii)	R = 1	V/I in any form		B1
	(iii)	dian resis	th (of wire) ) neter/cross-section/area (of wire) ) any 2 stivity/type of material ) perature )		B1 + B1
(	<b>b)</b> El <sup>-</sup>	) EITHER			
	6/1.5 (circuit res. =) 4 ( $\Omega$ ) (res. of AB =) 1 ( $\Omega$ ) e.c.f. 0.5 ( $\Omega$ /m) e.c.f.			C1 C1 C1 A1	
	OF	OR			
	p.c res	p.d. across $3\Omega = 4.5$ (V) p.d. across AB = 1.5 (V) res. of AB = 1 ( $\Omega$ ) e.c.f. 0.5 ( $\Omega$ /m) e.c.f.			C1 C1 C1 A1
					[Total: 10]

	Page 6	Mark Scheme: Teachers' version	Syllabus	Paper
		IGCSE – October/November 2010	0625	23
10	. , . ,	eflects NOT vibrates OR oscillates eturns to zero/centre again		M1 A1
	` ´ a	nduction/induced current or emf xle/wire cuts magnetic field ot when axle out of field		B1 B1 B1
	(iii) o	pposite deflection		В1
	(b) needl	e/pointer swings from side to side		B1
				[Total: 7]
11	(a) —	condone OR —	$\bigcirc$	B1
		nt too large wire melts		B1 B1
	luse wire mens			
	(c) live tid	cked		B1
				[Total: 4]
12	(a) (i) it	is an electron		В1
	` '	o/negligible mass/weight allow "its mass" DR not one of nuclear particles		B1
		egative charge allow "its charge"		M1 A1
	G			, , ,
	<b>(b)</b> 250			B1
	98			B1
				[Total: 6]