## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

**International General Certificate of Secondary Education** 

## MARK SCHEME for the October/November 2011 question paper for the guidance of teachers

## 0625 PHYSICS

0625/62

Paper 6 (Alternative to Practical), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2		ge 2	Mark Scheme: Teachers' version		aper
			IGCSE – October/November 2011	0625 6	2
1 (	(a)	x = 1.9 (c	cm), $19 \text{ (mm) } 0.019 \text{ (m)}, y = 2.1 \text{ (cm)}, 21 \text{ (mm)}, 0.021 \text{ (n)}$	n)	[1]
	(b)	evidence $m_1 = 124$	) seen at least once and correct, matching both figure e of x and y values from (a) × 10 look of 0.124 accept more sig. figs. In, g or kg to match figures	s	[1] [1] [1]
	(c)	$m_2 + m_3$	= 99.4 (g)		[1]
	(d)	more diff more rea rounding difficult to	: g clay remaining on knife/rule/fingers/lost in cutting ricult to balance with smaller pieces adings so more inaccuracies errors in extra calculations of find centre of misshapen cube g clay might not have uniform density		[2]
	( <u>a</u> )	mark cor	ntre of bottom of cube OR take readings at either side	of cube	[1]
•	(6)	mark cer	ille of bottom of cube of clake readings at either side		otal: 9]
2 (	(a)	$\theta_{\rm h} = 86$ (°	PC)		[1]
· ·	( - )	-11 (	- /		
(	(b)	cm <sup>3</sup> , °C 10, 20, 3	0, 40, 50, 60		[1] [1]
	(c)	plots to t all plots of well-judg	elled and scales suitable ake up half grid correct to nearest ½ small square led best-fit line and small plots		[1] [1] [1]
	(d)	constant constant same an	from: t water temperature / initial temperature, room/surrounding temperature / other suitable named cold water temperature nount/rate of stirring en for transfer w.t.t.e. / poured at same time interval	d environmental condition	on [2]

Page 3		Mark Scheme: Teachers' version	Syllabus	Paper
		IGCSE – October/November 2011	0625	62
(e)	wait for to	from: be of parallax explained (thermometer or measuring emperature to stabilise table suggestion related to measurement	cylinder)	[1] [Total: 10]
3 (a)	V= 0.8 (\	<b>/</b> )		[1]
(b)	statemer	= 1.4 + candidate's value for V <sub>A</sub> , expect 2.2 V nt matching results, expect YES referring to results		[1] [1] [1]
(c)	R = 7.78	, to 2 or 3 significant figures and unit $\Omega$		[1]
(d)	voltmete	r correctly shown		[1]
(e)		ison, e.g. e better as V <sub>A</sub> less than 1V' OR '10V scale accepta ′ <sub>c</sub> larger than 1V'	ble to avoid chang	[1] Jing since
				[Total: 7]
4 (a)		t 90° in correct position cm to left of <b>L</b>		[1] [1]
(b)	(i) & (ii)	all lines neatly drawn in correct position		[1]
	(iii) table cm, i			[1] [1]
(c)				[2]
(d)		from: ins vertical / view bases of pins / increase pin separal n lines / use sharp pencil	ration	
	view prot	tractor / rule perpendicularly o.w.t.t.e.  o to paper		[1]
				[Total: 8]

_	3		- <b>j</b>		
		IGCSE – October/November 2011	062	25	62
5 (a	) 1/mm, e	/mm or in words			[1]
(b	) 1, 3, 5, 7	7, 11, 17			[1]
(с	larger lo	pads produce bigger increases in extension of the same OR ratio W/e not the same	OR increase be	etween (s	[1] successive) [1]

**Syllabus** 

Mark Scheme: Teachers' version

Page 4

(d) clamp, spring and weight sensibly shown ruler close to spring or with suitable horizontal pointer or equivalent [1]

[Total: 6]

**Paper**