

## **MARK SCHEME for the October/November 2012 series**

### **0625 PHYSICS**

**0625/32**

Paper 3 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

<b>Page 2</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – October/November 2012</b>	<b>0625</b>	<b>32</b>

## NOTES ABOUT MARK SCHEME SYMBOLS AND OTHER MATTERS

- M marks** are method marks upon which further marks depend. For an M mark to be scored, the point to which it refers must be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent marks can be scored.
- B marks:** are independent marks, which do not depend on other marks. For a B mark to be scored, the point to which it refers must be seen specifically in the candidate's answers.
- A marks** In general A marks are awarded for final answers to numerical questions. If a final numerical answer, eligible for A marks, is correct, with the correct unit and an acceptable number of significant figures, all the marks for that question are normally awarded. It is very occasionally possible to arrive at a correct answer by an entirely wrong approach. In these rare circumstances, do not award the A marks, but award C marks on their merits. However, correct numerical answers with no working shown gain all the marks available.
- C marks** are compensatory marks in general applicable to numerical questions. These can be scored even if the point to which they refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it. For example, if an equation carries a C mark and the candidate does not write down the actual equation but does correct substitution or working which shows he knew the equation, then the C mark is scored. A C mark is not awarded if a candidate makes two points which contradict each other. Points which are wrong but irrelevant are ignored.
- brackets ( )** around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets. e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.
- underlining** indicates that this must be seen in the answer offered, or something very similar.
- OR / or** indicates alternative answers, any one of which is satisfactory for scoring the marks.
- e.e.o.o.** means "each error or omission".
- o.w.t.t.e.** means "or words to that effect".
- Spelling** Be generous about spelling and use of English. If an answer can be understood to mean what we want, give credit. However, beware of and do not allow ambiguities, accidental or deliberate: e.g. spelling which suggests confusion between reflection / refraction / diffraction / thermistor / transistor / transformer.
- Not/NOT** Indicates that an incorrect answer is not to be disregarded, but cancels another otherwise correct alternative offered by the candidate i.e. right plus wrong penalty applies.
- Ignore** Indicates that something which is not correct or irrelevant is to be disregarded and does not cause a right plus wrong penalty.

<b>Page 3</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – October/November 2012</b>	<b>0625</b>	<b>32</b>

ecf meaning "error carried forward" is mainly applicable to numerical questions, but may in particular circumstances be applied in non-numerical questions.  
This indicates that if a candidate has made an earlier mistake and has carried an incorrect value forward to subsequent stages of working, marks indicated by ecf may be awarded, provided the subsequent working is correct, bearing in mind the earlier mistake. This prevents a candidate being penalised more than once for a particular mistake, but only applies to marks annotated ecf.

#### Significant Figures

Answers are normally acceptable to any number of significant figures  $\geq 2$ . Accept answers that round to give the correct answer to 2 s.f. Any exceptions to this general rule will be specified in the mark scheme.

#### Units

Deduct one mark for each incorrect or missing unit from a final answer that would otherwise gain all the marks available for that answer: maximum 1 per question. No deduction is incurred if the unit is missing from the final answer but is shown correctly in the working.

#### Arithmetic errors

Deduct one mark if the only error in arriving at a final answer is clearly an arithmetic one.

#### Transcription errors

Deduct one mark if the only error in arriving at a final answer is because given or previously calculated data has clearly been misread but used correctly..

#### Fractions

e.g.  $\frac{1}{2}$ ,  $\frac{1}{4}$ ,  $\frac{1}{10}$  etc are only acceptable where specified.

#### Crossed out work

Work which has been crossed out and not replaced but can easily be read, should be marked as if it had not been crossed out.

#### Use of NR

(# key on the keyboard) Use this if the answer space for a question is completely blank or contains no readable words, figures or symbols, or statements such as 'I don't know'.

Page 4	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0625	32

- 1 (a)  $\frac{1}{2} mv^2$   
correct rearrangement to find  $v/v^2$   
23 m/s  
bald 0.73 scores first two marks  
C1  
C1  
A1 [3]
- (b) use of  $mgh$  (= 160 000 – 40 000 = 120 000 J)  
 $h = 20$  m  
C1  
A1 [2]
- (c) any three points from:  
KE of water  
PE of water  
sound  
heat/friction  
Award one mark for each correct point  
B3 [3]
- 2 (a) horizontal by eye  
arrow to left  
idea of airliner accelerating/changing direction AND caused by force in that direction o.w.t.t.e. OR centripetal force  
OR force/acceleration towards centre of circle  
M1  
A1  
B1 [3]
- (b) 2 lines approximately length ratio 1.16:1 at  $30^\circ/150^\circ$  to each other  
parallelogram with line across short diagonal/triangle with original lines at  $30^\circ$   
resultant to the left, horizontal by eye  
for first two marks ignore arrows, ignore labels unless they clarify an otherwise confusing diagram  
M1  
M1  
A1 [3]
- calculation route  
both forces used in cosine rule (M1)  
3<sup>rd</sup> force from previous line and correct angle used in sine rule (M1)  
calculation shows horizontal resultant (A1)
- (c) direction changing  
(therefore) velocity changing or speed/magnitude constant  
B1  
B1 [2]
- 3 (a) sensitive to box 5  
linear to box 3  
wide range to box 2  
B1  
B1  
B1 [3]
- (b) (i) 2 different metals (need not be named but must be identified as different)  
volt/millivolt/am/milliammeter/galvanometer/display reading V/mV/A/mA/ $^\circ$ C  
AND circuit would work  
do not allow unlabelled box/meter  
ignore hot/cold junction labels  
M1  
A1 [2]
- (ii) 1. metals will not melt/gives p.d. at high temperature/remote sensing  
Ignore can withstand/will not be damaged by high temperature  
2. small heat capacity/mass  
B1  
B1 [2]

Page 5	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0625	32

- 4 (a) (i) piston lower than original/single line below original lower face B1 [1]
- (ii) three points from:  
they OR air/gas molecules/particles move/collide ignore faster B1  
they OR air/gas molecules/particles collide with piston/walls  
ignore collisions between molecules B1  
force exerted on piston B1  
greater force/pressure on top (than bottom initially)  
number of collisions of gas molecules with piston increases  
piston moves until pressures/forces equal [3]
- (b) (i) piston higher than original/single line below above original lower face B1 [1]
- (ii) two points from:  
molecules of gas moving faster OR more momentum/KE B1  
more/harder collisions of gas molecules with piston/walls B1  
greater force/pressure on bottom (than top initially)  
piston moves up until pressures/forces equal [2]
- 5 (a) double cup not so hot (to hold) B1  
less heat transfer/sensible comment about air gap/more or better insulation  
ignore any explanation involving vacuum B1 [2]
- (b) starts at (0,80) always above original line and below 80°C, reaches 5 min M1  
always descends, straight or concave up, reaches 10 min A1 [2]
- (c) two points from:  
reduces/stops (energy losses by) convection B1  
reduces/stops (energy losses by) evaporation B1  
reduces/stops (energy losses by) radiation  
explanation of mechanism of heat loss (by convection, evaporation or radiation)  
explanation plus something like “which reduces heat losses” scores 2/2 on this  
part but must do more than restate question [2]
- 6 (a)  $Q = mc\Delta T$  in any form or  $mc\Delta T$  C1  
 $\Delta T = 50$  C1  
 $Q = 798\,000\text{ J}$  A1 [3]
- (b) use of  $E = Pt$  OR  $170 \times 8$  OR see 1 360 OR see 81 600 (= 1 360  $\times$  60) C1  
energy =  $(170 \times 8 \times 3\,600) = 4\,896\,000\text{ J}$  A1 [2]
- (c) efficiency = output(energy)/input (energy) OR his (a)  $\div$  his (b)  
accept power for energy but not wrong/mixed quantities. Accept useful for output,  
ignore total for input C1  
efficiency = 0.16 or 16% ecf from 6(a) and 6(b) A1 [2]

Page 6	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0625	32

- (d) source not finite/will not run out ignore can be re-used/replaced  
Give for right idea e.g. accept sun always shines B1 [1]
- (e) one point from:  
doesn't work at night/cloud cover/no sun/variable output  
high (initial) cost (of panels)  
do not accept too low unless appropriate for a clearly stated context B1 [1]
- 7 (a) ignore arrows on rays  
if no scale quoted, mark as if drawn full size; accept scale diagram if clearly stated  
one correct ray B1  
second correct ray B1  
basically correct rays extended back meet 5–7 cm from lens  
AND some indication that this is image e.g. arrow/label I or image B1 [3]
- (b) (i) cannot be formed on a screen/rays diverge away from the image/  
do not meet to form image B1 [1]
- (ii) magnifying glass/lens/magnifier do not accept converging lens B1 [1]
- 8 (a) ignore moving positive charge  
electrons/negative charges removed from balloon NOT attracted to hair M1  
moved to hair/hair becomes negatively charged/idea of net positive charge on  
balloon A1 [2]
- (b) charge on left: positive/neutral B1  
charge on right: negative B1 [2]
- (c) stream deflected to right in diagram M1  
(negative) charges in water stream attracted by (charges on) balloon A1 [2]
- (d) metal (good) conductor/has free electrons o.w.t.t.e. B1 [1]
- 9 (a)  $\alpha$  deflected NOT tick in 'no deflection' box C1  
 $\alpha$  deflected into paper NOT more than one tick A1  
 $\gamma$  no deflection NOT more than one tick B1 [3]
- (b)  $\alpha$  will be stopped by air/won't move far B1  
 $\gamma$  will continue OR air ionised by  $\alpha$   
do not give the ionisation mark if it is unclear whether the air or  $\alpha$  is ionised B1 [2]  
NB air is underlined but accept it/which etc. if clearly refers to air
- (c) only particles/rays in line with hole can pass through B1  
OR lead absorbs radiation( $\alpha$  or  $\gamma$  or unspecified ignore  $\beta$ ) B1  
to produce a (thin) beam of  $\alpha$  or  $\gamma$  or particles or rays or radiation B1 [2]

Page 7	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0625	32

- 10 (a)**  $1/R = 1/R_1 + 1/R_2$  or  $R = R_1 R_2 / (R_1 + R_2)$  or  $R_1 R_2 / (R_1 + R_2)$  or use of  $1/8 = 1/24 + 1/X$  OR  $8 = 24R / (24 + R)$  or calculations/clear logic to eliminate wrong values  
 $12 \Omega$  C1  
C1  
A1 [3]
- (b) (i)** battery and resistors correct, condone twin small circles, cell, zig-zag resistors B1  
ammeter correct position B1  
ignore switches, condone breaks in circuit  $\leq 1$  mm condone wrong symbols if clear  
two resistors in series scores 0/2 as ammeter cannot be in right place [2]
- (ii)** use of  $I = V/R$  in any form or  $V/R$  B1  
 $24 \Omega$  resistor:  $I = (6/24 =) 0.25$  A B1  
other resistor:  $I = 6/\text{his (a)}$  correctly evaluated ( $6/12 = 0.5\text{A}$ ) accept 1 s.f. if exact  
if contradiction between answer of **(a)** in working and answer in answer line, base marking on answer line B1 [3]
- 11 (a)** triangle with bar at apex, pointing either way NOT circle at apex B1 [1]  
condone:  
enclosing circle (but must have horizontal lines to/from triangle), no line through triangle, triangle filled in
- (b) (i)** deflection/reasonable value/no deflection B1 [1]  
must be consistent with direction of recognisable arrow  
if no recognisable direction in symbol of **(a)**, assume arrow L to R
- (ii)** his **(i)** different way round B1 [1]  
i.e. if deflection in **(i)** must be no deflection in **(ii)**;  
if no deflection in **(i)** must be deflection in **(ii)**;
- (c)** half waves up or down on alternate half cycles B1  
reasonable shapes of correct frequency AND amplitude 2.5–3V AND flats 0V ( $\pm 1$  small square) B1 [2]
- (d) (i)** transistor B1 [1]
- (ii)** 1<sup>st</sup> line of table : both off B1  
2<sup>nd</sup> line of table : both on B1 [2]  
give one compensatory mark : 1<sup>st</sup> line both on AND 2<sup>nd</sup> line both off  
accept HIGH/LOW or 1/0 for on/off ignore ticks/crosses/yes/no