MARK SCHEME for the May/June 2010 question paper

for the guidance of teachers

0653 COMBINED SCIENCE

0653/63

Paper 63 (Alternative to Practical), maximum raw mark 60

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



| | Page 2 | | | Mark Scheme: Teachers' version IGCSE – May/June 2010 | | | | Syllabus 0653 | Paper 63 |
|---|--------|--|--|---|---|--------------|-------------|------------------|-------------|
| 1 | (a) | Len | ath of | f leaves / mm | SE – May/June 2 | 010 | 0053 | | 03 |
| • | | | | | | | | | |
| | | | f No | Length 39 | Leaf no 11 | Length | | | |
| | | 1 2 | | 48 | 12 | 45 42 | | | |
| | | 3 | | 55 | 13 | 49 | | | |
| | | 4 | | 43 | 14 | 50 | | | |
| | | 5 | | 36 | 15 | 34 | | | |
| | | 6 | | 47 | 16 | 32 | | | |
| | | 7 | | 39 | 17 | 44 | | | |
| | | 8 | | 51 | 28 | 35 | | | |
| | | 9 | | 53 | 29 | 34 | | | |
| | | 10 | | 35 | 20 | 39 | •• • • | | [2] |
| | (b) | (b) correct method of working (e.g. 856/20 =) ; correct answer inside range 40.8 – 44.8 ; | | | | | | | [2] |
| | (c) | | | ct numbers ente ers add to 20 ; | red e.g. 3, 6, 3, 4 | , 2, 2 ; | | | [2] |
| | | | range | | pel on vertical axis ars of equal width s ; | | | | [3] |
| | (d) | (d) any suitable factor, e.g. variation in light intensity / carbon dioxide concentration water minerals / temperature ; | | | | | | | [1] |
| | | | | | | | | | [Total: 10] |
| 2 | (a) | (i) | no co | lour ; | | | | | [1] |
| | | | | | | | | | |
| | | (ii) | calciu | ım chloride ; | | | | | [1] |
| | (b) | (i) | metho | A bo | | | | | [1] |
| | | • • | EITHER method B because ammonia is lighter (less dense) than air ; | | | | | | |
| | | | or | | | | | | |
| | | | metho | od C because ar | mmonia is soluble | in (reacts w | th) water ; | | [max 1] |
| | (c) | (i) | zinc (| Zn) ; | | | | | [1] |
| | | (ii) | (liaht) | blue colour ; | | | | | |
| | | • • | | (deep) blue (botl | h essential) : | | | | [2] |
| | | | | | ·····, , | | | | [-] |
| | | (iii) | (red to | o) blue ; | | | | | [1] |
| | | - | | | | | | | |

| Page 3 | | 5 | Mark Scheme: Teachers' version | Syllabus | Paper | | |
|--------|---|----------------|--|--------------------|-------------|--|--|
| (d) | (sol | | IGCSE – May/June 2010 a gas reacts with hydrogen chloride gas ; mmonium chloride (NH ₄ C <i>l</i>) is formed ; | 0653 | 63 | | |
| | or equation given with all state symbols ; | | | | | | |
| | | | | | [Total: 10] | | |
| (a) | (i) | 21.9 | g and 23.1 g (exact) ;; | | [2] | | |
| | (ii) | 23.1 | – 21.9 = 1.2 g (ecf) ; | | [1] | | |
| (b) | (i) | proc | ess A = evaporation / evaporating ; | | [1] | | |
| | (ii) | proc | sess \mathbf{B} = condensation / condensing ; | | [1] | | |
| (c) | (i) | 1.2 c | cm³ (ecf) ; | | [1] | | |
| | (ii) | volu | me of steam from 1 cm ³ water = $\frac{2000 \times 1}{1.2}$ (ecf); | | | | |
| | | | 67 cm ³ (1670) ; | | [2] | | |
| (d) | | am ha am ; | as a much greater volume than the water/water expa | nds when it become | es | | |
| | expansion causes a force / the particles of steam have a large kinetic energy / OWTTE ; | | | | | | |
| | | | | | [Total: 10] | | |
| (a) | a) gas jar filled with water ; displace water by blowing into jar ; blow through tube into a gas-jar ; (gas-jar must not be stoppered) (award 1 only) | | | | | | |
| (b) | (i) | | led air 7.5 s ; aled air 5.5 s ; | | [2] | | |
| | (ii) | 7.0 s 5.0 s | s ; s ; (award 1 mark for '7' and '5') | | [1] [1] | | |
| (c) | (i) | goes | s milky / cloudy ; | | [1] | | |
| | (ii) | resp | iration ; | | [1] | | |
| | (iii) | befo | re exercise 8.4 s and after exercise 3.2 s ; | | [1] | | |
| | (iv) | incre | eased respiration rate (during exercise) ; | | [1] | | |
| | | | | | [Total: 10] | | |

| | Page 4 | | | Mark Scheme: Teachers' version Sy | | Paper |
|---|--------|---------------------------|---------------------------|---|------|--------------------|
| | | | | IGCSE – May/June 2010 | 0653 | 63 |
| 5 | (a) | 62 cr | m³, 4 | 15 cm ³ , 6 cm ³ (no tolerance) ;;; | | [3] |
| | (b) | | | ation = 1.2, 0.8, 0.4 (no tolerance) all 3 correct ; recorded in Table 5.1 ; | | [1] |
| | (c) | at lea all po suita | en ; | [3] | | |
| | (d) | • • | | e mass of magnesium (NOT same amount) ; e surface area of magnesium ; | | [2] |
| | | | | me of hydrogen given off is proportional to the con e hydrochloric acid. (Words in heavy type must be | | [1] |
| | | | | | | [Total: 10] |
| 6 | (a) | $t_2 = 7$ $t_3 = 6$ | 70 °C 56 °C | can = 29 g (no tolerance) ; C (no tolerance) ; C (no tolerance) ; f water = 42 cm ³ (no tolerance) ; | | [4] |
| | (b) | (i) (| (t ₃ – | 25 =) 66 – 25 = 41 °C ; | | [1] |
| | | (ii) 7 | 70 – | 66 = 4 °C ; | | [1] |
| | | (iii) 🤫 | spec | tific heat = $\frac{4 \times 42 \times 4.2}{41 \times 29}$; | | |
| | | = | = 0.5 | 59 (accept 0.6) ; | | [2] |
| | (c) | time (the (Allow | in se orde w 'po | n amps ; econds or minutes ; r of the answers is not important) ower (energy used) in watts' instead of current in a seconds or minutes' must be one of the answers fo | | [2] e awarded.) |

[Total: 10]