



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

| CANDIDATE NAME | | | | | |
|-------------------|--|--|-----------------|--|--|
| CENTRE NUMBER | | | NDIDATE MBER | | |

COMBINED SCIENCE

0653/23

Paper 2 (Core)

May/June 2013

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

This document consists of 23 printed pages and 1 blank page.




1 (a) Table 1.1 shows the numbers of protons, neutrons and electrons in four atoms, A, B, C and D

Table 1.1

| atom | protons | neutrons | electrons |
|------|---------|----------|-----------|
| Α | 1 | 0 | 1 |
| В | 8 | 8 | 8 |
| С | 1 | 1 | 1 |
| D | 15 | 16 | 15 |

| (i) | Name the central part of an atom that contains protons and neutrons. |
|-------|---|
| | [1] |
| (ii) | Explain which one of the atoms, ${\bf A}, {\bf B}, {\bf C}$ or ${\bf D},$ has a nucleon number (mass number) of 16. |
| | atom |
| | explanation |
| | [2] |
| (iii) | Use the information in Table 1.1 to explain why atoms do not have an overall electrical charge. |
| | |
| | |
| | [2] |

(b) Fig. 1.1 shows containers of hydrogen and helium.






Fig. 1.1

| (i) | Hydrogen is | usually o | described | l as a | non-meta | ۱l٤ |
|-----|-------------|-----------|-----------|--------|----------|-----|
|-----|-------------|-----------|-----------|--------|----------|-----|

Name the type of chemical bond joining the atoms in a hydrogen molecule.

[1]

(ii) Suggest why helium exists as uncombined atoms.

[41]

(c) Hydrogen is often included in the reactivity series of metals.

Use the idea of reactivity to explain the observations shown in Fig. 1.2.




Fig. 1.2

[2]

2 (a) A fishing boat is floating on the sea.

For Examiner's Use

A fisherman drops a heavy anchor from the boat. The anchor accelerates as it falls through the water.

(i) Name the downward force which makes the anchor accelerate.

| [1 | ľ | • |
|-------|---|---|
| _ | | • |

(ii) Complete the sentence below to describe the main energy change that happens to the anchor during its fall.

(b) Fig. 2.1 shows a diagram of a water wave.




Fig. 2.1

Which measurement A, B, C, D or E is

- (i) the wavelength of the wave? [1]
- (ii) the amplitude of the wave? [1]

(c) Water waves are a renewable energy resource.

For Examiner's Use

Fig. 2.2 shows how water waves can be used to produce electricity.




Fig. 2.2

Complete the sentences below to describe how the kinetic energy of the waves is changed into electrical energy.

The kinetic energy of the waves is transferred into the gravitational potential energy of the water.

| This causes the air to move and make the | spin. | |
|--|-----------|-----|
| Electrical energy is produced in the | | [2] |

3 Fig. 3.1 shows some organisms that live in and around a pond.






Fig. 3.1

(a) Herons eat fish. Water snails eat water plants, such as yellow water lilies.

Tick **all** the boxes that correctly describe each organism.

| | producer | consumer | carnivore | herbivore |
|-------------------|----------|----------|-----------|-----------|
| heron | | | | |
| water snail | | | | |
| yellow water lily | | | | |

[3]

- **(b)** The addition of a harmful substance to the environment is called pollution. Two examples of pollution caused by human activities are
 - untreated sewage entering a pond,
 - the release of methane into the atmosphere.

| (i) Explain why untreated sewage entering a pond may cause fish to die. | | | | | | |
|---|--|--|--|--|--|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

© UCLES 2013

(ii) Methane is produced by bacteria and other decomposers breaking down organic

| waste material in rubbish dumps. |
|---|
| Describe how air pollution by methane can harm the environment. |
| |
| |
| |
| |
| וסו |

4 Petroleum (crude oil) and rock salt occur naturally in the Earth's crust.

For Examiner's Use

- (a) Petroleum is a mixture that contains thousands of different compounds. Many of these compounds are alkanes.
 - (i) Complete the diagram of the alkane molecule that contains two carbon atoms.

[2]

(ii) Fig. 4.1 shows a simple pie chart of the composition of natural gas.





Fig. 4.1

Name gas **X**. [1]

(b) When petroleum is refined, it is separated into fractions.

(c)


Fig. 4.2 shows a simplified diagram of apparatus that is used to refine petroleum.



| | Fig. 4.2 | |
|------|--|-------|
| (i) | State the full name of the process shown in Fig. 4.2. | |
| | | [1] |
| (ii) | Refinery gas and diesel oil are used as fuels. | |
| | Name the two compounds that are formed when alkanes in these fuels unde complete combustion. | rgc |
| | and | [2] |
| | ck salt contains mainly sodium chloride which is a compound of the alkali medium, and the halogen, chlorine. | etal, |
| (i) | Explain why the uncombined elements sodium and chlorine are not found in Earth's crust. | the |
| | | |

(ii) Fig. 4.3 shows diagrams of a sodium atom and a chlorine atom.

For Examiner's Use






Fig. 4.3

When sodium reacts with chlorine, the atoms shown in Fig. 4.3 first change into electrically charged atoms known as ions.

Describe briefly what happens when sodium atoms and chlorine atoms are changed into ions.

5 Milk is a liquid produced by cows and other mammals, on which they feed their young.

For Examiner's Use

Table 5.1 shows the mass of some of the substances in 100g samples of milk from two mammals.

Table 5.1


| substance | cow's milk | water-buffalo's milk |
|----------------|------------|----------------------|
| protein/g | 3.2 | 4.5 |
| fat/g | 3.9 | 8.0 |
| carbohydrate/g | 4.8 | 4.9 |
| calcium/mg | 120 | 195 |

| | | calcium/mg | 120 | 195 | |
|-----|---------------|---|---------------------------------|----------------------------|------------|
| (a) | Which quantit | | able 5.1 is present in th | ne samples of milk in the | smallest |
| | | | | | [1] |
| (b) | | st which substance, no gest quantity. | t shown in Table 5.1, is | s present in the samples | of milk in |
| | | | | | [1] |
| (c) | | n why both cow's milk with biuret solution. | and water-buffalo's m | nilk produce a violet colo | our when |
| | | | | | [1] |
| (d) | Predic | t the colour you would s | ee if you added iodine | solution to cow's milk. | |
| | Explair | n your answer. | | | |
| | colour | | | | |
| | explan | ation | | | [2] |
| (e) | List the | e components of milk, s | hown in Table 5.1, that | provide energy. | |
| | | | | | [1] |
| (f) | | n one way in which dri than drinking cow's mill | | nilk might be better for a | person's |
| | | | | | |
| | | | | | [2] |

6 (a) In a store, two workers are lifting 5 kg bags of flour onto the shelves. There are five shelves, 0.5 m apart. The lowest shelf is 0.5 m from the floor.

For Examiner's Use

Fig. 6.1 shows the two workers.



| Worker Y lifts a hag of flour onto shelf 2 Worker V lifts a hag of flour onto shelf | |
|---|--|
| Worker A lines a bag of flour office shell 2. Worker 1 lines a bag of flour office shell s | 4. |
| Which worker has done more work? | |
| Explain your answer. | |
| worker because | |
| | [1] |
| State the unit in which work and energy are measured. | [1] |
| State the mass of each 5 kg bag of flour in grams. | [1] |
| Each 5 kg bag of flour has a volume of 5500 cm ³ . | |
| Calculate the average density of the bag of flour. State your answer in g/cm ³ . | |
| State the formula that you use and show your working. | |
| formula | |
| working | |
| | |
| | Explain your answer. workerbecause State the unit in which work and energy are measured. State the mass of each 5 kg bag of flour in gramsg Each 5 kg bag of flour has a volume of 5500 cm³. Calculate the average density of the bag of flour. State your answer in g/cm³. State the formula that you use and show your working. formula |

© UCLES 2013

[2]

g/cm³

(b) Three boys, **A**, **B** and **C**, walk together from their school to a store. They stay at the store for a few minutes and then return to school.

For Examiner's Use

When they leave the store,

- one boy walks back to school at a steady pace,
- one boy walks back to school at a slower steady pace,
- one boy slows down gradually as he walks back to school.

The graph in Fig. 6.2 shows how their speeds vary with time during the whole journey to the store and back again.




Fig. 6.2

(i) Calculate the distance of the store from the school.Show your working.

| m | [2] |
|-------|-----|
| | |

(ii) For how many seconds do the boys stay in the store?

s [1]

(iii) Which boy slowed down on his way back to school?

State a reason for your answer.

boy _____ because

(a) Sodium hydrogencarbonate, NaHCO₃, is a white solid compound. 7 State the number of different elements that are shown combined in the formula, NaHCO₃. (b) Fig. 7.1 shows apparatus a student used to investigate the reaction between sodium hydrogencarbonate and dilute hydrochloric acid. side-arm test-tube dilute hydrochloric acid 000 full range indicator solution (Universal Indicator) sodium hydrogencarbonate Fig. 7.1 The student observed that the indicator changed colour from green to orange. Explain this observation.

(c) The student investigated the temperature change when sodium hydrogencarbonate was added to excess dilute hydrochloric acid.

For Examiner's Use

Fig. 7.2 shows the apparatus she used.




Fig. 7.2

Table 7.1 shows the temperature measurements the student made.

Table 7.1

| temperature of the acid before the reaction/°C | 19.0 |
|---|------|
| temperature of the reaction mixture after reaction/°C | 12.0 |

| | (i) | Calculate the temperature change that occurred during the reaction. | |
|-----|------|--|-----|
| | | °C | [2] |
| | (ii) | State the term that is used to describe chemical reactions that cause this type temperature change. | of |
| | | | [1] |
| (d) | | oluble calcium compound can be made by reacting lemon juice with finely powder shells, which are made mainly of calcium carbonate. | ed |
| | Len | non juice contains a relatively low concentration of acid. | |
| | Sta | te the effect on the rate of reaction of | |
| | | using a relatively low acid concentration, | |
| | | | |
| | | using egg shells in the form of a fine powder. | |
| | | | [2] |

8 Fig. 8.1 shows the human gas exchange system.

For Examiner's Use




Fig. 8.1

| 1 | (a) | ١ | Name | structures | Δ | and | В |
|---|-----|---|------|---------------|---|-----|----|
| ۱ | a, | , | Name | 3 li doldi C3 | _ | anu | υ. |

| Α | |
|---|-----|
| | |
| _ | |
| О | [0] |

(b) Table 8.1 shows the differences in the composition of inspired and expired air.

Table 8.1

| gas | percentage in inspired air | percentage in expired air |
|----------------|----------------------------|---------------------------|
| nitrogen | 78 | |
| oxygen | 21 | 17 |
| carbon dioxide | 0.04 | 4 |
| noble gases | 1 | |

| (i) | Complete Table 8.1. | [1] |
|-----|---------------------|-----|
| | | |

(ii) Name one noble gas that is present in air.

| [1] |
|---------|
| נין |

| (iii) | Explain why the air that we breathe out (expired air) contains less oxygen and more carbon dioxide than the air we breathe in. | Fo Exami Us |
|-------|---|-------------------|
| | | |
| | | |
| | | |
| | [2] | |
| (iv) | Describe how you could show that expired air contains more carbon dioxide than inspired air. You can use a diagram if it helps your answer. | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | [3] | |

iner's

(c) An athlete exercised on a treadmill. The treadmill measured her power output, in watts. The faster she ran, the greater her power output.



| i) | Explain why the athlete's power output was greater when she ran faster. |
|----|---|
| | |
| | |
| | |
| | [2] |

(ii) The athlete was connected to a machine that measured the rate and depth of her breathing.

For Examiner's Use

Fig. 8.2 shows how her depth of breathing changed when she ran with different power outputs.

volume of air breathed in with each breath/dm³

1

0

0

50

100

150

200

250

power output when running/W

Fig. 8.2

| | greater power output. | breathing | changed | when | she ra | n with | а |
|-------|--|-------------|-----------|--------|--------|--------|--------|
| | | | | | | | |
| | | | | | | [2 | 2] |
| (iii) | State one other way in which her bregreater power output. | eathing wou | uld chang | e when | she ra | n with | а |
| | | | | | | [| 1] |

(a) Complete the following sentences choosing from the terms below. Each term may be used once, more than once or not at all. parallel current potential difference resistance series watt A flow of electric charge is called a An ammeter is used to measure [2]

For Examiner's Use

9

(b) A student investigated how a change in potential difference across a lamp affected the current flowing through the lamp.

For Examiner's Use

She used wires to connect the components shown in Fig. 9.1 to make a circuit.




Fig. 9.1

Using the correct circuit symbols, draw a diagram to show the circuit she used.

[4]

(c) Electricity is often transmitted through overhead power cables hung from pylons. If these cables are put up on a hot summer day, they are hung loosely from the pylons as shown in Fig. 9.2.




Fig. 9.2

| [0] |
|-----|

BLANK PAGE

DATA SHEET
The Periodic Table of the Elements

| | 0 | 4 1 | Helium 2 | CC | ₽ | o do | 10 | 40 | Ā | Argon 18 | 84 | 궃 | Krypton 36 | 131 | Xe | Xenon 54 | | Ru | Radon 86 | | | | 175 | Ľ | Lutetium 71 | | ۲ | Lawrencium 103 |
|-------|----------|-----|------------|----|------------|-----------|----|------|----|------------------|----|----|-----------------|-----|----------|------------------|-----|----|-------------------|-----|----|----------------|---------------------|------------|------------------------|--------------------------|-------------------|----------------------------|
| | II/ | | | 10 | ₽ Ц | Fluorine | 6 | 35.5 | CI | Chlorine 17 | 80 | ģ | Bromine 35 | 127 | _ | lodine 53 | | Ą | Astatine 85 | | | | 173 | Υb | Ytterbium 70 | | 2 | Nobelium 102 |
| | IN | | | á | ² C | Oxygen | 8 | 32 | တ | | 62 | Se | Selenium 34 | 128 | <u>e</u> | Tellurium 52 | | Ъо | Polonium 84 | | | | 169 | E | | | Md | Mendelevium 101 |
| | > | | | 7 | · Z | Nitropen | 7 | 31 | ۵ | Phosphorus 15 | 75 | As | | 122 | Sb | Antimony 51 | 209 | ä | Bismuth 83 | | | | 167 | ш | Erbium 68 | | Fm | Fermium 100 |
| | <u>\</u> | | | 10 | ۲ ر | Carbon | 9 | 28 | Si | Silicon 14 | 73 | Ge | Germanium 32 | 119 | Sn | | | Pb | Lead 82 | | | | 165 | 운 | Holmium 67 | | Es | Einsteinium 99 |
| | III | | | - | <u> </u> | Boron (| 5 | 27 | ΝI | Aluminium 13 | 70 | Ga | Gallium 31 | 115 | u – | Indium 49 | 204 | 11 | Thallium 81 | | | | 162 | ۵ | Dysprosium 66 | | ర | Californium 98 |
| Group | | | | | | | | | | | 65 | Zn | Zinc 30 | 112 | ဦ | Cadmium 48 | 201 | Нg | Mercury 80 | | | | 159 | Тр | Terbium 65 | | æ | Berkelium 97 |
| | | | | | | | | | | | 64 | ವ | Copper 29 | 108 | Ag | | 197 | Αn | Gold 79 | | | | 157 | Gd | Gadolinium 64 | | Cm | Curium 96 |
| | | | | | | | | | | | 29 | Z | Nickel 28 | 106 | Pd | Palladium 46 | 195 | ₹ | Platinum 78 | | | | 152 | En | Europium 63 | | Am | Americium 95 |
| | | | | | | | | | | | 59 | ပိ | Cobalt 27 | 103 | R | Rhodium 45 | 192 | _ | Iridium 77 | | | | 150 | Sm | Samarium 62 | | Pu | Plutonium 94 |
| | | - 1 | Hydrogen 1 | | | | | | | | 56 | Ь | Iron 26 | 101 | Ru | Ruthenium 44 | 190 | Os | Osmium 76 | | | | | Pm | ₇ 6 | | Q N | Neptunium 93 |
| | | | | | | | | | | | 55 | Mn | Manganese 25 | | ည | Technetium 43 | 186 | Re | Rhenium 75 | | | | 144 | Š | Neodymium 60 | 238 | _ | Uranium 92 |
| | | | | | | | | | | | 52 | ပ် | Chromium 24 | 96 | Mo | Molybdenum 42 | 184 | ≥ | Tungsten 74 | | | | 141 | Ą | Praseodymium 59 | | Ра | Protactinium 91 |
| | | | | | | | | | | | 51 | > | Vanadium 23 | 93 | S N | Niobium 41 | 181 | Б | Tantalum 73 | | | | 140 | ပီ | Cerium 58 | 232 | Ļ | Thorium 90 |
| | | | | | | | | | | | 48 | F | Titanium 22 | 91 | Zr | Zirconium 40 | 178 | Ξ | Hafnium 72 | | | | | | | nic mass | loqi | nic) number |
| | | | | | | | | | | | 45 | လွ | Scandium 21 | 88 | > | Yttrium 39 | 139 | Гa | Lanthanum 57 * | 227 | Ac | Adinium † | oprion | orion | 0 | a = relative atomic mass | X = atomic symbol | b = proton (atomic) number |
| | = | | | o | . G | Beryllium | 4 | 24 | Mg | Magnesium 12 | 40 | Ca | Calcium 20 | 88 | Š | Strontium 38 | 137 | Ва | Barium 56 | 226 | Ка | Radium 88 | *F8_71 potbassiss | Actinoid o | 30-103 Aciliola selles | a | × | α — |
| | _ | | | 7 | · = | i iii | 8 | 23 | Na | Sodium 11 | 39 | × | Potassium 19 | 85 | Rb | Rubidium 37 | 133 | Cs | Caesium 55 | | Ì | Francium 87 | *58_71 | 100 1 L | 501-06 | | Key | ٥ |

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).