



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

| CANDIDATE NAME | | | | |
|-------------------|--|---------------------|--|--|
| CENTRE NUMBER | | CANDIDATE NUMBER | | |

COMBINED SCIENCE

0653/32

Paper 3 (Extended)

October/November 2013

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.


The number of marks is given in brackets [] at the end of each question or part question.

This document consists of 20 printed pages.



1 Fig. 1.1 shows apparatus that can be used to test the electrical conductivity of materials contained in beakers **P**, **Q** and **R**.

For Examiner's Use






Fig. 1.1

(a) The material in beaker **R** is a good electrical conductor.

The materials in beakers **P** and **Q** are insulators.

Explain these statements in terms of ions.

| |
|------|
| |
| |
| |
| |
| |
| |
| |
| [3] |

| (b) | | ne material in beaker R is tested using the apparatus in Fig. 1.1. Bubbles of gas form the surface of one of the electrodes. | | | | |
|-----|--|--|--|--|--|--|
| | (i) | Name the gas that forms. [1] | | | | |
| | (ii) | A layer of an orange solid is formed on the other electrode. | | | | |
| | | Explain, in terms of ions, electrons and atoms, what is happening at the surface of this electrode. | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | [3] | | | | |
| (c) | Soc | lium chloride is a hard, crystalline solid at room temperature. | | | | |
| | Fig. | 1.2 shows a diagram that represents the structure of sodium chloride. | | | | |
| | | sodium ion chloride ion | | | | |
| | | Fig. 1.2 | | | | |
| | Explain, in terms of forces, why sodium and chloride particles stay strongly bonded. | | | | | |
| | | | | | | |
| | | [2] | | | | |

2 (a) Fig. 2.1 shows two means of communication between Singapore and Sydney.

For Examiner's Use




Fig. 2.1

Method 1 Microwave signals are sent by satellite.

Method 2 Infra-red waves carrying a signal are sent through an optical fibre cable.

Fig. 2.2 shows an infra-red ray entering an optical fibre.




Fig. 2.2

The infra-red ray travels all the way through the optical fibre.

| (i) | Explain why the infra-red ray stays inside the optical fibre. You may draw diagram if it helps your answer. | w on the |
|-----|---|----------|
| | | |
| | | |
| | | [31 |

| (ii) | The length of an optical fibre cable between Singapore and Sydney is 6.3 x 10 ⁶ m. |
|-------|--|
| | The speed of infra-red waves in an optical fibre is 2.1 x 10 ⁸ m/s. |
| | Calculate the time taken for the signal to travel from Singapore to Sydney. |
| | State any formula that you use, show your working and state the unit of your answer. |
| | formula |
| | working |
| | |
| | |
| | unit [2] |
| (iii) | The speed at which microwaves travel through space is greater than the speed at which infra-red waves travel through an optical fibre. |
| | Suggest why the time taken by infra-red signals is less than the time taken by the microwave signals to travel from Singapore to Sydney. |
| | |
| | [1] |

(b) Fig. 2.3 shows a demonstration of sound transmission using a bell jar.






Fig. 2.3


As the air is removed from the bell jar, the ringing sound from inside the bell jar gets quieter. When all the air has been removed, the bell cannot be heard.

| plain these observations. | |
|---------------------------|-------|
| | |
| | |
| | |
| | ••••• |
| | [2] |

3 Sodium hydrogencarbonate, NaHCO₃, is a white solid compound which is soluble in water.

For Examiner's Use

(a) A student adds some sodium hydrogencarbonate to a beaker which contains an aqueous solution of full range indicator (Universal Indicator).



When the sodium hydrogencarbonate dissolves, the solution changes colour from green to blue.

| (i) | State how the pH of the mixture changes when the sodium hydrogencarbonate dissolves. |
|------|---|
| | [1] |
| (ii) | The student then adds excess dilute hydrochloric acid to the solution. |
| | Apart from an increase in volume, state two observations that are made when the acid is added. |
| | 1 |
| | |
| | 2 |
| | |

(b) Fig. 3.1 shows apparatus a teacher uses to demonstrate the heating of sodium hydrogencarbonate.

For Examiner's Use




Fig. 3.1

The solid is heated strongly for a few minutes.

- The cobalt chloride paper changes colour from blue to pink.
- A gas bubbles out through the limewater, turning it cloudy.


After the reaction a white solid remains in the large test-tube.

| (i) | | lain how duced. | the | observ | vations | show | that | both | wateı | and | carbon | diox | ide | are |
|------|-----|---|---------|----------|----------|---------|-------|-------|--------|--------|----------|-------|-----|------|
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | [1] |
| (ii) | The | teacher t | tells h | ner stud | dents th | at | | | | | | | | |
| | • | sodium h | • | gencar | bonate | has be | een d | ecom | posed | (brok | en down | into | sim | pler |
| | • | the white Na ₂ CO ₃ . | e sol | id whic | ch rema | ains in | the | large | test-t | ube is | s sodiun | n car | bon | ate, |
| | | struct a | | | symbo | l equ | ation | for | the o | decom | position | of | sod | ium |
| | | | | | | | | | | | | | | [2] |

(iii) A student places a piece of paper into a solution of sodium hydrogencarbonate.

For Examiner's Use

She removes the paper and allows it to dry. She notices that crystals of solid sodium hydrogencarbonate are left on the paper.



The student finds that it is now difficult to set fire to the paper.

| | Use the results of the experiment in Fig. 3.1 to suggest why the student finds it difficult to get the paper to burn. |
|-----|--|
| | |
| | |
| | |
| | [2] |
| iv) | Suggest, with a reason, whether the decomposition of sodium hydrogencarbonate is an exothermic or an endothermic reaction. |
| | |
| | |
| | [2] |

4 (a) Most plants have root hairs near the tips of their roots.

For Examiner's Use

Researchers grew two different types of crop plants, **A** and **B**, in soil with different concentrations of phosphate ions. They measured the mean number of root hairs in a small area of the roots, and also the mean length of the root hairs.

Table 4.1 shows their results.

Table 4.1

| type of plant | phosphate concentration | mean number of root hairs per unit area | mean length of root hairs/micrometres | |
|---------------|-------------------------|---|---------------------------------------|--|
| ۸ | low | 1.26 | 175 | |
| A | high | 1.70 | 149 | |
| В | low | 1.41 | 225 | |
| В | high | 1.85 | 52 | |

| (i) Describe how the addition of phosphate ions to the soil affects the root hairs in Type A plants. |
|---|
| |
| [2] |
| ii) Compare the effect of adding phosphate ions to the soil for type A plants and type |
| B plants. |
| |
| [2] |

| | (iii) | Predict and explain how a reduction in the length of its root hairs would affect the growth of a plant. | For Examiner's Use |
|-----|-------|--|--------------------------|
| | | | |
| | | | |
| | | | |
| | | [3] | |
| | _ | | |
| (b) | | mers often add fertilisers containing phosphate ions, potassium ions and nitrate s to the soil in which they grow crops. | |
| | Exp | plain how careless use of fertilisers can cause harm to living organisms in rivers and es. | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | F 41 | |
| | | [4] | |

5 Fig. 5.1 shows a bicycle with a front light **A** and a rear light **B** powered by the same battery.




Fig. 5.1

Fig. 5.2 shows how the lights are connected.




Fig. 5.2

| (a |) State | the | name | given | to | this | type | of | circuit | arran | geme | ent. |
|----|---------|-----|------|-------|----|------|------|----|---------|-------|------|------|
| | | | | | | | | | | | | |

| [1] |
|--------|
| ١. |

| (b) | (i) | The resistance of light ${\bf A}$ is 10Ω and the resistance of light ${\bf B}$ is 5Ω . | | | | | |
|---|--|--|--|--|--|--|--|
| | Calculate the combined resistance of the two lights in this circuit. | | | | | | |
| State the formula that you use and show your working. | | | | | | | |
| | | formula | | | | | |
| | | working | | | | | |
| | | | | | | | |
| | | Ω [3] | | | | | |
| | (ii) | The voltage supplied by the battery is 9 V. | | | | | |
| | | Calculate the current passing through light A . | | | | | |
| | | State any formula that you use, show your working and state the unit of your answer. | | | | | |
| | | formula | | | | | |
| | | working | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | unit [2] | | | | | |
| (c) | | e bicycle was made from a block of aluminium alloy of mass 9000 g and volume $10\mathrm{cm}^3$. | | | | | |
| | Cal | culate the density of aluminium in g/cm³. | | | | | |
| | Sta | te the formula that you use and show your working. | | | | | |
| | | formula | | | | | |
| | | working | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | g/cm ³ [2] | | | | | |

6 Fig. 6.1 shows a fetus in the uterus just before it is born.





Fig. 6.1

- (a) On Fig. 6.1, use the letters A, B and C to label these parts on the diagram:
 - A the placenta
 - **B** amniotic fluid
 - C the cervix [3]

| (b) | Describe how the placenta and umbilical cord help to supply the fetus with oxygen. |
|-----|--|
| | |
| | |
| | |
| | |
| | [3 |

| 7 | (a) | Flu | orine is one of the halogens in Group 7 of the Periodic Table. |
|---|-----|-------|---|
| | | Sug | ggest the physical state at room temperature (solid, liquid or gaseous) of fluorine. |
| | | | plain your answer in terms of the relative size of fluorine molecules in comparison those of the other halogens. |
| | | phy | rsical state of fluorine |
| | | exp | lanation |
| | | | |
| | | | [2] |
| | (b) | | . 7.1 shows the structure of one molecule of a type of compound called a CFC lorofluorocarbon). |
| | | | C1 |
| | | | Fig. 7.1 |
| | | (i) | Name the type of chemical bonds that hold the atoms together in the molecule in Fig. 7.1. |
| | | | Explain your answer briefly. |
| | | | type of bonding |
| | | | explanation |
| | | | [2] |
| | | (ii) | State the number of electrons in the outer shells of chlorine and fluorine atoms. |
| | | | [1] |
| | | (iii) | State and explain briefly the number of electrons in the outer shells of the chlorine and fluorine atoms in the molecule shown in Fig. 7.1. |
| | | | number of electrons |
| | | | explanation |
| | | | |
| | | | [2] |

(i) Draw and label arrows on Fig. 8.1 to show the directions of the driving and friction forces acting on the car. [1]



| | Fig. 8.1 | | | | | | |
|---|--|--|--|--|--|--|--|
| (ii) | The driving and friction forces are balanced. | | | | | | |
| | Explain what is meant by the phrase forces are balanced. | | | | | | |
| | | | | | | | |
| | [1] | | | | | | |
| (iii) Describe the movement of the car when these forces are balanced. | | | | | | | |
| | 7.41 | | | | | | |
| | [1] | | | | | | |
| (iv) | The car accelerates. | | | | | | |
| Compare the relative sizes of the driving and friction forces as the spincreases. | | | | | | | |
| | | | | | | | |
| | [1] | | | | | | |
| (b) (i) | During part of a journey, a car moves 1km and the driving force is 10 000 N. | | | | | | |
| | Calculate the work done by the driving force. | | | | | | |
| | State any formula that you use, show your working and state the unit of your answer. | | | | | | |
| | formula | | | | | | |
| | working | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | unit [2] | | | | | | |

(ii) This work is done in 100 s. Calculate the useful power output from the car's engine during this time. State any formula that you use, show your working and state the unit of your answer. formula working unit (c) The cooling system of the car uses water to remove heat energy from the hot engine. The heated water goes into the radiator. Heat energy is lost from the radiator. (i) Name the part of the electromagnetic spectrum that is involved in the transfer of heat by radiation. (ii) Fig. 8.2 shows a car radiator. folded copper foil many thin copper pipes containing hot water Fig. 8.2 Explain how the features of the radiator that are shown in Fig. 8.2 increase the rate of cooling of hot water.

9 Fig. 9.1 shows an alveolus and a blood capillary in the lungs.




Fig. 9.1

| (a) | rne | The arrows labelled 1 and 2 show the direction of diffusion of two gases. | | | | | | |
|-----|-------|---|-----|--|--|--|--|--|
| | (i) | Name the gases. | | | | | | |
| | gas | 1 | | | | | | |
| | gas | 2 | [2] | | | | | |
| | (ii) | Define the term diffusion. | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | [2] | | | | | |
| (| (iii) | Explain how the structure of the wall of the capillary and the wall of the alveo help diffusion of these gases to take place efficiently. | lus | | | | | |

| (b) | Cig | garette smoke contains many harmful substances. | | | | | | |
|-----|---|--|-----|--|--|--|--|--|
| | (i) | List four harmful components of cigarette smoke. | | | | | | |
| | | 1 | | | | | | |
| | 2 | | | | | | | |
| | | 3 | | | | | | |
| | 4 | | | | | | | |
| | (ii) Some of the components of cigarette smoke prevent cilia from working | | | | | | | |
| | | Explain how this can lead to an increase in infections of the lungs by bacteria. | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | [2] | | | | | |

DATA SHEET
The Periodic Table of the Elements

| | 0 | 4 He Helium | 20 Neon 10 40 Ar Argon | 84 Kry Krypton 36 | 131 Xe Xenon 54 | Radon 86 | | Lutetium 77 | Lr Lawrencium 103 |
|-------|----|--------------------|--|-----------------------------------|-------------------------------------|-------------------------------------|----------------------------------|--------------------------------------|---|
| | \ | | 19 Fluorine 9 35.5 C 1 | 80 Br Bromine 35 | 127 | At Astatine 85 | | 173 Yb Ytterbium 70 | Nobelium 102 |
| | I/ | | 16 Oxygen 8 32 S | Se Selenium 34 | Te Tellurium | Po Polonium 84 | | 169 Tm Thulium 69 | Md Mendelevium 101 |
| | > | | 14 Nitrogen 7 31 Phosphorus 15 | AS Arsenic | Sb Antimony 51 | 209 Bi Bismuth | | 167 Er Erbium 68 | Fm Fermium 100 |
| | > | | 12 Carbon 6 S Silicon 14 | 73 Ge Germanium | Sn Tin 50 | 207 Pb Lead Lead | | 165 Ho Holmium 67 | Einsteinium |
| | ≡ | | 11 Bonon 5 27 Aluminium 13 | 70 Ga Gallium 31 | 115 n Indium 49 | 204 T t Thallium 81 | | 162 Dy Dysprosium 66 | Californium 98 |
| | | | | 65 Zn Zinc 30 | 112 Cd Cadmium 48 | 201 Hg Mercury 80 | | 159 Tb Terbium 65 | BK Berkelium 97 |
| | | | | 64 Copper 29 | 108 Ag Silver 47 | 197 Au Gold | | 157 Gd Gadolinium 64 | Curium 96 |
| Group | | | | 59 X Nickel 28 | 106 Pd Palladium 46 | 195 Pt Platinum 78 | | 152 Eu Europium 63 | Am Americium 95 |
| Gr | | | | 59 Co balt 27 | 103 Rh Rhodium 45 | 192 F Iridium | | Samarium 62 | Pu Plutonium |
| | | 1 Hydrogen | | 56 Fe Iron 26 | Ruthenium 44 | 190 Os Osmium 76 | | Pm Promethium 61 | Neptunium |
| | | | | Manganese 25 | Tc Technetium 43 | 186 Re Rhenium 75 | | Neodymium 60 | 238 U Uranium 92 |
| | | | | 52 Cr Chromium 24 | 96 Mo Molybdenum 42 | 184 W Tungsten 74 | | Pr Praseodymium 59 | Pa Protactinium 91 |
| | | | | 51 V Vanadium 23 | 93 Nb Niobium 41 | 181 Ta Tantalum | | 140 Cer ium 58 | 232 Tb Thorium |
| | | | | 48 Ti Titanium 22 | 91 Zr Zirconium 40 | 178 Ha fnium * 72 | | | nic mass Ibol nic) number |
| | | | | 45 Scandium 21 | 89 Y Yttrium 39 | 139 La Lanthanum 57 * | 227 AC Actinium 89 | d series series | a = relative atomic mass X = atomic symbol b = proton (atomic) number |
| | = | | 9 Be Berylium 4 24 Mg Magnesium 12 | 40 Ca Calcium | Strontium | 137 Ba Barium 56 | 226 Ra Radium 88 | *58-71 Lanthanoid series | т х в |
| | _ | | 7 Lithium 3 23 Na Sodium 11 | 39 K | Rubidium 37 | 133 CS Caesium 55 | Fr Francium 87 | *58-71 L | Key |

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.