

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

	CANDIDATE NAME		
	CENTRE CANDIDAT NUMBER NUMBER	E	
* 5 9 8 0 7	CO-ORDINATED SCIENCES Paper 2 (Core)	Ma	0654/02 //June 2009 2 hours
07665	Candidates answer on the Question Paper. No Additional Materials are required.		
* 💻	READ THESE INSTRUCTIONS FIRST		
	Write your Centre number, candidate number and name on all the work you hand i Write in dark blue or black pen. You may use a soft pencil for any diagrams, graphs, tables or rough working.	n.	
	Do not use staples, paper clips, highlighters, glue or correction fluid. DO NOT WRITE IN ANY BARCODES.	For Exam	iner's Use
	Answer all questions.	1	
	A copy of the Periodic Table is printed on page 28.	2	
	At the end of the examination, fasten all your work securely together.	3	
	The number of marks is given in brackets [] at the end of each question or par question.	t 4	
		5	
		6	
		7	
		8	
		9	
		10	
		11	

This document consists of 25 printed pages and 3 blank pages.



Total

1 (a) Many people have survived accidents where they have been exposed to ionising radiation from radioactive materials. Such exposure can have serious effects on their health.

The table and graph show how the dose (amount) of radiation received is linked to a type of cancer called leukaemia. The radiation dose is measured in units called grays.




Table 1.1



For


Examiner's Use

	(i)	The result for 5.0 grays has been missed out of the table.	For Examiner's
		Use the graph to help you fill in the missing result in the table. [1]	Use
	(ii)	What is the relationship between the ionising radiation and the incidence of leukaemia?	
		[1]	
	(iii)	Name one other health hazard, apart from leukaemia and other cancers, caused by ionising radiation.	
		[1]	
(b)		e three types of nuclear radiation from naturally occurring sources are alpha, beta I gamma. They can be identified by their different penetrating powers.	
		mma radiation can pass through a thick layer of lead. Explain how you could identify na and beta radiation by their penetrating powers.	
	alp	ha radiation	
	bet	a radiation	
		[2]	
(c)	Rad	don-222 has a half-life of four days.	
	(i)	What is meant by the term <i>half-life</i> ?	
		[1]	
	(ii)	1 milligram of radon-222 is allowed to decay.	
		Calculate after how many days there would be 0.125 milligrams of radon-222 remaining.	
		Show your working.	
		[2]	

0654/02/M/J/09

2 Fig. 2.1 shows the water cycle.

For Examiner's Use






(a) Choose the word from the list below that describes each of the stages A, B, C and D.

	condensation	evaporation	melting	
	osmosis	precipitation	transpiration	
	Α			
	В			
	с			
	D			[4]
(b)	Describe two ways in which d	leforestation may affect t	he water cycle.	
-				[2]

(c) Water is an essential part of the diet. Water is absorbed from the alimentary canal into For the blood. It is transported around the body to every cell. Examiner's Use (i) Name the part of the blood that transports water around the body. [1] (ii) Describe how water moves from the blood into a body cell. [3] (d) Water that is to be used for drinking is often treated with chlorine. Explain why this is done. [2]

[Turn over www.theallpapers.com



6

0654/02/M/J/09

(c)		e compound which causes hardness in water is calcium hydrogencarbonate, HCO ₃) ₂ .	For Examiner's Use
	(i)	State the total number of atoms which are shown combined in the formula of calcium hydrogencarbonate.	
		[1]	
	(ii)	State the number of electrons in the outer energy level (shell) of a calcium atom.	
		Explain your answer briefly.	
		number of outer electrons	
		explanation	
		[2]	

7

4 (a) A student investigated how a change in potential difference across a lamp affected the current flowing through it.

She used wires to connect the components shown in Fig. 4.1 to make a circuit.




Fig. 4.1

(i) Using the correct symbols from Fig. 4.1, draw a diagram to show the circuit she used.

For

Examiner's Use

(ii) Explain why the variable resistor is included in the circuit.
 [1]

(iii) Her results are shown in Table 4.1.

Table 4.1

potential difference across lamp/V	current through lamp / A	resistance of lamp filament/Ω
4	1.2	3.3
8	1.5	
12	1.7	7.1

Complete the table by calculating the missing resistance and writing your answer in the empty box.

State the formula that you use and show your working.

formula

working


[2]

For Examiner's Use

(iv) The student concluded that the relationship between potential difference and current did not correspond to Ohm's law.

Explain why the relationship between potential difference and current for the lamp did not correspond to Ohm's law.

[2]




BLANK PAGE

11

Please turn over for Question 5.

5 Fig. 5.1 shows three vertebrates.




For

Use

(b) Fig. 5.2 shows how the temperatures of animal **A** and animal **C** change when the temperature of their environment changes.


For Examiner's Use



[Turn over www.theallpapers.com

6 (a) Many metals react with dilute acids.

Complete the word equation for the reaction of magnesium with dilute sulfuric acid.



(b) A student used the apparatus shown in Fig. 6.1 to investigate the rate of reaction between sulfuric acid and magnesium.

To start the reaction, she tilted the flask to mix the reactants.




Fig. 6.1

She timed how long it took for 30.0 cm³ of gas to collect in the measuring cylinder.

Some of her results are shown in Table 6.1.

Table 6	5.1
---------	-----

experiment number	time to collect 30 cm ³ gas/seconds
1	73
2	41
3	119

(i) Explain in which experiment, 1, 2 or 3, the rate of reaction was highest.

[1]

14

(ii)	Suggest two changes to the reaction conditions in experiment 1 that would cause the rate of reaction to decrease.	For Examiner's Use
	1	
	2	
	[2]	
(iii)	During experiment 1, the student noticed that the flask became warm.	
	Explain this observation.	
	[2]	

A diver	is working under water, wearing a diving suit and helmet.		For
	e diving helmet has a plastic window of area 100 cm ² . The air pressure inside met is the same as the water pressure outside.	the	Examiner's Use
(i)	At a depth of 40 m, the diver breathes air at a pressure of 50N/cm^2 .		
	Calculate the force exerted by the air on the helmet window at this depth.		
	Use the formula		
	pressure = force/area		
	Show your working.		
	N	[2]	
(ii)	At the surface of the sea, the pressure of the atmosphere is 10N/cm^2 .		
	Suggest a value for the pressure at a depth of 10m. Explain your answer.		
	N/cm ²		
		[2]	

7

(b) The diver sees a squid. A squid moves by forcing out a jet of water.



This moving water has momentum.

The mass of water forced out is 1.2 kg and has a velocity of 10 m/s.

Calculate the momentum of the moving water.

State the formula that you use and show your working.

formula

working

____kgm/s [2]

(c) Water waves on the surface of the sea are transverse waves.

(i) Give **one** other example of a transverse wave.

[1]

(ii) How does a transverse wave differ from a longitudinal wave?

[1]


He grew four maize seedlings and treated them as follows.

- He did nothing to seedlings **A** and **B**.
- He cut the tip off seedling **C**.
- He covered the tips of seedling **D** with black paper.

He placed seedling **A** where it received light from all directions.

He placed seedlings **B**, **C** and **D** in a container where they received light from one side only.

Fig. 8.1 shows the appearance of the four seedlings when the experiment was first set up, and after one day.



(a)	The student concluded that the tip of a shoot is needed for growth.	For Examiner's
	Describe the evidence in Fig. 8.1 that supports his conclusion.	Use
	[2]	
(b)	Compare the appearance of shoots A and B on day 2.	
	[2]	
(c)	Explain how the results of this experiment show that the receptor that is sensitive to light is at the tip of the shoot.	
	[2]	
(d)	Explain why it is useful for a plant to grow towards the light.	
	[2]	

9 (a) Fig. 9.1 shows apparatus that a student used to investigate the electrolysis of sodium chloride solution.

20





Fig. 9.1

Wh	When an electric current flowed through the circuit, gases collected in tubes Q and R .		
(i)	Label the cathode in Fig. 9.1.	[1]	
(ii)	The gas in tube Q bleached damp litmus paper.		
	Name the gas which collected in tube Q .	[1]	
(iii)	Name the gas which collected in tube R .	[1]	
(iv)	During this electrolysis, the pH of the solution increased.		
	Explain why this occurred.		
		[2]	

- (b) When chlorine gas is bubbled through a colourless solution of potassium iodide, the solution turns dark brown because the element iodine is formed.
 - (i) Name this type of chemical reaction and explain briefly why it has occurred.

(ii) Write a word equation for the reaction.



[1]

For

Examiner's Use **10** (a) A plate on the back of an electric cooker gives this information.

power	5000 W
voltage	250 V
a.c. frequency	50 Hz



(i) Explain what is meant by an *a.c. frequency of 50 Hz*.

[2](ii) Calculate the current which would flow when the cooker was using 5000 W of

Use the formula

power.

power = voltage x current

Show your working.

_____A [1]

For Examiner's Use

(b) The manufacturers of the cooker claim that it has an efficiency of 50%.

Explain what this means.

[2]

(c)	c) Explain, in terms of heat transfer, why saucepans used on the cooker										
	are made of aluminium,										
	have wooden handles.										
		[2]									

11 Soybeans (soya beans) provide amino acids, which humans need for growth and repair. Examiner's (a) (i) Name the type of compound that is formed when amino acids link together into polymer molecules.[1] (ii) Write the chemical symbol of the element that is found in all amino acids, but which is not found in carbohydrates.[1] (b) Soybeans contain soybean oil. This is extracted by crushing the beans and then adding the hydrocarbon solvent, hexane. The oil dissolves in hexane which is then separated from the solution by heating. (i) Suggest why it is possible to remove hexane from the soybean oil by heating the solution.[1] (ii) Hexane is a saturated hydrocarbon. Explain the meaning of the term saturated hydrocarbon. [2] (iii) Hexane molecules contain covalent bonds. Describe briefly, in terms of electrons, what happens when a covalent bond forms between two atoms. [2]

24

For

Use

(c) Increasing amounts of soybean oil are being used to produce biodiesel. Biodiesel is an alternative fuel to diesel, obtained from petroleum (crude oil).

bio diesel growing soybean plants Fig. 11.1 Burning diesel and biodiesel produces similar amounts of carbon dioxide. However, it is believed that burning biodiesel will cause less increase in the carbon dioxide concentration in the atmosphere. Suggest the reason for this. [2]

(d) Biodiesel contains hardly any sulfur compounds.

Explain why this is an advantage of biodiesel when compared to diesel.

[2]

For

Examiner's Use

BLANK PAGE

BLANK PAGE

	0	4 Helium 2	20 Neon 10	40 Ar Argon 18	84 Krypton	36 131	Xenon 54	Radon 86		175 Lu Lutetium 71	Lr Lawrencium 103
	II>		9 Fluorine	35.5 C1 Chlorine	80 B r Bromine	35 127	I lodine 53	At Astatine 85		173 Yb Ytterbium 70	Nobelium 102
Group	N		16 Oxygen 8	32 Sultur 16	79 Selenium	34 128	Te Tellurium 52	Polonium 84		169 Tm Thulium 69	Mendelevium 101
	>		14 Nitrogen	31 Phosphorus 15	75 AS Arsenic	33	Sb Antimony 51	209 Bismuth 83		167 Er Erbium 68	Fermium 100
	2		6 Carbon	28 Silicon	73 Germanium	32 119	S 0 50	207 Pb Lead		165 Holmium 67	Einsteinium 99
	≡		5 Boron 1	27 A1 Auminium 13	70 Ga Gallium	31 115	Indium 49	204 T 1 Thallium 81	_	162 Dysprosium 66	Cf Californium 98
					65 Zinc	30	Cadmium 48	201 Hg ^{Mercury} 80		159 Tb ^{Terbium} 65	BK Berkelium 97
					64 Copper	29 108	Ag Silver	197 Au Gold 79	_	157 Gd Gadolinium 64	C Curium 96
					Nickel Nickel	28 106	Pd Palladium 46	195 Pt Platinum 78	_	152 Eu Europium 63	Americium Americium
			7		20 Cobatt	27 103	Rhodium 45	192 Ir Iridium		150 Sm Samarium 62	Plutonium 94
		Hydrogen			56 Iron	26 101	Ruthenium 44	190 OS Osmium 76		Promethium 61	Neptunium 03
					55 Mn Manganese	25 č	Tc Technetium 43	186 Re Rhenium 75		144 Neodymium 60	238 Uranium 02
					52 Chromium	24 96	Molybdenum 42	184 V Tungsten 74		141 Pr Praseodymium 59	Protactinium 01
					51 X		Niobium 41	181 Ta Tantalum 73	_	140 Ce Cerium 58	232 Thorium
					Titanium	22 91	Zrconium 40	178 Hafnium 72		1	mic mass Ibol mic) number
			[1	45 Sc Scandium	21 89	Yttrium 39	139 La Lanthanum 57 *	227 Actinium 89	*58-71 Lanthanoid series 190-103 Actinoid series	 a = relative atomic mass X = atomic symbol b = proton (atomic) number
			9 Be	24 Magnesium 12	40 Calcium	20 88	Strontium 38	137 Ba Barium 56	226 Ra dium 88	*58-71 Lanthanoid serie 190-103 Actinoid series	م × ۵
	=		4	- 2						≽ a	

28

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.