



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		

CO-ORDINATED SCIENCES

0654/33

Paper 3 (Extended)

May/June 2010

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

This document consists of 23 printed pages and 1 blank page.



BLANK PAGE

1	(a)	Nar	me the proteins that carry out each of the following functions.	For Examiner's Use
		(i)	transports oxygen inside red blood cells [1]	
		(ii)	reduces the level of glucose in the blood if it goes too high	
			[1]	
		(iii)	catalyses the reaction that breaks down starch to maltose	
			[1]	
		(iv)	attaches to antigens, making it easier for phagocytes to destroy them	
			[1]	
	(b)		en a person eats more protein than can be immediately used in the body, the ess protein is broken down to produce the waste product urea.	
		(i)	Name the organ in which urea is produced. [1]	
		(ii)	Describe how urea is removed from the body. You do not need to give any details of what happens in a kidney tubule.	
			[3]	
	(c)		ggest how a nitrogen atom in a molecule of nitrogen gas in the atmosphere, could come part of a protein in a person's body.	
			[4]	

2 The industrial electrolysis of concentrated sodium chloride solution (brine) produces three important chemicals, **X**, **Y** and **Z**, as shown in Fig. 2.1.

For Examiner's Use




Fig. 2.1

(a) Write the harries of chemical formulae of A, I and	ormulae of X , Y and Z	formula	chemical	names or	Write the	(a)
--	---	---------	----------	----------	-----------	-----

X	
Υ	
Z	[2]

(b) Fig. 2.2 shows a diagram of one atom of chlorine.




Fig. 2.2

(i) Every electron has a negative electrical charge.

Explain why the chlorine atom does not have an overall electrical charge.

(ii)	Describe, in terms of electrons, what happens when a chlorine atom bonds with an atom of the metallic element potassium. You may wish to draw diagrams to help you answer this question.	For Examiner's Use
	[3]	

(c) A sweetener such as sucrose, C₁₂H₂₂O₁₁, (sugar) is sometimes added to food and drinks to make them taste sweeter.

For Examiner's Use

Sucralose, $C_{12}H_{19}O_8Cl_3$, is a synthetic compound which is used in some other types of sweetener.

Verisweet is a sweetener which contains sucralose mixed with other compounds.

Some information about sucrose and Verisweet is shown in Table 2.1.

Table 2.1

sweetener	mass in a typical spoonful/g	kilojoules per 100 g
sucrose	5.0	1700
Verisweet	0.5	1600

A typical spoonful of Verisweet tastes as sweet as an identical spoonful of sucrose.

-	
(i)	Verisweet contains 1% by mass of sucralose.
	Calculate the mass of sucralose in a typical spoonful of Verisweet weighing 0.5 g.
	[1]
(ii)	Use your answer to (i) to calculate the number of moles of sucralose in a typical spoonful of Verisweet.
	Show your working.

[3]

(iii)	A typical spoonful of sucrose contains 85 kilojoules.	For Examiner's
	Calculate the number of kilojoules in a typical spoonful of Verisweet.	Use
	[1]	
(iv)	Verisweet is much more expensive than sucrose.	
	Suggest why some people might choose to use Verisweet rather than sucrose.	
	[2]	

3	(a)	Describe how heat energy from a nuclear reactor is used to produce electricity.
		[2]
	(b)	Describe two advantages of a nuclear power station over a coal-burning power station.
		2
	(c)	A transformer at a power station steps up the voltage from 25 000 V to 400 000 V.
		(i) Use the equation
		$\frac{Vp}{Vs} = \frac{Np}{Ns}$
		to calculate the number of turns on the primary coil if there are 20000 turns on the secondary coil.
		Show your working.
		rol
		[2]

(ii)	(ii) Explain why electricity is transmitted at such a high voltage.					
		[2]				
` '	One of the waste products formed in nuclear power stations strontium-90. Details of this isotope of strontium are:	is the isotope				
	nucleon (mass) number 90 proton (atomic) number 38 half-life 28.8 years					
	Strontium-90, like other waste products from nuclear reactors, has been produced by nuclear fission.					
(i)	i) State what happens to atoms during nuclear fission.					
		[1]				
(ii)	(ii) Use the information about strontium-90 to work out:					
	the number of protons in a strontium-90 atom,					
	the number of neutrons in a strontium-90 atom.					
(iii)	(iii) Strontium-90 decays by beta particle emission.					
	Use the copy of the Periodic Table on page 24 to deduce the element formed when strontium-90 atoms decay.	e identity of the				
		[1]				

4 (a) Fig. 4.1 shows how light intensity affects the rate of photosynthesis of a plant.

For Examiner's Use




Fig. 4.1

(i) Explai	n why light is ne	eded for photos	ynthesis.
------------	-------------------	-----------------	-----------

 [2]


(ii) Give the letter of the part of the graph in which light intensity is **not** limiting the rate of photosynthesis.

[1	1	
 •	4	

(b) The diagrams in Fig. 4.2 show sections through two leaves on the same tree. The two diagrams are drawn to the same scale. The contents of the cells are not shown.

Leaf **A** was taken from a part of the tree that was always in shade. Leaf **B** was taken from a part of the tree that received plenty of sunlight.








Fig. 4.2

	(i)	Leaf B has larger palisade cells than leaf A .					
		Suggest an advantage of this to the tree.					
		[2]					
	(ii)	Describe two ways, other than the size of the palisade cells, in which leaf ${\bf B}$ differs from leaf ${\bf A}$.					
		1					
		2					
		[2]					
	(iii)	Describe how carbon dioxide travels to a palisade cell in a leaf.					
		[3]					
(c)		differences between leaf A and leaf B are an example of variation.					
	Sta	te whether this variation is caused by					
	•	genes,					
	•	the environment,					
	•	both genes and environment together.					
	Exp	lain your answer.					
	cau	se of variation					
	ехр	lanation					
		[2]					

5 (a) Solutions of substances in water are acidic, neutral or alkaline.

For Examiner's Use

Choose pH values from the list to complete Table 5.1.

list of pH values

2 5 7 9 13

Table 5.1

liquid	description	рН
sodium chloride solution	neutral	
acid rain	weakly acidic	

[2]

(b) A student used the apparatus shown in Fig. 5.1 to investigate the reaction between dilute hydrochloric acid and magnesium.




Fig. 5.1

- At the start of the experiment, the inverted measuring cylinder was full of water.
- The student started the reaction by dropping a weighed piece of magnesium into a known volume of dilute hydrochloric acid.
- She replaced the bung and started a stopwatch.
- She recorded the time taken for gas to collect in the inverted measuring cylinder.
- Her results are shown as a graph in Fig. 5.2.




	Fig. 5.2							
(i)	Write a balanced symbolic equation for the reaction between magnesium and dilute hydrochloric acid.							
	[3]							
(ii)	Explain, in terms of collisions between particles, why the rate of the reaction is greatest near the beginning, and then slows down.							
	[3]							
(iii)	The student carried out a second experiment in which she used dilute hydrochloric acid that had a higher temperature. She kept all of the other reaction conditions the same as in the first experiment.							

On the graph in Fig. 5.2, sketch a line which the student might obtain when she plots the results of this second experiment. [2]

6	(a)	(i)	A block of metal has a mass of 720 g and a volume of 80 cm ³ .
			Calculate the density of the block.
			State the formula that you use and show your working.
			formula
			working
			[2]
		(ii)	The block has a specific heating capacity of 400 J/kg °C. It is heated and the temperature rises by 50 °C.
			Calculate the minimum amount of energy required to do this.
			State the formula that you use and show your working.
			formula
			working
			[3]
		(iii)	A force of 100 N acts on this block.
			Calculate the acceleration of the block.
			State the formula that you use and show your working.
			formula
			working
			[2]

(b) A student tested the block to see if it conducted electricity.

For Examiner's Use

Draw a simple circuit which the student could build for this purpose. Use the correct circuit symbols.

[2]

7 (a) Fig. 7.1 shows a motor neurone.

For Examiner's Use




Fig. 7.1

- (i) Use a label line and the appropriate letter to label each of these structures:
 - A axon,
 - **B** nucleus of neurone.

[2]

(ii) A motor neurone may be part of a reflex arc.

Describe the role of a motor neurone in a reflex arc.

(b) Sprinters need fast reflexes to make a good start in a 100 m race. The time between the starting gun being fired and the runner pushing off from the starting blocks is known as the reaction time.

For Examiner's Use




Fig. 7.2

The reaction time is made up of:

- the time taken for the sound from the starting gun to reach the runner's ear,
- plus the time taken for a nerve impulse to pass from the ear to the brain,
- plus the time taken for a nerve impulse to pass from the brain to the leg muscles.
- (i) A runner in lane 1 is 2 m from the starting gun. Sound travels at 330 m/s.

Calculate the time taken for the sound to reach the runner's ear.

Show your working.

[2]		
L – J		

Table 7.1 shows the reaction times of the runners in lane 1 and lane 8 in the heats (qualifying races) for a 100 m race.

Table 7.1

	reaction time/s								
	heat 1	heat 2	heat 3	heat 4	heat 5	heat 6	heat 7	heat 8	
lane 1	0.133	0.146	0.170	0.160	0.186	0.176	0.149	0.147	
lane 8	0.228	0.223	0.188	0.195	0.178	0.199	0.163	0.167	

	lar	ne 8	0.228	0.223	0.188	0.195	0.178	0.199	0.163	0.167	
	(ii)	Draw	a ring ar	ound the	heat that	shows an	omalous	results.			[1]
	(iii)	Desc	ribe the r	elationshi	p betwee	n the reac	tion time	and the la	ane.		
	Use your answer to (b)(i) to suggest an explanation for this relationship.										
		relati	onship								
		expla	anation								
											[2]
(c)	Ner	ve im	pulses pa	ss along r	eurones f	from the b	rain to the	e leg mus	cles at abo	out 70 m/s	S.
						luce a sig l a runner			between	the react	ion
	Exp	olain y	our answe	er.							
											[2]

8 (a) A racing car is being driven in a race.

The graph in Fig. 8.1 shows the speed of the car over a 26 second period.

For Examiner's Use




Fig. 8.1

(i) Between which points on the graph is the car not moving?

Γ·	11	ı
L	ן י	ı

(ii) Calculate the acceleration of the car between B and C.Show your working.

	[2]
--	-----

(b) A wheel on a car needs changing. Fig. 8.2 shows a spanner being used to turn a wheel nut.

For Examiner's Use




Fig. 8.2

(i) Calculate the turning effect (moment) of the spanner.

State the formula that you use and show your working.

formula

working

 	 	[2]

(ii) Give two ways in which you could increase the spanner's turning effect.

1	
2	
	[2]

(C	During a race the air in the tyre is at a temperature of 400 K and a pressure of 120 000 N/m ² . After the race, the air in the tyre cools down to a temperature of 300 K.
	Calculate the new air pressure in the tyre.
	State the formula that you use and show your working.
	formula
	working

[Turn over www.theallpapers.com 0654/33/M/J/10 © UCLES 2010

9 Fig. 9.1 shows part of the water cycle.

For Examiner's Use

Arrow **Q** shows where rain is falling. The rainwater collects in streams and rivers which flow over rocks in the Earth's crust.





Fig. 9.1

(a)	Describe the processes which are represented by arrow P in Fig. 9.1.	
		[2]

(b) Water molecules contain the elements hydrogen and oxygen.

Complete the bonding diagram below to show

- the chemical symbols of the elements in a molecule of water,
- the arrangement of the outer electrons of each atom.



[2]

(c) Fig. 9.2 shows a simplified diagram of a machine for washing dishes (dishwasher) which is used in a hard water area.

For Examiner's Use




Fig. 9.2

In this machine, the water which is to be used to clean the dishes is first passed through an ion-exchange resin. The water is then heated to a high temperature by the electrical heating element.

(i)	One type of hardness in water may be removed simply by boiling.
	State the name or chemical formula of the compound which causes this type of hardness.
	[1]
(ii)	Describe, in terms of ions, what happens when the cold hard water flows through the ion-exchange resin.
	[2]
(iii)	Explain why it is important that the water passes through the ion-exchange resin before it enters the dishwasher.
	[2]

DATA SHEET
The Periodic Table of the Elements

_	=							ס	dnoorb			=	≥	>	5	=>	0
							T Hydrogen										Helium
7 Lithium 4	9 Be Beryllium											5 Boron 5	12 Carbon	14 N Nitrogen 7	16 Oxygen 8	19 Fluorine	20 Ne on 10
23 Na Sodium	24 Mg Magnesium											27 A1 Aluminium 13	28 Si Silicon	31 P Phosphorus	32 S Sulfur 16	35.5 C1 Chlorine	40 Ar Argon
39 K Potassium 19	40 Ca Calcium 20	Scandium 21	48 T	51 Vanadium 23	Cr Chromium 24	Mn Manganese 25	56 Fe Iron	59 Co Cobalt 27	59 Ni Nickel 28	64 Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	75 AS Arsenic 33	See Selenium 34	80 Br Bromine 35	84 Kr Krypton 36
Rb Rubidium 3	Strontium	89 Y	2r Zroonium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	Cadmium 48	115 In Indium 49	Sn Tin	122 Sb Antimony 51	128 Te Tellurium 52	127 I lodine 53	131 Xe Xenon 54
CS Caesium 5	137 Ba Barium 56	139 La Lanthanum 57 *	178 Hf Hafnium 72	181 Ta Tananum	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 I r Iridium 77	195 Pt Platinum 78	197 Au Gold	201 Hg Mercury 80	204 T 1 Thallium 81	207 Pb Lead	209 Bi Bismuth	Po Potonium 84	At Astatine 85	Rn Radon 86
Francium 8	226 Ra Radium 88	227 AC Actinium †															
71 Lar 03 Ac	*58-71 Lanthanoid serie 190-103 Actinoid series	*58-71 Lanthanoid series 190-103 Actinoid series		140 Ce Cerium	141 Pr Praseodymium 59	144 Nd Neodymium 60	Pm Promethium 61	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm Thulium 69	173 Yb Ytterbium 70	175 Lu Lutetium 71
م م	« × ∞	a = relative atomic mass X = atomic symbol b = proton (atomic) number		232 Th Thorium	Pa Protactinium 91	238 U Uranium	Np Neptunium 93	Pu Plutonium	Am Americium 95	Cm Curium	Bk Berkelium 97	Cf Californium 98	ES Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	No Nobelium 102	Lr Lawrencium 103

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).