MARK SCHEME for the May/June 2012 question paper

for the guidance of teachers

0654 CO-ORDINATED SCIENCES

0654/31 Paper 3 (Extended Theory), maximum raw mark 120

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2		2	Mark Scheme: Teachers' version Syllabus		Paper
			IGCSE – May/June 2012	0654	31
1	(a) (i)		=) ½ mv ² ; × 30 000 × 0.5 × 0.5 = 3750 J ;		[2]
	(ii)		rk done =) force × distance 000 000 × 1000= 1 000 000 000 J ;		[2]
	(iii)		ver =) work/time ; 000 000 000/ 300 = 3 300 000 W ;		[2]
	(b) (i)		J AND all potential energy will be converted into kine served ;	etic energy/energ	gy is [1]
	(ii)	÷ 30	nperature change =) energy/mass × shc ; 00/1 × 4200 ; 07 °C ;		[3]
					[Total: 10]
2	(a) (i)		e shared pairs ; lone pair on both atoms ;		[2]
	(ii)	two	shells showing 2,8 configuration ;		[1]
	(iii)		rence to positive protons and negative electrons ; rence to 7 protons and 10 electrons/3 more electror	ns than protons ;	[2]
	(iv)	Mg₃l work	N ₂ ; king/statement to show need for charge balance ;		[2]
	(b) (i)	chloi	prine ;		[1]
	(ii)		rogen ; s on ignition ;		[2]
			-		[Total: 10]

Page 3		Mark Scheme: Teachers' version	Syllabus	Paper
		IGCSE – May/June 2012	0654	31
3 (a)	label	to root hair cell ;		[1]
(b)	(i) o	osmosis ;		
	V	vater moves down water potential gradient ;		
	t	hrough partially permeable cell membrane ;		[max 2]
((ii) a	absorb, minerals/ions/named ion/salts;		[1]
(i	s	arge surface area ; so more, (water/ions), can be absorbed (at the same t contain, cell sap/cytoplasm, that is more concentrated		[max 2]
(c)	(i) ×	ylem ;		[1]
((ii) A	A in central area of root ;		[1]
(i	, io (dea that red dye has mixed with water, not combined v dea that water <u>molecules</u> and dye <u>molecules</u> behave s only) water evaporates/dye does not evaporate ; other valid point ;		[max 2]
	U			
				[Total: 10]
4 (a)		<i>requency</i> – number of waves produced/passing a poi vavelength – distance between, two consecutive peak		[2]
(• •	(v =) f × λ ; 212000 × 0.0016 = 339.2 m/s ;		[2]
(i	•	<i>compression</i> – region of high pressure/lots of air partic parefaction – region of low pressure/fewer air particles		[2]
(b)	• •	normal drawn ; angle of incidence labelled AND angle of refraction lab	elled ;	[2]
	(ii) a	angle of reflection drawn and labelled ;		[1]
(i		optical fibres/reflectors/periscopes ; use described ;		[2]
				[Total: 11]

	Page 4Mark Scheme: Teachers' versionSyllabusIGCSE – May/June 20120654					Paper 31
5	glucose/ combine		cose/ nbine		0034	[max 3]
	(b)	(i)	eat r	a lot ; more/take in more energy, than they use ; ess, carbohydrate/protein, converted to fat ;		[max 2]
		(ii)	idea mas	greater the body mass, the greater the chance of su that effect is greater at lower body masses/leven ses ; of figures ;		[max 2]
		(iii)	poor	r conductor/insulator ;		[1]
	(c)	defo add one	oresta ition (nam	of carbon dioxide to the atmosphere ; ation + explanation ; of methane to the atmosphere ; ned source of methane, e.g. paddy field, cattle ; t (long wave) radiation is trapped by greenhouse gas	ses ;	[max 3]
	(d)	(i)	(mea	an body) mass is increasing ;		[1]
		(ii)	marr	mots have more time to feed (from spring onwards) mots lose less weight during hibernation (as winters e food available earlier ;		[max 1]
						[Total: 13]
6	(a)	tem	perat	ture and surface area of magnesium ;		[1]
	(b)	(i)	(B) high grap	her concentration shown by high <u>er</u> rate/high <u>er</u> ra bh ;	te shown by steeper	[1]
		(ii)	minu aver	ximum volume of gas is) 40 cm ³ AND (time of r utes ; rage rate = 40 ÷ 4.9 = 8.2/8.0 to 8.3 ; s: [cm ³ /minute]/[cm ³ /second] if consistent with calc		[3]
			unite			[0]
	(c)	(i)	-	eous (solution)/dissolved in water/in solution ;		[1]
		(ii)		1g = 24 ; es Mg = 6 ÷ 24/0.25 ;		[2]
						[Total: 8]


	Page	5	Mark Scheme: Teachers' version	Syllabus	Paper
		IGCSE – May/June 2012 0654		31	
7	(a) sp	olit ;			[1]
	(b) (i)	elec	tron ;		[1]
	(ii)		eutrons ; protons ;		[2]
	(iii)		sation occurs ; tron(s) lost ;		[2]
	(c) (i)	47 ±	: 1 cps ;		[1]
	(ii)	Ζ;			[1]
					[Total: 8]
8	(a) (i)	oute	roup 1 Q Group 0 R Group 7 ; er electrons determine group number/answer base ments and looking up on PT ;	ed on identifying	the [2]
	(ii)		a noble gas/references to full shells ;		[1]
	(iii)		a metal ;		[1]
	(b) (i)		stone/calcium carbonate ; is slag/removes impurities/removes silicon dioxide ;		[2]
	(ii)		oxide + carbon monoxide \rightarrow iron + carbon dioxide S + RHS]		[2]
	(c) (i)	que	stion withdrawn		[2]
	(ii)	so z	more reactive than <u>iron</u> ; inc reacts (with water/oxygen) before/instead of <u>iron</u> inc corrodes leaving the iron/steel unaffected/owtte		[max 2]
					[Total: 12]

	Page 6			Mark Scheme: Teachers' version	Syllabus	Paper
				IGCSE – May/June 2012	0654	31
9	(a)	proo cari affe	ried b ects (s	l ; d by a gland ; y the blood ; specific) target organs ; d by the liver ;		[max 3]
	(b)	(i)	pano	creas;		[1]
		(ii)	liver remo	; oves glucose from the blood/changes glucose to gly	ycogen ;	[2]
	(c)	mor incr mor	re ene ease re, ox	s blood glucose concentration ; ergy (for muscles)/more fuel for respiration (in musc s pulse rate/makes heart beat faster ; ygen/glucose, delivered to (muscles) ; <i>muscles not mentioned]</i>	cles) ;	[4]
						[Total: 10]
						[Total: 10]
10	(a)	(i)	voltr mea	neter in series ; neter in parallel ; ns of varying p.d. ; x 2 if not a usable circuit]		[3]
		(ii)) V/I ; 0.3 = 10 Ω ;		[2]
	(b)	(i)	D be	ecause it is longer/resistance proportional to length	•	[1]
		(ii)		ecause it has a small cross-section area/it is thinner portional to cross-section area ;	r/resistance inverse	ly [1]
		(iii)		20 Ω and twice as long ; 5 Ω and double cross-section area ;		[2]
						[Total: 9]

	Page 7		Mark Scheme: Teachers' version	Syllabus	Paper	
			IGCSE – May/June 2012	0654	31	
11	(a)	produce halves	s four cells, not two cells ; s <u>genetic</u> variation ; chromosome number/number of chromosome new cells have half the DNA ;	s in new cells	s is [max 2]	
	(b)	(i) 1 in	4/one quarter/0.25 ;		[1]	
		gan offs	rents' genotypes) both Ff ; netes F and f from both parents ; pring genotypes FF , Ff , Ff and ff ; entified as having cystic fibrosis ;		[4]	
	(c)	referenc	reater distance between alveoli and, blood/red cell, e to diffusion ; longer for, gases/oxygen/carbon dioxide, to travel		[max 2]	
					[Total: 9]	


Page 8	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2012	0654	31

12 (a) (i)



(all correct = 2 one correct = 1) ;;

(ii)



(double bond could be in middle) ;; [credit cyclobutane with both marks]

- (b) idea that electricity comes from, power station/burning fuel;
 where greenhouse gases/carbon dioxide may still have to be produced/owtte;
 [2]
- (c) (i) heated; mixed/reacted with water; requires catalyst;
 (ii) solvent/in foods/sterilisation;

[Total: 10]

[2]

[2]