

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

	CANDIDATE NAME		
	CENTRE NUMBER	CANDIDATE NUMBER	
* 1 7	CO-ORDINATE	D SCIENCES	0654/32
8 8 8	Paper 3 (Extend	led)	May/June 2013 2 hours
0	Candidates ans	wer on the Question Paper.	
7 6 9 *	No Additional M	aterials are required.	

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units. A copy of the Periodic Table is printed on page 32.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

This document consists of 30 printed pages and 2 blank pages.



[Turn over

1 Most of the elements in the Periodic Table can be classified as either metals or non-metals.

Fig. 1.1 shows the elements in Group 4 of the Periodic Table.

C Si Ge Sn Pb



(a) Use the classification of metal or non-metal to describe how the Group 4 elements differ from both Group 1 (alkali metals) and Group 7 (halogens).

[2]

(b) Carbon occurs naturally in the Earth's crust as the uncombined element. Diamond and graphite are different forms of carbon (carbon allotropes) that have very different physical properties.

A small section of the structure of one of the carbon allotropes is shown in Fig. 1.2.




Fig. 1.2


State and explain one use of the carbon allotrope shown in Fig. 1.2.

[2]

© UCLES 2013

0654/32/M/J/13

(c) Fig. 1.3 shows apparatus used to extract lead from lead oxide, PbO.




- (i) Construct a balanced symbolic equation for the reaction between hydrogen and lead oxide.
- (ii) Suggest why the method shown in Fig. 1.3 could **not** be used to extract calcium from calcium oxide.

[2]

2 (a) An elephant of mass 5000 kg exerts a constant force of 1400 N to push a tree trunk along at a steady speed of 1.5 m/s.

For Examiner's Use



(i) Calculate the work done by the elephant when the tree trunk moves 10 m.

State the formula that you use and show your working.

formula

working

			[2]
(ii)	Calculate the kinetic energy of the elephant when it is mo	ving at 1.5 m/s.	
	State the formula that you use and show your working.		
	formula		
	working		
			[2]

(b) The elephant has a weight of 50000 N and stands with all four feet in contact with the For ground. Each foot of the elephant has an area of $0.2 \, \text{m}^2$. Examiner's Use Calculate the pressure exerted by the elephant on the ground. State the formula that you use and show your working. formula working[2] (c) The volume of the elephant is 5 m^3 . Its mass is 5000 kg. Calculate the density of the elephant. State the formula that you use and show your working. formula working [2]

[Turn over www.theallpapers.com

Fig. 3.1 shows an animal cell just before it divides. cell membrane cytoplasm chromosome Fig. 3.1 (a) Define the term *chromosome*. [2] (b) The cell in Fig. 3.1 is a diploid cell. State the number of chromosomes that there will be in each of the daughter cells if this cell divides by mitosis, [2] meiosis. (c) Describe the roles of mitosis in an animal's body. [2]

3

- (d) Some cattle have horns, but other cattle do not. This is determined by a gene that has two alleles. The recessive allele, **h**, produces horns.
 - (i) Complete Table 3.1 to show the phenotypes of cattle with each of the possible genotypes for this gene.

Table 3	3.1
---------	-----

genotype	phenotype
НН	
Hh	
hh	

[2]

(ii) A farmer has a bull with no horns. He wants to make sure that the bull does not have the recessive allele, **h**, for horns.


Suggest and explain what the farmer can do to find out whether the bull has the allele \mathbf{h} .

You should use a genetic diagram as part of your answer.

[4]


4 Fig. 4.1 shows a microwave oven. The energy of microwaves is used to cook food by heating up the water molecules in the food.

For Examiner's Use





(a) A student heated some water in a microwave oven for five minutes. Fig. 4.2 shows how the temperature of the water changed.





The temperature of the water stops increasing after two minutes.

Explain what happened to the water molecules during the five minutes.

[3]

Calculate the energy needed to heat the water.

capacity of water is 4200 J/kg °C.

State the formula that you use and show your working.

formula used

working

[3]

For

Examiner's Use

(c) The following label is found on a cooker that combines a microwave oven and a grill.

voltage	220 V
microwave power	0.60 kW
grill power	1.20 kW

Some meat is cooked using both the microwave oven and the grill. Both are switched on at full power for 30 minutes.

Calculate the total energy transferred by the cooker.

Show your working.

[3]

(d) Fig. 4.3 shows a reed relay being used in the door of a microwave oven.




Fig. 4.3

Describe how the relay ensures that the oven only operates when the oven door is shut.

[2]

5 (a) When sodium is burned in air a mixture of solid products, which contains the ionic compound sodium oxide, is produced.

For Examiner's Use

Fig. 5.1 shows diagrams of a sodium atom and an oxygen atom as they exist just before sodium oxide starts to form.




Fig. 5.1

(i) Describe how sodium and oxygen atoms become bonded together. Your answer should explain why the formula of sodium oxide is Na₂O.

	[3]
(ii)	Describe two differences in the properties of a typical ionic compound and a typical covalent compound.
	1
	2
	[2]

[Turn over www.theallpapers.com

(b) Fig. 5.2 shows apparatus a student used to investigate the electrolysis of dilute sulfuric acid.






Fig. 5.2

The variable resistor was included in the electrolysis circuit so that the student could alter the current.

Table 5.1 shows some of the measurements the student made in his investigation.

Table 5.1

experiment number	current/A	time current was passed/seconds	volume of hydrogen collected/cm ³
1	0.48	400	24
2	0.24	400	12

(i) Name gas P.

[1]


(ii)	Calculate the rate at which hydrogen was produced in experiment 1 .	For
	Show your working and state the units.	Examiner's Use
	[2]	
(iii)	Calculate the number of moles of hydrogen produced in experiment 2.	
	Assume that the volume of one mole of a gas under the conditions of the experiment is 24 dm ³ .	
	Show your working.	
	[2]	
(iv)	All dilute solutions of acids contain hydrogen ions, H ⁺ .	
	Explain the difference between the results for experiments 1 and 2 in terms of electrons, ions, atoms and electric current.	
	[3]	

Fig. 6.1 shows a section through a blood capillary. 6 Examiner's cell A cell B Fig. 6.1 (a) Describe how cell A transports oxygen. [2] (b) Explain how the structure of the blood capillary helps oxygen to be provided easily to the body tissues. [2] (c) Describe the function of cell B. [2]

For


Use

7 (a)	A resistor of 1200	Ω is connected in p	arallel with another res	sistor of 2400 Ω .	For	
	Calculate the con	nbined resistance of	these two resistors.		Examiner's Use	
	State the formula	that you use and sh	ow your working.			
	formula					
	working					
					[3]	
(b)	Torches (flashlights) are usually powered by electrical cells. They can also be powered by energy from the Sun (solar energy).					
	Solar energy is a renewable energy resource.					
	(i) Write the energy resources below into Table 7.1 to show which are renewable and which are non-renewable.					
	coal	geothermal	hydroelectric	natural gas		
	oil	tidal	wave	wind		
	Table 7.1					
	renewa	able resource	non-ren	ewable resource		
					[1]	
	(ii) Name the pro	ocess that releases e	energy within the Sun.			
					[1]	



8 (a) The ovary of a flower contains one or more ovules. The ovules contain female gametes. After fertilisation, an ovule becomes a seed containing an embryo plant.

Fig. 8.1 shows a pea seed developing inside a pod.



(b) A pea seed was planted in a pot. When the seed had grown into a young plant, the pot was placed on its side in a room where light was coming from all sides.

For Examiner's Use

Fig. 8.2 shows the young pea plant three days after the pot had been placed on its side.




Fig. 8.2


(i) Name the response shown by the pea plant in Fig. 8.2.

[2]

(ii) Suggest how this response will help the plant to reproduce sexually when it has grown to maturity.

[2]

- (iii) On one of the days when the pot was placed on its side, a scientist measured
 - the increase in length of the upper surface and the lower surface of the stem of the pea plant,
 - the concentration of auxin in the cells on the upper surface and lower surface of the stem of the pea plant.





Use the results in Fig. 8.3 to explain what has caused the stem of the pea plant to grow upwards.

[3]

For Examiner's

Use

9 (a) Nylon is a synthetic polymer which can be made by mixing solutions as shown in Fig. 9.1. The simplified diagrams of molecules show the compounds that are contained in the solutions.



(i) What general name is given to small molecules that link together to form polymers?

(ii) Draw a short section of the nylon molecule that forms when the molecules shown in Fig. 9.1 react together. Use the same symbols that are used in Fig. 9.1.

[3]

For

Examiner's Use


(iii) State

• the full name of the type of chemical reaction that occurs to form nylon,

 the chemical formula of the compound which is produced in addition to nylon (the by-product).

.....[2]

(b) Pro	teins are polymers that occur in nature.	For
(i)	Name the type of compounds that link together to form proteins.	Use
	[1]
(ii)	Describe briefly how the polymer chains in proteins may be broken down into small molecules.	1
	[2	.
(iii)	Name the type of chemical reaction which occurs in (ii).	
	[1]



22


Fig. 10.1

(i)	Calculate the half-life of this isotope.	For Examiner's
	Show your working.	Use
	[2]	
(ii)	What percentage of the original radioactive nuclei will still be present after 250 minutes?	
	Show your working.	

(c) A teacher demonstrated how the count rate detected by a Geiger-Müller tube depends on the distance between the front of the tube and a radioactive α (alpha) source.

24

Fig. 10.2 shows how the equipment was set up.



[3]


For

Examiner's Use (iii) Before carrying out the experiment the teacher discussed how to reduce her exposure to radiation.

Which idea below would **not** help reduce the radiation exposure of the teacher during the experiment? Explain your answer.

idea 1	1 Hold the source with long tongs and wear gloves.				
idea 2	Place a lead shield between the source and the teacher.				
idea 3	Wear a photographic badge that detects radiation.				
idea	because				
	[2]				

11 Fig. 11.1 shows a food chain. The arrows show how energy flows from one organism to another along the chain.



12 (a) A student added a solution of the same dilute acid to each of the test-tubes **P** to **T** shown in Fig. 12.1.




Fig. 12.1

Complete Table 12.1 by matching the test-tubes, **P**, **Q**, **R**, **S** and **T**, with the observations which are made when the dilute acid reacts with the contents.

Some of the observations apply to more than one of the test-tubes. You may use each letter once, more than once or not at all.

Table 12.1

observations	test-tube(s)
The mixture turns red when excess acid has been added.	
A colourless gas is given off.	
A blue solution is formed.	
A colourless gas which pops when ignited is given off.	

[4]

For

Examiner's Use

[Turn over www.theallpapers.com

(b) The student used the apparatus shown in Fig. 12.2 to investigate neutralisation reactions involving two acids, **A** and **B**.




Fig. 12.2

In each experiment, 25.0 cm³ of the same solution of sodium hydroxide were placed into a beaker. The acid was added at a constant rate until it was in excess.

The measurements were displayed on the computer screen as a graph of pH of the reaction mixture against volume of acid that had been added.

The results for the two acids are shown in Fig. 12.3.




Fig.12.3

For

Examiner's Use

(i) Describe how the pH of the mixture in the beaker changes as the volume of acid A increases. [2] (ii) The student found that 12.5 cm³ of acid A and 62.5 cm³ of acid B were needed to neutralise the sodium hydroxide in the beaker. Explain how the student obtains these results from the graph shown in Fig. 12.3.[1] (iii) Acids A and B are different concentrations of hydrochloric acid, HCl. Acid B had a concentration of 1.0 mol/dm³. Use the results the student obtained to calculate the concentration of acid A. Explain your answer briefly. [2]

29

For

Examiner's Use

BLANK PAGE

30

BLANK PAGE

	0	A 4 Helium	19 20 Fluorine Neon 70 Neon 35.5 40 Ct Ar Choine 18 Argon 18	80 84 Br Krypton 36	27 131 Xenon 54	teres B6 Radon	173 175 Yb Luu terbium 71 71 201 Lutetium 71 201 Lutetium 103
	II>		6 21	35 ^{Br}	n 127 53 lodine	m Atatine B5	70 102
	⋝		16 8 Oxygen 8 32 32 32 16 Suffur	79 Selenium 34	128 Te 52	Polonium 84	169 Thulium 69 Mendelevium 101
	>		14 7 Nitrogen 31 Phosphorus	75 AS Arsenic 33	122 Sb Antimony 51 209	Bismuth Bismuth	167 68 Erbium 68 F T 100
	≥		6 Carbon 6 Carbon 8 28 28 28 28	73 Ge Germanium 32	119 Sn 50 707	82 Lead	165 Holmium 67 Einsteinium 99
	≡		11 B B 5 27 27 Auminum 13	70 Gal ium 31	115 1 15 100 100 100 204	R1 Thailium 81	162 Dysprosium 66 Catifornium 98
ents				65 Zn 30	112 Cadmium 48 201	Mercury 80	159 159 65 Berkelium 97
The Periodic Table of the Elements Group				64 Copper 29	108 Åg 8ilver 197	Bend State	157 Gdd Gd 64 64 64 curium 96
Table of tl Group	2			59 Nickel 28	106 Pd Palladium 46		152 Europium 63 Americium 95
iodic Ta Gr	5			59 CO ²⁷	103 Rh ođium 45 192	Lidium 77	150 Samarium 62 Plutonium 94
The Per		¹ Hydrogen		56 Fe Iron 26	101 Ru Ruthenium 44	Osmium 76	Promethium 61 Neptunium 93
				55 Manganese 25	Tc Technetium 43	Renium 75	144 Neodymium 60 238 Uranium 92
				52 Ch romium 24	96 Molybdenum 42 184	Tungsten 74	141 Praseodymium 59 Pa Protactinium 91
				51 Vanadium 23	93 Niobium 181	Tantalum 73	140 Cerium 58 232 232 232 Thorium 90
				48 Titanium 22	91 Zr Zirconium 40	22 ⁺	u nic mass bol iic) number
				45 Scandium 21	89 Y 39 139	Lanthanum 57 * * 227 AC Addinium	 bid series l series a = relative atomic mass X = atomic symbol b = proton (atomic) number
	=		9 Beryllium 4 24 Magnesium 12	40 Calcium 20	88 Strontium 38 137	56 Barium 56 226 Rad ium 88	noid
			7 Lithium 23 Na Sodium	39 K Potassium 19	85 Rb Rubidium 7	F Francium	*58-71 La 190-103 A Key

32

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.