



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

CANDIDATE
NAME

CENTRE
NUMBER

| | | | | |
|--|--|--|--|--|
| | | | | |
|--|--|--|--|--|

CANDIDATE
NUMBER

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

* 9 3 5 1 3 5 1 7 5 3 *

CO-ORDINATED SCIENCES

0654/02

Paper 2 (Core)

October/November 2009

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

| For Examiner's Use | |
|--------------------|--|
| 1 | |
| 2 | |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| Total | |

This document consists of **24** printed pages.



1 (a) In an electrical appliance, electricity is transformed into a different form of energy.

State the **useful** energy transformation in

(i) an electric oven, [1]

(ii) an electric drill. [1]

(b) Fig. 1.1 shows the parts of an electric iron.




Fig. 1.1

Choose words from the list below to fill in the gaps in the sentences.

- | | | | |
|--------------------|-----------------|----------------|--------------|
| electricity | friction | gravity | heat |
| high | low | poor | sound |

The base of the iron is made from steel because steel is a good conductor of and because steel has a melting point. The steel is polished until it is very smooth to reduce the force of between the iron and the clothes. [3]

- 2 Fig. 2.1 shows the approximate percentage by mass of elements combined in the Earth's crust.




Fig. 2.1


- (a) Calculate the percentage by mass of silicon in the Earth's crust.

..... % [1]

- (b) Pure silicon is used in the manufacture of many types of electronic devices.

All of the silicon in the Earth's crust is found combined in compounds such as silicon dioxide, SiO_2 . Silicon can be obtained by heating a mixture of silicon dioxide and carbon.

A symbolic equation for this reaction is shown below.



Explain why this is an example of a reduction/oxidation (redox) reaction.

.....

 [2]

For
Examiner's
Use

(c) Aluminium is found in the Earth's crust combined in compounds such as aluminium oxide.

Fig. 2.2 shows a diagram of the process used to extract aluminium from aluminium oxide.

Choose labels from the list below and write them into the correct places in Fig. 2.2.




Fig. 2.2

[2]

(d) Clay consists of very small, insoluble solid particles. These particles come from rocks and are found in some types of soil.

(i) Name **one** process by which a rock can be turned into a soil containing clay.

..... [1]

(ii) When some types of clay are shaken with water, a cloudy, non-transparent mixture is produced. Fig. 2.3 shows a diagram of how such a mixture appears when magnified.





Fig. 2.3

Name the type of mixture shown in Fig. 2.3.

..... [1]

(iii) Clay is the raw material for ceramic objects such as cups and saucers.

*For
Examiner's
Use*



Describe briefly how a cup made of clay is treated to convert it into a ceramic cup.

..... [1]

3 Soy beans (soyabeans) are grown for their seeds. The seeds are an excellent source of protein and starch, and are used in the production of a wide variety of foods.

(a) (i) Suggest the advantage to soy bean plants of having seeds that contain protein and starch.

.....
..... [2]

(ii) Explain why we need protein and starch in our diet.

protein

starch [2]

(iii) Describe how you could test a sample of soy bean seeds for protein.

.....
.....
..... [2]

(b) Soy beans have been cultivated for hundreds of years, and many different varieties are grown.

The more soy bean plants grow, the more seeds they produce.

An investigation was carried out to find out how four different varieties of soy beans would be affected if the concentration of carbon dioxide in the atmosphere increased.

Four varieties were used, called Arksoy, Dunfield, Mukden and Mandarin.

Several plants of each variety were grown in normal concentrations of carbon dioxide. Another set of plants of each variety was grown in a high concentration of carbon dioxide.

The mean mass of seeds produced per plant was measured at each carbon dioxide concentration. The results are shown in Table 3.1.

Table 3.1

| variety | mean mass of seeds per plant/g | |
|----------|----------------------------------------|--------------------------------------|
| | in normal carbon dioxide concentration | in high carbon dioxide concentration |
| Arkoy | 30.8 | 42.4 |
| Dunfield | 46.1 | 55.9 |
| Mukden | 41.4 | 56.5 |
| Mandarin | 31.3 | 58.4 |

For
Examiner's
Use

- (i) State which variety of soy bean gives the highest yield of seeds in normal carbon dioxide concentration.

..... [1]

- (ii) State which variety of soy bean showed the greatest increase in seed production at high carbon dioxide concentration compared with normal carbon dioxide concentration.

..... [1]


- (iii) Suggest why the plants grew more at high carbon dioxide concentration than at normal carbon dioxide concentration.

.....
..... [1]

- (iv) Suggest and explain why it is important to find out how crops grow in carbon dioxide concentrations that are greater than in our present atmosphere.

.....
.....
..... [2]

- 4 Some types of fertiliser have the letters NPK on the package label, indicating the chemical symbols of three elements contained in the fertiliser.



- (a) (i) Two of the elements shown in the name NPK are in the same group of the Periodic Table.

State the group number of the Periodic Table which contains these two elements.

..... [1]

- (ii) State and explain which of the elements shown in the name NPK contains atoms that have their electrons arranged as shown in Fig. 4.1.




Fig. 4.1

element

explanation

.....

..... [2]

- (b) (i) State which of the elements in an NPK fertiliser is found in amino acids.

..... [1]

- (ii) Describe briefly how amino acids react together in plants, and name the type of compound which is formed.

.....

 [2]

- (c) Ammonia is an important compound that is used in the manufacture of NPK fertilisers.

Fig. 4.2 shows a simplified diagram of the type of reaction vessel that is used in the production of ammonia.




Fig. 4.2

- (i) Use the chemical formulae shown in Fig. 4.2 to explain the difference between an element and a compound.

.....

 [2]

- (ii) Describe a chemical test which could be used to show that the gas coming out of the reaction vessel contained some ammonia.

.....

 [2]

- 5 An aluminium can containing a fizzy drink is shown in Fig. 5.1. There is information printed on the can.




Fig. 5.1

- (a) (i) Name the gas in the drink which makes it fizzy.

..... [1]

- (ii) Describe a test and the expected result for this gas.

.....
..... [2]

- (b) The empty can may be recycled by melting it down.

The mass of the aluminium in the can is 15g and its volume is 5.6 cm³.

- (i) Calculate the density of aluminium.

State the formula that you use and show your working.


formula

working


..... g/cm³ [2]

(ii) Draw diagrams to show the arrangement of aluminium atoms in solid aluminium and liquid aluminium. One atom has already been drawn in each diagram.

For
Examiner's
Use



solid



liquid

[2]

(c) Some fizzy drinks contain a lot of sugar.

Explain why too much sugar in the diet is unhealthy.

.....
.....

[2]

(d) Fig. 5.2 shows apparatus set up to measure the specific heat capacity of aluminium.




Fig. 5.2

The block is heated electrically and the electrical energy input is measured using a joulemeter.

The temperature of the block and the total electrical energy supplied are measured at intervals.

Fig. 5.3 shows the results.




Fig. 5.3

(i) State the relationship between the temperature and the energy supplied.

.....
..... [1]

(ii) Use the graph to calculate the energy needed to raise the temperature of the block from 25 °C to 45 °C.

Show your working on the graph.

..... J [2]

(iii) Define the term *specific heat capacity*.

.....
..... [1]

(iv) The temperature of the block rose from 25 °C to 45 °C in 600 seconds.

Use your answer from (ii) to calculate the electrical power during this time.

State the formula that you use and show your working.

formula

working

..... W [2]

(v) The voltage of the power supply in Fig. 5.2 is 12V. It is fitted with a 10 amp fuse.

Use the formula

$$\text{power} = \text{voltage} \times \text{current}$$

to explain why this fuse is adequate for this experiment.

.....
.....
..... [2]

(e) A thin sheet of aluminium is placed between a radioactive source and a radiation detector. The source emits one type of radiation only.

The radiation detected is reduced but not completely stopped.

(i) Suggest which type of radiation is being used and explain your answer.

.....
.....
..... [2]

(ii) A thin sheet of another metal will completely stop this type of radiation. Suggest what this metal could be.

..... [1]

For
Examiner's
Use

6 Fig. 6.1 shows the main bones, muscles and tendons in the human arm.

For
Examiner's
Use




Fig. 6.1

(a) Give the letter of each of the following bones.

- scapula
- humerus
- ulna
- radius

[2]

(b) Describe the roles of each of the following structures in helping to make the arm bend at the elbow.

(i) biceps muscle

.....

 [2]

(ii) tendons

.....
 [1]

(c) Muscles have a good blood supply. The blood brings oxygen and nutrients to the muscle.

*For
Examiner's
Use*

(i) Name the **type** of blood vessel that

carries blood from the heart towards a muscle,

delivers blood close to the muscle cells. [2]

(ii) State two changes that take place in the body and help to supply the muscles with more oxygen more quickly during exercise.

1

.....

2

..... [2]

7 Two processes carried out at an oil refinery are shown in Fig. 7.1 and Fig. 7.2.

For
Examiner's
Use




Fig. 7.1




Fig. 7.2

(a) (i) Name the process in Fig. 7.1. [1]

(ii) State two ways in which the properties of gasoline are different from those of fuel oil.

1

.....

2

..... [2]

(iii) Petroleum (crude oil) is a fossil fuel. Suggest why petroleum contains a very large amount of the element carbon.

.....

.....

..... [2]

(b) (i) Name the process in Fig. 7.2. [1]

(ii) Complete the spaces in the following passage using only words chosen from the list.

alcohols

alkenes

fractions

oils

saturated


unsaturated

Most of the compounds in petroleum are hydrocarbons. Compounds called alkanes are known as hydrocarbons. Compounds called are known as hydrocarbons. [2]

(iii) Explain why it is **not** possible for an alkene molecule to have less than two carbon atoms per molecule.

.....
.....
..... [2]

(c) Fuel oil is used as an energy source in some power stations. Fuel oil contains sulfur compounds. These increase air pollution if they burn with the fuel oil.



Describe and explain the damage that would be caused to the environment if sulfur compounds are **not** removed from fuel oil before it is burnt.

.....
.....
.....
..... [3]

8 (a) Humans keep a constant concentration of glucose in the blood and a constant internal body temperature.

(i) State the term for the maintenance of a constant internal environment.

..... [1]

(ii) Name the part of the digestive system from which glucose is absorbed into the blood.

..... [1]

(iii) Describe how the pancreas helps to bring blood glucose level down to normal, if the concentration rises too high.

.....
..... [1]

(iv) Name the condition that results if the pancreas cannot regulate blood glucose.

..... [1]

(v) Describe how an embryo developing in the uterus is supplied with glucose.

.....
.....
..... [2]

9 (a) An elephant of mass 4000 kg is moving at 0.5 m/s.

(i) Calculate the kinetic energy of the elephant.

State the formula that you use and show your working.

formula

working

..... J [2]

(ii) Show that the elephant has a momentum of 2000 kg m/s.

State the formula that you use and show your working.

formula

working

[2]

(b) An elephant lifts a mass of 300 kg through a vertical distance of 2 m.

(i) State the weight that the elephant lifts.

..... N [1]

(ii) Calculate the work done by the elephant.

State the formula that you use and show your working.

formula

working

.....J [2]

(c) An elephant weighing 40 000 N stands with all four feet in contact with the ground. Each foot of the elephant has an area of 0.4 m².

Use the formula

$$\text{pressure} = \frac{\text{force}}{\text{area}}$$

to calculate the pressure exerted by the elephant on the ground.

Show your working

..... N/m² [2]

(d) Elephants live in hot countries and need to keep cool. Elephants' ears are large and contain many blood vessels.

Suggest how this allows elephants to cool down.

.....
..... [1]

(e) Table 9.1 shows the lowest and highest frequencies that five mammals can hear.

For
Examiner's
Use

Table 9.1

| mammal | lowest frequency / Hz | highest frequency / Hz |
|----------|-----------------------|------------------------|
| cat | 20 | 65 000 |
| dog | 25 | 50 000 |
| elephant | 5 | 10 000 |
| human | 20 | 20 000 |
| rabbit | 300 | 40 000 |

(i) What is meant by the term *frequency*?

.....
 [1]

(ii) Which three mammals in Table 9.1 **cannot** hear a frequency of 45 000 Hz?

.....

 [1]

(iii) Which mammal in Table 9.1 can hear the widest range of frequencies?

..... [1]

DATA SHEET
The Periodic Table of the Elements

| | | Group | | | | | | | | | | | |
|-----------------------------------|------------------------------------|-------------------------------------|-------------------------------------|----------------------------------------|-------------------------------------|--------------------------------------|-------------------------------------|---------------------------------------|---------------------------------------|------------------------------------|----------------------------------------|-------------------------------------|---------------------------------------|
| I | II | III | IV | V | VI | VII | 0 | | | | | | |
| 7 Li Lithium 3 | 9 Be Beryllium 4 | 1 H Hydrogen 1 | 11 B Boron 5 | 12 C Carbon 6 | 14 N Nitrogen 7 | 16 O Oxygen 8 | 19 F Fluorine 9 | 20 Ne Neon 10 | | | | | |
| 23 Na Sodium 11 | 24 Mg Magnesium 12 | 27 Al Aluminium 13 | 28 Si Silicon 14 | 31 P Phosphorus 15 | 32 S Sulfur 16 | 35.5 Cl Chlorine 17 | 40 Ar Argon 18 | | | | | | |
| 39 K Potassium 19 | 40 Ca Calcium 20 | 56 Fe Iron 26 | 55 Mn Manganese 25 | 59 Co Cobalt 27 | 59 Ni Nickel 28 | 64 Cu Copper 29 | 65 Zn Zinc 30 | 70 Ga Gallium 31 | 73 Ge Germanium 32 | 75 As Arsenic 33 | 79 Se Selenium 34 | 80 Br Bromine 35 | 84 Kr Krypton 36 |
| 85 Rb Rubidium 37 | 88 Sr Strontium 38 | 101 Ru Ruthenium 44 | 101 Ru Ruthenium 44 | 103 Rh Rhodium 45 | 106 Pd Palladium 46 | 108 Ag Silver 47 | 112 Cd Cadmium 48 | 115 In Indium 49 | 119 Sn Tin 50 | 122 Sb Antimony 51 | 128 Te Tellurium 52 | 127 I Iodine 53 | 131 Xe Xenon 54 |
| 133 Cs Caesium 55 | 137 Ba Barium 56 | 186 Os Osmium 76 | 186 Os Osmium 76 | 184 W Tungsten 74 | 195 Pt Platinum 78 | 197 Au Gold 79 | 201 Hg Mercury 80 | 204 Tl Thallium 81 | 207 Pb Lead 82 | 209 Bi Bismuth 83 | 210 Po Polonium 84 | 210 At Astatine 85 | 210 Rn Radon 86 |
| 226 Ra Radium 88 | 227 Ac Actinium 89 | 140 Ce Cerium 58 | 144 Nd Neodymium 60 | 141 Pr Praseodymium 59 | 152 Eu Europium 63 | 157 Gd Gadolinium 64 | 159 Tb Terbium 65 | 162 Dy Dysprosium 66 | 165 Ho Holmium 67 | 167 Er Erbium 68 | 169 Tm Thulium 69 | 173 Yb Ytterbium 70 | 175 Lu Lutetium 71 |
| | | 232 Th Thorium 90 | 238 U Uranium 92 | 232 Pa Protactinium 91 | 238 Am Americium 95 | 238 Cm Curium 96 | 238 Bk Berkelium 97 | 238 Cf Californium 98 | 238 Es Einsteinium 99 | 238 Fm Fermium 100 | 238 Md Mendelevium 101 | 238 No Nobelium 102 | 238 Lr Lawrencium 103 |

*58-71 Lanthanoid series
†90-103 Actinoid series

| | |
|---|----------|
| a | X |
| b | |

a = relative atomic mass
X = atomic symbol
b = proton (atomic) number

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.