



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

| CANDIDATE NAME | | | | | |
|-------------------|--|--|---------------------|--|--|
| CENTRE NUMBER | | | CANDIDATE NUMBER | | |

CO-ORDINATED SCIENCES

0654/32

Paper 3 (Extended)

October/November 2011

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

| For Exam | For Examiner's Use | |
|----------|--------------------|--|
| 1 | | |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |
| 6 | | |
| 7 | | |
| 8 | | |
| 9 | | |
| Total | | |

This document consists of 22 printed pages and 2 blank pages.



1 Houseflies are common insect pests. Fig. 1.1 shows a housefly.



Fig. 1.1

| | | · · · · · · · · · · · · · · · · · · · |
|-----|-------|---|
| (a) | On | Fig. 1.1, label and name two features that are characteristic of insects. [2] |
| (b) | ins | useflies feed by spitting saliva onto food, such as meat. Enzymes in the saliva turn pluble substances into soluble ones. The flies can then suck up the liquid into their estive system. |
| | (i) | Suggest one enzyme in a housefly's saliva that could digest a substance in meat. |
| | | [1] |
| | (ii) | State the soluble product or products that this enzyme would produce. |
| | | [1] |
| (c) | | useflies spread diseases such as typhoid fever. They leave harmful microorganisms food that will later be eaten by a person. |
| | | scribe two ways in which white blood cells can destroy microorganisms that have ered a person's body. |
| | 1. | |
| | | |
| | 2. | rol |
| | ••••• | [2] |
| (d) | Wh | en a housefly flies, its wings produce a buzzing sound. |
| | (i) | Suggest how a movement such as that of a fly's wings produces sound. |
| | | |
| | | |
| | | [2] |

| (ii) | A housefly beats its wings about 200 times per second. A midge (a small insect) beats its wings about 1000 times per second. | For Examiner's Use |
|------|--|--------------------------|
| | State and explain how the sound produced by a flying midge will differ from the sound produced by a flying housefly. | |
| | | |
| | [2] | |

2 Nordic gold is an alloy of four metals used to make coins.





Table 2.1 shows information about the metals contained in Nordic gold.

Table 2.1

| metal | % by mass in Nordic gold | compound from which the metal is extracted |
|-----------|-----------------------------|--|
| aluminium | 5 | A/ ₂ O ₃ |
| copper | 89 | CuFeS ₂ |
| tin | 1 | SnO ₂ |
| zinc | 5 | ZnS |

| (| a) | Nordic gold has | properties which | make it suitable for | making coins. |
|----|----|-----------------|------------------|----------------------|---------------|
| ٠, | | | | | |

Explain briefly why this property is important.

Suggest **one** property Nordic gold is likely to have, other than its appearance, that makes it suitable for making coins.

| property | |
|------------|-----|
| importance | |
| | [2] |

- **(b)** The method used to extract a metal from its compounds depends on the reactivity of the metal.
 - (i) Tin may be extracted from tin oxide, SnO₂, by heating a mixture of tin oxide and carbon. The other product of this reaction is carbon monoxide, CO.

Construct a balanced, symbolic equation for this reaction.

[2]

| | (ii) | When aluminium oxide is heated with carbon, no reaction occurs. |
|-----|-------|---|
| | | Explain why it is possible to extract tin but not aluminium by heating their oxides with carbon. |
| | | |
| | | |
| | | [2] |
| (| (iii) | Aluminium is extracted from the insoluble compound aluminium oxide by electrolysis. |
| | | Outline the stages by which aluminium oxide, containing aluminium ions, is converted into metallic aluminium, containing aluminium atoms, using electrolysis. |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | [3] |
| (-) | ۸ ۵ | oin made of Nordia gold has a mass of 7.00 m |
| (C) | A C | oin made of Nordic gold has a mass of 7.80 g. |
| | Cal | culate the number of moles of copper in the coin. |
| | Sho | ow your working. |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | [2] |

© UCLES 2011

3 Yaks are animals that live in the cold mountainous region of the Himalayas.

For Examiner's Use

Fig. 3.1 shows a yak.




Fig. 3.1

| (a) | Exp | plain how the long hair of the yak keeps it warm during the cold weather. |
|-----|-----|--|
| | | |
| | | |
| | | [2] |
| (b) | | ss are used as 'beasts of burden'. They can be ridden or used to carry or pull heavy ects. |
| | A y | ak of mass 1000 kg is carrying a load of 80 kg. |
| | (i) | The yak carries its load up a mountain slope and finishes 100 m higher up the mountain. |
| | | Calculate the work done gaining this height. |
| | | The Earth's gravitational field strength is 10 N/kg. |
| | | State the formula that you use and show your working. |
| | | formula used |
| | | working |
| | | |
| | | |
| | | |

[3]

| | (ii) | While the yak is carrying the load, it travels at a speed of 0.2 m/s. | |
|-----|------|--|-----|
| | | Calculate the kinetic energy of the yak and its load at this time. | |
| | | State the formula that you use and show your working. | |
| | | formula used | |
| | | working | |
| | | | |
| | | | |
| | | | [2] |
| | | | i-j |
| (c) | Ау | ak has a mass of 1000 kg. It has four feet, each of area 300 cm ² . | |
| | Cal | culate the average pressure that the yak exerts on the ground. | |
| | Sta | te the formula that you use and show your working. | |
| | | formula used | |
| | | working | |
| | | | |
| | | | |
| | | | |
| | | | [3] |

BLANK PAGE

| Hyc | droca | arbons are compounds which contain only the elements hydrogen and carbon. |
|-----|-------|---|
| (a) | The | e simplest hydrocarbon is methane, CH ₄ , which is an important fuel. |
| | (i) | State two natural sources of methane. |
| | | 1 |
| | | 2[2] |
| | (ii) | A free (unbonded) carbon atom has four electrons in its outer shell. |
| | | State the number, and describe the arrangement, of the electrons in the outer shell of a carbon atom in a methane molecule. |
| | | You may wish to draw a diagram to help you answer this question. |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | [2] |

Use

For Examiner's

(b) Table 4.1 shows the displayed formulae and boiling points of four hydrocarbons, A, B,C and D.

Table 4.1

| | displayed formula | boiling point/°C |
|---|-------------------|------------------|
| A | H H H H H H | 69 |
| В | H H H H | -0.5 |
| С | H H H H | -6.3 |
| D | H H H H H H | 63 |

| (i) | Name the two homologous series to which the hydrocarbons in Table 4.1 belong. |
|------|--|
| | and[1] |
| (ii) | Use the information in Table 4.1 to suggest one way in which the boiling point of a hydrocarbon is affected by its molecular structure. |
| | |
| | [2] |

| (iii) | A bottle contains a colourless liquid which is thought to be either hydrocarbon A or D . |
|-------|--|
| | Describe a chemical test, and its result, which could be used to identify which hydrocarbon is in the bottle. |
| | Explain your choice of test. |
| | |
| | |
| | |
| | [3] |

5 Fig. 5.1 shows two plants that are grown as crops.




Fig. 5.1

| (a) | Describe what would happen in a flower of plant ${\bf Q}$ after pollination, in order to form a fruit. |
|-----|--|
| | |
| | |
| | [41] |
| | [4] |

| (b) | Far | mers often add fertilisers containing nitrates to the soil where they grow crops. |
|-----|-------|---|
| | (i) | Explain why this is done. |
| | | |
| | | ro1 |
| | | [2] |
| | (ii) | Explain why fields in which plant ${\bf Q}$ is growing would require less nitrate fertiliser than fields in which plant ${\bf P}$ is growing. |
| | | |
| | | |
| | | [2] |
| | (iii) | Explain why using large amounts of nitrate fertiliser near a river could cause harm to the environment. |
| | | |
| | | |
| | | |
| | | |
| | | [3] |

6 Fig. 6.1 shows the inside of a refrigerator. The temperature inside the freezing compartment is -20 °C and the temperature in the rest of the refrigerator is +5 °C.

For Examiner's Use





Fig. 6.1


| (a) | (i) | Draw arrows on Fig. | 6.1 t | to show | what | happens | to | the | air | cooled | by the | freezing |
|-----|-----|---------------------|-------|---------|------|---------|----|-----|-----|--------|--------|----------|
| | | compartment. | | | | | | | | | | [1] |

| (11) | Explain, with reference to air particles, why this happens. |
|------|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | n |
| | |

(b) Ice is formed in the freezer when water freezes.

Draw diagrams to show the arrangement of water molecules in solid ice and in liquid water. One molecule has been drawn for you in each box.





liquid water

[2]


| (c) | | teel spoon of mass $0.05\mathrm{kg}$ is moved from the freezing cofridge. The specific heating capacity of steel is $450\mathrm{J/kg}^\circ$ | | f |
|-----|------|--|---------------------------|----|
| | Cal | culate how much heat energy is needed to warm the spoo | on from -20°C to +5°C. | |
| | Sta | te the formula that you use and show your working. | | |
| | | formula used | | |
| | | working | | |
| | | | | |
| | | | re | 51 |
| | | | [3 | 5] |
| (d) | | e refrigerator has two identical lamps. The supply voltagesing through each lamp when lit is 0.05 A. | e is 250 V and the curren | ıt |
| | (i) | Show that the resistance of one lamp when lit is $5000\Omega.$ | | |
| | | State the formula that you use and show your working. | | |
| | | formula used | | |
| | | working | | |
| | | | | |
| | | | | |
| | | | [1 | 11 |
| | (ii) | The lamps are connected together in parallel. | [' | ٠, |
| | (11) | Calculate the combined resistance of the two lamps. | | |
| | | State the formula that you use and show your working. | | |
| | | formula used | | |
| | | iomala acca | | |
| | | working | | |
| | | | | |
| | | | | |
| | | | [3 | 3] |

Coral reefs are made of living individuals (coral polyps) on top of the skeletons of dead corals. When a coral polyp dies, its skeleton remains and a new polyp takes its place. (a) The coral polyp takes in calcium ions and carbonate ions from the surrounding seawater to produce calcium carbonate, CaCO₃, which it uses to build its skeleton. (i) Some of the calcium ions present in seawater were once part of limestone rocks on the Earth's surface. Describe one sequence of natural, physical processes which is involved in moving calcium ions from limestone to the sea. (ii) Some of the carbonate ions present in seawater are formed when carbon dioxide from the air dissolves and reacts. State **two** processes that add carbon dioxide to the atmosphere. 2 _____[2] (iii) Some ships have been seriously damaged when they have collided with coral reefs. Use your knowledge of the structure and properties of ionic compounds such as calcium carbonate to explain why ships are seriously damaged if they hit a coral reef.

(b) Coral polyps and certain algae (microscopic plants) live closely together and these organisms help each other to survive.

For Examiner's Use

The algae in the coral polyps produce oxygen in the presence of sunlight. The coral polyps produce carbon dioxide as a waste product.



| (i) | Name the p | orocess, occ | urring in the algae | that produces oxy | gen. | |
|-------|--------------------------|-----------------------------|--|---|-----------------------|-----|
| | | | | | | [1] |
| (ii) | Underline of the process | | rmulae below whic | ch represents a cor | npound also formed | by |
| | C | ₂ H ₆ | C ₂ H ₅ O ₂ N | C ₆ H ₁₂ O ₆ | СО | |
| | Name the | compound yo | ou have underlined | l | | [2] |
| (iii) | Explain bridgether. | efly why it is | beneficial for the | coral polyps and tl | ne algae to live clos | ely |
| | | | | | | |
| | | | | | | |
| | | | | | | [2] |

| (c) | | ecent years, the amount of carbon dioxide in the atmosphere has increased. This contributed to a decrease in the average pH of seawater. | | | | | | |
|-----|------|---|--|--|--|--|--|--|
| | | ing this period, the growth rate of many coral reefs has significantly decreased, and ny others are no longer part of a successful ecosystem. | | | | | | |
| | (i) | Explain why increased levels of carbon dioxide in the atmosphere cause the average pH of seawater to decrease. | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | [2] | | | | | | |
| | (ii) | Suggest a possible reason why a decrease in the average pH of seawater could damage coral reefs. | | | | | | |
| | | | | | | | | |
| | | [1] | | | | | | |

BLANK PAGE

Please turn over for Question 8.

| (a) Describe ho | | | | | | |
|--------------------------|---------------------------|-------------|-------------|-------------|---|---------------|
| | | | | | | |
| | | | | | | [2] |
| | e. Body te | mperature | | owered by | sweating. Swe | |
| drinking no | fluids while ghout the ru | running. S | he repeated | the run the | ran steadily for next day but thi and humidity we | is time drank |
| The results | are shown i | n Fig. 8.1. | | | | |
| | 40 7 | | | | no fluids | drunk |
| | | | | | | |
| | 39 - | | | | | |
| | | / | × | ⊙ •• | ⊕⊕ fluids dru | unk |
| core body temperature | 38 - | | Ø Ó | | | |
| /°C | | | | | | |
| | 37 | | | | | |
| | J. W | | | | | |
| | 20 | | | | | |
| | 36 + 0 | 30 | 60 | 90 | 120 | |
| | | runi | ning time/m | nutes | | |
| | | | Fig. 8.1 | | | |
| (i) Explain | how sweati | ng can red | uce body te | mperature. | | |
| | | | | | | |

© UCLES 2011

8

[2]

| (ii) | Compare the body temperature of the athlete when she ran without drinking fluids to her body temperature when she ran while drinking fluids. | Exami Us |
|-------|--|-------------|
| | | |
| | | |
| | | |
| | [2] | |
| (iii) | Suggest an explanation for the differences you have described in (ii). | |
| | | |
| | | |
| | | |
| | [2] | |
| (iv) | During a long run, athletes prefer to drink fluids containing glucose, potassium ions, sodium ions and chloride ions rather than pure water. | |
| | Suggest how this can help them to perform better. | |
| | | |
| | | |
| | | |
| | [2] | |

iner's

| (a) | An aircraft has a mass of $400000\mathrm{kg}$. It has four engines each capable of producing a maximum force of $300000\mathrm{N}$. |
|-----|---|
| | Calculate the maximum acceleration of the aircraft. |
| | State the formula that you use and show your working. |
| | formula used |
| | working |
| | |
| | |
| | [3] |
| (b) | People who fly frequently have greater exposure to ionising radiation than those who do not fly. |
| | Explain why exposure to ionising radiation can be harmful. |
| | |
| | |
| | [2] |
| (c) | Potato snacks are packed in airtight packets and filled with nitrogen gas at atmospheric pressure. |
| | Snacks |
| | (i) Suggest why nitrogen gas is used, rather than air. |
| | |
| | [2] |
| | |

9

| (ii) A passenger has a packet of potato snacks in his hand luggage on the During the flight, the aircraft cabin is at a pressure less than normal atmospressure. | | | | | | | | |
|--|---|--|--|--|--|--|--|--|
| The passenger notices that the packet has expanded. | | | | | | | | |
| | Explain, in terms of particles, why this happens. | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | [3] | | | | | | | |

DATA SHEET
The Periodic Table of the Elements

| | 0 | Heium 2 | Neon 10 Neon 10 Argon 18 | 84 Kry pton 36 | Xe Xenon 54 | Rn Radon 86 | | 175 Lu Lutetium 71 | Lr Lawrencium 103 |
|-------|----------|------------|--|-----------------------------------|-----------------------------------|-------------------------------------|------------------------------------|--------------------------------------|--|
| Group | II/ | | 19 Fluorine 9 35.5 C1 CHorine | 80 Br Bromine 35 | 127 I lodine 53 | At Astatine 85 | | 173 Yb Ytterbium 70 | Nobelium 102 |
| | IN | | 16 Oxygen 8 32 Sulfur 16 | 79 Se Selenium 34 | 128 Te Tellurium 52 | Po Polonium 84 | | 169 Tm Thulium 69 | Md Mendelevium 101 |
| | > | | 14 Nitrogen 7 31 31 Phosphorus 15 | 75 AS Arsenic | Sb Antimony 51 | 209 Bi Bismuth | | 167 Er Erbium 68 | Fm Fermium |
| | <u>\</u> | | Carbon 6 8 8 8 8 8 14 | 73 Ge Germanium 32 | 119 Sn Tin | 207 Pb Lead | | 165 Ho Holmium 67 | ES Einsteinium 99 |
| | = | | 11 B Boron 5 27 A 1 AUminium | 70 Ga Gallium 31 | 115 In Indium 49 | 204 T t Thallium 81 | | 162 Dy Dysprosium 66 | Cf Californium 98 |
| | | | | 65 Zn Zinc 30 | Cadmium 48 | 201 Hg Mercury 80 | | 159 Tb Terbium 65 | BK Berkelium 97 |
| | | | | 64 Copper Copper 29 | 108 Ag Silver | 197 Au Gold | | Gadolinium 64 | Curium 96 |
| | | | | 59 X Nickel 28 | 106 Pd Palladium 46 | 195 Pt Platinum 78 | | 152 Eu Europium 63 | Am Americium 95 |
| | | | 1 | 59 Cobalt 27 | Rhodium 45 | 192 I r Iridium 77 | | Samarium 62 | Pu Plutonium |
| | | T Hydrogen | | 56 Fe Iron | Ru Ruthenium 44 | 190 Os Osmium 76 | | Pm Promethium 61 | Neptunium 93 |
| | | | | Mn Manganese | Tc Technetium 43 | 186 Re Rhenium 75 | | Neodymium 60 | 238 U Uranium 92 |
| | | | | 52 Cr Chromium 24 | 96 Mo Molybdenum 42 | 184 W Tungsten 74 | | Pr Praseodymium 59 | Pa Protactinium 91 |
| | | | | 51 V Vanadium 23 | 93 Nb Niobium 41 | 181 Ta Tantalum 73 | | 140 Cer ium 58 | 232 Th Thorium |
| | | | _ | 48 T Titanium 22 | 91 Zr Ziroonium 40 | 178 Hf Hafnium | | | mic mass nbol nic) number |
| | | | | Scandium 21 | 89 Y Yttrium 39 | 139 La Lanthanum 57 , | 227 Ac Actinium 89 | d series series | a = relative atomic mass X = atomic symbol b = proton (atomic) number |
| | = | | 9 Be Beryllium 4 24 Mg Magnesium 12 | 40 Ca Calcium | Strontium 38 | 137 Ba Barium 56 | 226 Ra Radium 88 | *58-71 Lanthanoid series | <i>a</i> × <i>a</i> |
| | _ | | 7 | 39 K Potassium | 85 Rb Rubidium 37 | 133 Caesium 55 | Fr Francium 87 | *58-71 L 190-103 | Key |

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.