

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

	CANDIDATE NAME						
	CENTRE NUMBER	CANDIDATE NUMBER	Ξ				
*	CO-ORDINATED SCIE		0654/31				
4 8 3	Paper 3 (Extended)	(October/Nov	ember 2012			
5 4				2 hours			
7 5	Candidates answer on t						
9 5	No Additional Materials are required.						
*	READ THESE INSTRUCTIONS FIRST						
	Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen. You may use a soft pencil for any diagrams, graphs, tables or rough working.						
	Do not use staples, paper clips, highlighters, glue or correction fluid. DO NOT WRITE IN ANY BARCODES.		For Examiner's Use				
	DO NOT WRITE IN ANT BARCODES.						
	Answer all questions.	able is printed on page 32.	2				
	A copy of the Periodic 1	able is printed on page 52.	3				
		nation, fasten all your work securely together. s given in brackets [] at the end of each question or part	4				
	question.		5				
			6				
			7				
			8				
			9				
			10				
			11				
			12				

This document consists of 29 printed pages and 3 blank pages.



Total

1 (a) Complete Table 1.1 by choosing one of the words from the list to match each statement.

2

For Examiner's Use


ammeter	ampere	circuit	coulomb	electron
ohm	relay	volt	voltmeter	watt

Table 1.1

statement	word
a complete loop of conductors	
the unit of electrical charge	
an instrument that measures potential difference	
a device used in switching on circuits	

[2]

(b) Fig. 1.1 shows two circuits **A** and **B**. All the lamps and both cells are the same.





(i) One lamp is unscrewed from circuit A.

State what happens to the other lamp.

Explain your answer.


[1]

(ii) Explain why lights in a house are connected in parallel and not in series.
 For Examiner's Use
 [2]
 (iii) The resistance of each lamp is 1.2Ω.
 Calculate the combined resistance of the two lamps in circuit **B**.
 State the formula that you use and show your working.
 formula used
 working

[3]

BLANK PAGE

4



0654/31/O/N/12


5

2


© UCLES 2012

A wooden post is pushed into the ground, and then a heavy object is pulled across the top of the post to make it vibrate. The vibrations travel through the soil.

Earthworms respond to the vibrations by crawling out of their burrows onto the soil surface, where they can be caught.



A student investigated the effect of different frequencies of vibrations on the numbers of earthworms that emerged from the soil. Fig. 2.2 shows his results.





6

For Examiner's Use

(i) Describe the effect of different frequencies of vibrations on the numbers of earthworms emerging. Examiner's [2] (ii) Moles are predators that live underground and eat earthworms. When moles burrow through the ground, they produce vibrations of around 500 Hz. The response of earthworms to vibrations is controlled by their genes. Suggest how natural selection may have caused the response of earthworms to vibrations to evolve.

[4]

For

Use

3 (a) Fig. 3.1 shows how a digital pH meter is used to measure the pH of some liquids.




Fig. 3.1

(i) Complete Table 3.1 by suggesting suitable pH values for the different liquids.

Table	3.1
-------	-----

liquid	рН
water	7.0
sodium hydroxide solution	
dilute sulfuric acid	

[1]

For

(ii) Suggest **one** advantage of using a digital pH meter rather than a piece of litmus paper to assess the acidity of an aqueous solution.

[1]

(iii) Dilute acids are aqueous solutions that contain dissolved ions.

Table 3.2 shows the names of the ions in two common acids.

Table 3.2

name of dilute acid	names of dissolved ions
hydrochloric acid	hydrogen ions and chloride ions
sulfuric acid	hydrogen ions and sulfate ions

A student is given an unlabelled beaker which is known to contain either dilute hydrochloric acid or dilute sulfuric acid.

Describe a chemical test that a student could use to find out which acid the beaker contains.

[2]

- (b) When a reactive metal is added to a dilute acid, the metal reacts and dissolves and hydrogen gas is given off.
 - (i) When magnesium reacts with dilute hydrochloric acid, magnesium **atoms** are oxidised by hydrogen **ions**.

The balanced ionic equation for this redox reaction is shown below.

 $Mg(s) + 2H^{+}(aq) \longrightarrow Mg^{2+}(aq) + H_{2}(g)$

Explain, in terms of the transfer of electrons, why this reaction is described as redox.

[2]


For Examiner's Use (ii) Unreactive metals do not react in dilute acid.

A student is given a mixture of powdered magnesium and powdered copper.

Describe and explain how the student could use dilute hydrochloric acid and usual laboratory apparatus to obtain a sample of copper from this mixture.

mixture of powdered — magnesium and powdered copper	dilute hydrochloric acid
	[0]
	 [3]

For Examiner's Use **4** (a) An athlete of mass 60 kg jumps 1.3 metres vertically.



Calculate the work done by the athlete to achieve this height.

State the formula that you use and show your working. The gravitational field strength of the Earth is 10 N/kg.

formula used

working

[3]

For Examiner's Use

- (b) Using your answer to part (a), state the gain in potential energy of the athlete when he jumps 1.3 metres.
 -[1]
- (c) The work done in jumping vertically was completed in 0.5 s.

Calculate the power developed.

State the formula that you use and show your working.

formula used

working

.....

[2]

BLANK PAGE

5 Fig. 5.1 shows apparatus that can be used to measure the rate of respiration of germinating seeds. Examiner's




Fig. 5.1

The soda lime absorbs carbon dioxide from the air inside the apparatus.

- (a) As the seeds respire, they use oxygen. This reduces the volume of gas inside the apparatus. The faster they respire, the faster the red liquid moves towards the left.
 - (i) Write the balanced equation for aerobic respiration.

[2] (ii) Use the equation to explain why the liquid would **not** move if there was **no** soda lime in the apparatus. For

Use

(b) An experiment was carried out to investigate the effect of temperature on the rate of respiration of the germinating seeds.

14

For Examiner's Use

Four sets of the apparatus shown in Fig. 5.1 were set up and labelled **A**, **B**, **C** and **D**. Each set of apparatus contained either germinating or dead seeds.

The distance moved by the red liquid in five minutes was measured for each set.

The results are shown in Table 5.1.

set	contents	temperature/°C	distance moved by red liquid in 5 minutes/mm
Α	germinating seeds	0	3
В	germinating seeds	10	6
С	germinating seeds	20	12
D	dead seeds	20	0

(i) Explain why it was important to include set **D** in the experiment.

(ii) Suggest why the liquid may have moved very slightly in set D.
[1]
(iii) With reference to Table 5.1, describe the effect of temperature on the rate of respiration of germinating seeds.
[2]

(iv) Predict and explain the results you would expect if the apparatus was set up with germinating seeds at a temperature of 60 °C.

predicted results
explanation
[2]

For Examiner's Use 6 Some types of firework are made by filling a cardboard tube with firework mixture. Firework mixture is made from several solid substances which have been powdered and mixed together.

For Examiner's Use

Fig. 6.1 shows a typical firework.




Fig. 6.1

When the paper fuse is lit, exothermic chemical reactions occur inside the firework.

(a) Explain, in terms of rate of reaction, why firework mixture is a powder.

[2]

(b) Some firework mixtures contain aluminium which is oxidised to produce aluminium oxide.

When aluminium is oxidised, aluminium atoms are converted into aluminium ions.

(i) The electron configuration of an aluminium **atom** is **2**,**8**,**3**.

Explain why the electrical charge of an aluminium ion is +3.

[2]

(ii) A student suggested the symbolic equation below for the formation of aluminium oxide.

2Al + 3O₂ → Al₂O₃
State and explain whether or not this equation is balanced.
[2]
(c) The firework mixture contained in the firework in Fig. 6.1 contains the compound potassium perchlorate, KC*l*O₄.
When potassium perchlorate is heated, a colourless gas is given off which re-lights a glowing splint.
Suggest why the firework mixture needs to contain potassium perchlorate.

[2]

© UCLES 2012

For

Examiner's Use

7 (a)		Sta	State which type of electromagnetic wave			
		(i)	can be detected by the human eye,		[1]	Examiner's Use
		(ii)	is used in a remote control for a television,		[1]	
		(iii)	is strongly absorbed by the water in cells.		[1]	

(b) Three types of nuclear radiation are alpha, beta and gamma. Each of these can be identified by its behaviour in electric and magnetic fields.

Describe how you could identify alpha, beta and gamma radiations by their deflections in an electric field.

Explain your answer. You may use a diagram to help your explanation.

[5]

(c)		a nuclear power station, nuclear fuel such as uranium releases energy by the cess of nuclear fission.	For Examiner's Use
	(i)	State what happens to the uranium atoms.	
		[1]	
	(ii)	At a nuclear power station, technicians work close to radioactive sources.	
		State one way in which these workers could be harmed by radiation emitted from radioactive sources.	
		[1]	
	(iii)	State two ways in which these workers could be protected from the radiation.	
		1	
		2 [2]	

8 Fig. 8.1 shows the male reproductive system.




Fig. 8.1

(a)	(i)	State the functions of parts A , B and C .
		Α
		В
		c [3]
	(ii)	On Fig. 8.1, use a label line and the letter S to indicate where male gametes are made. [1]
(b)		scribe three ways in which human male gametes differ from human female netes.
	1 _	
	2	
	3 .	[3]
(c)	Mal	e gametes and female gametes have a haploid nucleus.
	Exp	lain why it is important that gametes have a haploid nucleus.
		[2]

For Examiner's Use (d) HIV is the virus that causes AIDS. HIV can be passed from one person to another during sexual intercourse.

Outline how HIV affects the immune system of a person with HIV/AIDS.

[2]

For

Examiner's Use

BLANK PAGE

9 In 1774 the chemist Carl Scheele reacted concentrated hydrochloric acid with manganese dioxide. One of the products of this reaction was a pale green gas which Scheele believed Examiner's to be a compound containing oxygen.


All attempts by Scheele and other chemists to decompose this green gas were unsuccessful. In 1810 the green gas was named chlorine.

(a) Explain which information in the passage above suggests that chlorine is an element.

[2]

(b) Chlorine is produced in the chemical industry by electrolysis.

A simplified diagram of one type of electrolysis cell used to produce chlorine is shown in Fig. 9.1.



For

Use

(ii) Fig. 9.2 shows how the electrons are arranged in a chlorine atom.




Fig. 9.2

In chlorine gas, the atoms form molecules which have the formula, Cl₂.

Draw a diagram to show how the **outer** electrons are arranged in a molecule of chlorine.

[2]

For Examiner's Use

(c) A student plans to produce some chlorine gas by repeating the reaction used by Scheele. She researches the balanced symbolic equation for the reaction and finds that it is

 $4HCl(aq) + MnO_2(s) \longrightarrow MnCl_2(aq) + 2H_2O(l) + Cl_2(g).$

The student decides to react 1.74g of manganese dioxide with excess hydrochloric acid.

(i) Calculate the number of moles of manganese dioxide in 1.74 g.

Show your working.

[2]

(ii) Calculate the volume of chlorine gas, measured at room temperature and pressure, which the student might expect to be produced in her experiment.

25

For Examiner's

The volume of one mole of chlorine, measured at room temperature and pressure, is 24 dm³.

Show your working.

[3]

10 (a) On the grid below, draw a wave with an amplitude of 2 cm and a wavelength of 4 cm.

On your diagram, clearly label the amplitude and the wavelength.

[3]

For Examiner's Use

(b) (i) Two sound waves, A and B, have the same frequency. A has a greater amplitude than B.

What difference would you hear?

......[1]

(ii) Two sound waves, X and Y, have the same amplitude but X has a greater frequency than Y.

What difference would you hear?

[1]

(iii) The speed of sound was calculated for sound passing through a solid, a liquid, a gas and a vacuum.

The values recorded were

0m/s	330m/s		
1500m/s	5000m/s.		

Write the values in the correct boxes in Table 10.1.

Table 1	0.1
---------	-----

	speed of sound m/s
vacuum	
solid	
liquid	
gas	

[2]

For

Examiner's Use

(iv) Sound travels through the air by a series of compressions and rarefactions.


Explain what is meant by *compressions* and *rarefactions*. You may use a diagram to help your explanation.

[2]

(c) Energy travels to the Earth from the Sun. For Examiner's Use State whether this transfer of energy is by conduction, convection or radiation. Explain your answer. [2] (d) Many bush fires are caused by pieces of glass that have been carelessly thrown away. Fig. 10.1 shows parallel rays of light passing through a piece of glass. The piece of glass acts as a lens and focuses the light on the ground. centre of lens ու վերկել (ոչիստուլիս վ. ա. հետևմ/ ությ. ա. հետևմ / ությ. ս. հետևմ/ու հետևմ/ ությ. Fig. 10.1 (i) On Fig. 10.1, use the letter **P** to label the principal focus of the piece of glass. [1] (ii) Measure the focal length of the piece of glass in Fig. 10.1. mm [1] (iii) The glass acting as a lens produces a real image of the Sun. Explain what is meant by the term real image.[1]

11	Hur	mans require a wide range of nutrients to provide a balanced diet.	For Examiner's
	(a)	List two groups of organic substances that humans require in their diet.	Use
		1	
		2 [2]	
	(b)	Outline the symptoms that a person may develop if their diet is deficient in	
		(i) vitamin D,	
		[1]	
		(ii) iron.	
		[1]	
	(c)	Describe the use of microorganisms in the manufacture of yoghurt.	
		[3]	

- **12 (a) (i)** Name the **two** elements which are combined together in most of the compounds found in petroleum (crude oil).
 - 1 _____ 2 _____ [1]
 - (ii) Draw **four** straight lines to connect each process or reaction in the left hand column with its meaning in the right hand column.



(b) Fig. 12.1 shows apparatus that a student uses to investigate what happens when gaseous decane, $C_{10}H_{22}$, is heated in the presence of a catalyst.

The catalyst is made of small pieces of aluminium oxide which are heated strongly.




Fig. 12.1


When the gaseous decane passes through the heated catalyst, the solution of bromine rapidly changes colour from orange to colourless.

(i) Explain why this observation shows that decane has undergone a chemical reaction.

For Examiner's Use

(ii) Explain why the products of the reaction do not include any aluminium compounds.
[1]
(iii) Suggest why the catalyst needs to be heated.
[1]

- (c) When ethene, C₂H₄, is heated and pressurised in the presence of a catalyst, it is converted into a white compound which becomes solid when it cools.
 - (i) Complete the diagram below to show a small section of one of the molecules in the white solid.



[2]

(ii) Suggest why it is **not** possible to state an exact value of the relative molecular mass of the molecules in the white solid.

[1]

	0	A 4 Helium	19 20 Fluorine Neon 70 Neon 35.5 40 Ct Ar Choine 18 Argon 18	80 84 Br Krypton 36	27 131 Xenon 54	teres B6 Radon	173 175 Yb Luu terbium 71 71 201 Lutetium 71 201 Lutetium 103
	II>		6 21	35 ^{Br}	n 127 53 lodine	m Atatine B5	70 102
	⋝		16 8 Oxygen 8 32 32 32 16 Suffur	79 Selenium 34	128 Te 52	Polonium 84	169 Thulium 69 Mendelevium 101
	>		14 7 Nitrogen 31 Phosphorus	75 AS Arsenic 33	122 Sb Antimony 51 209	Bismuth Bismuth	167 68 Erbium 68 F T 100
	≥		6 Carbon 6 Carbon 8 28 28 28 28	73 Ge Germanium 32	119 Sn 50 707	82 Lead	165 Holmium 67 Einsteinium 99
	≡		11 B B 5 27 27 Auminum 13	70 Gal ium 31	115 1 15 49 204	R1 Thailium 81	162 Dysprosium 66 Catifornium 98
ents				65 Zn 30	112 Cadmium 48 201	Mercury 80	159 159 65 Berkelium 97
The Periodic Table of the Elements Group				64 Copper 29	108 Ag 8ilver 197	Bend State	157 Gdd Gd 64 64 64 curium 96
Table of tl Group	2			59 Nickel 28	106 Pd Palladium 46		152 Europium 63 Americium 95
iodic Ta Gr	5			59 CO ²⁷	103 Rh ođium 45 192	Lidium 77	150 Samarium 62 Plutonium 94
The Per		¹ Hydrogen		56 Fe Iron 26	101 Ru Ruthenium 44	Osmium 76	Promethium 61 Neptunium 93
				55 Manganese 25	Tc Technetium 43	Renium 75	144 Neodymium 60 238 Uranium 92
				52 Ch romium 24	96 Molybdenum 42 184	Tungsten 74	141 Praseodymium 59 Pa Protactinium 91
				51 Vanadium 23	93 Niobium 181	Tantalum 73	140 Cerium 58 232 232 232 Thorium 90
				48 Titanium 22	91 Zr Zirconium 40	22 ⁺	u nic mass bol iic) number
				45 Scandium 21	89 Y 39 139	Lanthanum 57 * * 227 AC Addinium	 bid series l series a = relative atomic mass X = atomic symbol b = proton (atomic) number
	=		9 Beryllium 4 24 Magnesium 12	40 Calcium 20	88 Strontium 38 137	56 Barium 56 226 Rad ium 88	noid
			7 Lithium 23 Na Sodium	39 K Potassium 19	85 Rb Rubidium 7	F Francium	*58-71 La 190-103 A Key

32

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

www.theallpapers.com