



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

CANDIDATE
NAME

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--	--

* 1 7 9 5 9 7 7 3 2 0 *

CO-ORDINATED SCIENCES

0654/33

Paper 3 (Extended)

October/November 2012

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

A copy of the Periodic Table is printed on page 36.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use	
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
Total	

This document consists of **34** printed pages and **2** blank pages.



1 Flowers are organs in which sexual reproduction takes place.

(a) Sexual reproduction can be defined as:

“the process involving the fusion of haploid nuclei to form a diploid zygote and the production of genetically dissimilar offspring”.

(i) Explain the meaning of the term *diploid*.

.....
..... [1]

(ii) State the scientific term for the fusion of the two haploid nuclei.

..... [1]

(b) Fig. 1.1 shows a section through a flower.




Fig. 1.1

(i) State the **letter** of the part in which

the male gametes are produced,

a zygote is produced.

[2]

(ii) Explain how the structure of the flower in Fig. 1.1 indicates that it is pollinated by insects.

*For
Examiner's
Use*

.....
.....
.....
.....
.....
..... [3]

(c) After pollination and seed formation, the ovary of a flower develops into a fruit.

Describe how the structure of a **named** fruit helps it to be dispersed. You may include a labelled diagram if it helps your answer.

.....
.....
.....
.....
..... [3]

2 (a) (i) State the percentage of nitrogen in the air. [1]

(ii) Nitrogen can be separated from liquefied air by fractional distillation.

Table 2.1 shows the boiling points of three of the gases found in air.

Table 2.1

gas	boiling point/°C
argon	-186
nitrogen	-196
oxygen	-183

In the process of fractional distillation, very cold liquefied air is allowed to increase in temperature.

Explain briefly how this process is able to separate nitrogen from the other gases shown in Table 2.1.

.....

 [2]

For
Examiner's
Use

- (b) Nitrogen is converted into ammonia in the Haber process. Fig. 2.1 shows a simplified diagram of the Haber Process.

For
Examiner's
Use




Fig. 2.1

The hydrogen used in this process is produced from reactions involving methane, steam and a catalyst containing nickel.

The reaction that occurs in the reactor in Fig. 2.1 involves a catalyst containing iron.

- (i) Name the family of metals to which iron and nickel belong.

..... [1]

- (ii) Suggest why the catalyst inside the reactor in Fig. 2.1 is used in the form of a large number of small pieces.

.....

 [2]

- (iii) Name the gases that are being re-cycled at point A in Fig. 2.1.

..... [1]

- (iv) Explain why the gases you have named in (iii) are present at point A.

.....
 [1]

- (c) The diagram in Fig. 2.2 shows the protons and outer shell electrons in a nitrogen molecule.

For
Examiner's
Use




Fig. 2.2

- (i) Suggest, in terms of forces between electrically charged particles, why energy is needed to break the covalent bond in a nitrogen molecule.

.....

.....

.....

..... [2]

- (ii) Suggest why nitrogen molecules are unreactive.

.....

.....

.....

..... [2]

Please turn over for Question 3.

3 Fig. 3.1 shows two speed/time graphs for a car.

For
Examiner's
Use




Fig. 3.1

(a) Describe the motion of the car in

graph A,

graph B. [1]

(b) The car travels at 20 m/s for 90 seconds. The total force driving the car forward is 1000 N.

Calculate the work done by this force during this 90 second journey.

State the formulae that you use and show your working.

formulae used

working

..... [3]

(c) The manufacturer of the car gave the following information.

- mass of car 950 kg
- the car will accelerate from 0 to 33 m/s in 11 seconds

(i) Calculate the acceleration of the car during the 11 seconds.

Show your working.

..... [2]

(ii) Calculate the force needed to produce this acceleration.

State the formula that you use and show your working.

formula used

working

..... [2]

(iii) The manufacturer claims the car can reach a maximum speed of 170 km/hr.

Explain, in terms of forces acting on the car, why there is a maximum speed (terminal velocity) that a car can reach.

.....

.....

..... [2]

4 Bats use echo location to detect objects around them. To do this, they emit ultrasound.

(a) (i) Ultrasound is sound that has a frequency too high for a human to hear.

Suggest a frequency for the ultrasound emitted by bats. [1]

(ii) Underline the word or words that correctly describe an ultrasound wave.

electromagnetic **longitudinal** **transverse** [1]

(b) Most bats drink by flying close to the surface of a pond and taking mouthfuls of water from it.

Researchers thought that bats may be able to tell where water is present because the water has a much smoother surface than the surrounding ground. They put several thirsty bats into a closed room. They placed sheets of two rough materials and two smooth materials on the floor.

rough materials	smooth materials
metal grid	metal sheet
tree bark	smooth wood

The researchers counted the number of times the bats tried to drink from the surface of each material. Their results are shown in Fig. 4.1.




Fig. 4.1

(i) Compare the results for the rough materials and the smooth materials.

.....

 [2]

- (ii) The ultrasound waves reflect from surfaces and are detected by receptors in the bat's head.

For
Examiner's
Use

Fig. 4.2 shows how ultrasound waves are reflected from a rough surface and from a smooth surface. The arrows show the direction in which the sound waves travel.




Fig. 4.2

Use the information in Fig. 4.1 and Fig. 4.2 to suggest how bats detect a water surface.

.....

.....

.....

..... [2]

(c) Many bats feed on moths. Tiger moths have evolved behaviour that helps them to escape from bats. The behaviour is caused by their genes.

A tiger moth has two simple 'ears', each containing a sensory neurone. The sensory neurone produces nerve impulses when it detects ultrasound.

This causes the moth to fly in rapid zig-zags, which makes it more difficult for the bat to catch.

(i) Explain how natural selection could have caused this behaviour to evolve.

.....
.....
.....
.....
.....
.....
..... [4]

(ii) The response of the tiger moth to ultrasound is a reflex action. The path taken by a nerve impulse in a reflex action in a tiger moth is similar to that in a human.

Suggest what happens to the nerve impulses in the sensory neurone, in order to produce the escape behaviour of the tiger moth.

.....
.....
.....
..... [3]

- 5 (a) Fig. 5.1 represents what happens when calcium carbonate, an **insoluble** ionic salt, is added to water.

For
Examiner's
Use




Fig. 5.1

- (i) Sodium chloride is a **soluble** ionic salt.

On Fig. 5.2, sketch how the ions from sodium chloride are arranged after it is added to water.




Fig. 5.2

[2]

- (ii) Explain, in terms of relative numbers of protons and electrons, why calcium ions have an electrical charge of 2+, but sodium ions have a charge of 1+.

.....


.....

.....

..... [2]

- (b) A student is given the task of finding out the mass of magnesium sulfate that is dissolved in an aqueous solution.

She adds excess barium chloride which reacts with all of the magnesium sulfate to produce a white precipitate of barium sulfate.



The student separates and dries the barium sulfate, and finds that it has a mass of 4.66 g.

- (i) Calculate the number of moles of barium sulfate, BaSO_4 , in 4.66 g.

Show your working.

..... [2]

- (ii) The balanced equation for the reaction between magnesium sulfate and barium chloride is shown below.



Use the balanced equation and your answer to (i) to calculate the mass of magnesium sulfate in the original solution.

The relative formula mass of magnesium sulfate is 120.

Show your working.

For
Examiner's
Use

..... [2]

6 Fig. 6.1 shows a washing machine.



Fig. 6.1

For
Examiner's
Use

(a) A label on the back of the washing machine shows the following information.

power	2 kW
voltage	250V
a.c. frequency	50Hz

(i) Explain what is meant by an a.c. frequency of 50 Hz.

.....

.....

..... [2]

(ii) Calculate the current when the washing machine is using 2 kW of power.

State the formula that you use and show your working.

formula used

working

..... [2]

(b) (i) Some of the water inside the washing machine evaporates.

Explain the process of evaporation in terms of particles.

.....
.....
.....
.....
..... [2]


(ii) Inside the washing machine the water is heated by an electric heater.

Explain how heat energy is able to pass through the metal parts of the heater.


.....
.....
..... [2]

(c) The casing of the washing machine is a solid. The water used in it is a liquid.

Complete the diagrams below to show the arrangement of particles in a solid and in a liquid.



solid



liquid

[2]

(d) 3 kg of water are being heated in the washing machine from 10 °C to 50 °C.

The specific heating capacity of water is 4200 J/kg °C.

Calculate the energy required to heat the water.

Show your working and state the formula that you use.

formula used

working

..... [3]

*For
Examiner's
Use*

7 Starch is a carbohydrate found in many foods that come from plants. Starch molecules are very large, and must be broken down into smaller sugar molecules before they can be absorbed.

(a) (i) Name the enzyme in the human digestive system that breaks down starch molecules.

..... [1]

(ii) State **one** place in the human digestive system where this enzyme is secreted.

..... [1]

(b) Sugar molecules, such as glucose, are absorbed from the alimentary canal through the villi. Fig. 7.1 shows a villus.




Fig. 7.1

(i) Describe the role of the capillaries in the villus.

.....
.....
..... [2]

(ii) Describe the role of the lacteals in the villus.

.....
..... [1]

(iii) Suggest the function of the microvilli on the epithelial cells.

.....
.....
..... [2]

(c) The glucose that is absorbed through the villi is transported to the liver in the blood.

Describe what happens to the glucose when it reaches the liver if the concentration of glucose in the blood is too high.

.....

.....

.....

..... [2]


*For
Examiner's
Use*

8 Metallic copper is a very important material that has been extracted from copper compounds for thousands of years.

For
Examiner's
Use

(a) Copper is used to make electrical wires.

Copper wires are connected to the mains electrical supply using brass plugs. Brass is an alloy of copper and zinc, and is a much less malleable material than pure copper.



Draw a simple diagram of the atoms in brass, and use it to help you explain why brass is less malleable than pure copper.

.....

.....

.....

..... [3]

- (b) One of the processes used in the extraction of copper involves heating copper(I) sulfide, Cu_2S , in air. One of the reactions that occurs is between copper(I) sulfide and oxygen. This reaction produces copper and sulfur dioxide, SO_2 .

Construct a balanced symbolic equation for this reaction.

..... [1]

- (c) After further processing, impure copper is extracted from the products of the process in (b). Most of this copper is purified using electrolysis.

Fig. 8.1 shows the apparatus a student used to investigate this electrolysis reaction.




Fig. 8.1

The student investigated what happened to the masses of the anode and cathode during the electrolysis shown in Fig. 8.1.

His results are shown in Table 8.1.

Table 8.1

	mass of anode / g	mass of cathode / g
before electrolysis	47.3	49.7
after electrolysis	46.9	50.1

- (i) Name the compound that is dissolved in water to make the electrolyte.

..... [1]

(ii) Explain the results shown in Table 8.1.

.....
.....
.....
..... [2]

(iii) Explain briefly how this electrolysis reaction is used in industry to purify (refine) copper.

.....
.....
.....
..... [2]


*For
Examiner's
Use*

- 9 (a) X-rays and γ (gamma) -rays are two examples of ionising radiation.

Explain the meaning of the term *ionising radiation*.

.....
 [2]

- (b) A radiographer uses X-rays to see the bones in a patient's body. She carries out this procedure many times each day.



The radiographer goes behind a screen before switching on the X-ray machine.

Explain why she does this.

.....

 [2]

- (c) The speed of X-rays is 3×10^8 m/s. What is the speed of γ -rays?

Explain your answer.

.....
 [1]

- (d) Draw a straight line from each type of radiation in the left hand column to link with its property in the right hand column.

α (alpha)

β (beta)

γ (gamma)

not dangerous

stopped by paper

least ionising

travels up to 1 metre in air

For
Examiner's
Use

[2]

10 Fig. 10.1 shows a crop plant growing in soil.




Fig. 10.1

For
Examiner's
Use

- (a) Describe the pathway along which water from the soil travels to the cells in the plant's leaves.

.....

.....

.....

..... [3]

- (b) Farmers often add fertilisers containing nitrate ions to the soil where crop plants are growing.

- (i) Explain why plants need nitrate ions.

.....

.....

..... [2]

- (ii) If too much fertiliser is added to the soil, the movement of water into the plant's roots will stop.

Explain why.

.....

.....

..... [2]

- (iii) If more fertiliser is added to the soil than the crop plants can absorb, some of the fertiliser may wash into rivers when it rains.

Explain how this can cause fish to die.

.....

.....

.....

..... [3]

*For
Examiner's
Use*

11 Carbon occurs naturally as the free element and also combined in an extremely large number of different compounds.

- (a) The most common isotope of carbon has a proton number of 6 and a nucleon number of 12.

Draw a diagram of **one** atom of this isotope of carbon. Label the positions and numbers of the protons, neutrons and electrons.

*For
Examiner's
Use*

[2]

(b) As the uncombined element, carbon is found in the forms of diamond and graphite. The physical properties of diamond and graphite are very different.

*For
Examiner's
Use*

Choose **one** difference in the physical properties of diamond and graphite and explain this difference in terms of structure (the way that the carbon atoms are arranged). You may wish to draw some simple diagrams to help you answer this question.

.....


.....

.....

.....

..... [4]

(c) Petroleum (crude oil) is the raw material from which gasoline (car fuel) is obtained.



For
Examiner's
Use

(i) Fig. 11.1 shows a typical molecule in gasoline.




Fig. 11.1

Name the homologous series to which the molecule in Fig. 11.1 belongs.

Explain your answer.

homologous series

explanation

..... [2]

- (ii) Some car manufacturers are researching the use of alternative fuels to replace gasoline.

*For
Examiner's
Use*

One possible alternative fuel is hydrogen gas, H₂, which is oxidised in the car's engine.

Explain why air pollution caused by car engines would be greatly reduced if hydrogen could be used as the fuel instead of gasoline.

.....

.....

.....

.....

..... [3]

12 (a) Describe how heat energy is used to turn the generator in a power station.

Name the equipment used at each stage of this process.

.....
.....
.....
.....
..... [2]

(b) Fig. 12.1 shows a simple a.c. generator. When the coil is turned a current is induced in the coil.




Fig. 12.1

Name the parts labelled **X** and explain their purpose.

part **X**

purpose

.....
.....
..... [2]

- (c) (i) The electrical output from a power station is 25 000 V. The voltage is stepped up to 400 000 V by a transformer.

The number of turns on the primary coil of the transformer is 40 000.

Calculate the number of turns on the secondary coil.

Show your working and state the formula that you use.

formula used

working

..... [3]

- (ii) Explain why the electrical output from this power station has to be a.c.

.....
..... [1]

DATA SHEET
The Periodic Table of the Elements

		Group																	
		I	II	III	IV	V	VI	VII	VIII	IX	X								
		1 H Hydrogen 1																	
7	9	Li Lithium 3	Be Beryllium 4																
23	24	Na Sodium 11	Mg Magnesium 12																
39	40	K Potassium 19	Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36
85	88	Rb Rubidium 37	Sr Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	101 Ru Ruthenium 44	101 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 In Indium 49	119 Sn Tin 50	122 Sb Antimony 51	128 Te Tellurium 52	127 I Iodine 53	131 Xe Xenon 54	
133	137	Cs Caesium 55	Ba Barium 56	139 La Lanthanum 57	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	190 Os Osmium 76	192 Ir Iridium 77	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80	204 Tl Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83	210 Po Polonium 84	210 At Astatine 85	210 Rn Radon 86	
	226	Fr Francium 87	Ra Radium 88	227 Ac Actinium 89															
		*58-71 Lanthanoid series																	
		†90-103 Actinoid series																	
		162 Dy Dysprosium 66																	
		159 Tb Terbium 65																	
		157 Gd Gadolinium 64																	
		152 Eu Europium 63																	
		150 Sm Samarium 62																	
		144 Nd Neodymium 60																	
		141 Pr Praseodymium 59																	
		140 Ce Cerium 58																	
		238 U Uranium 92																	
		232 Th Thorium 90																	
		94 Pu Plutonium 94																	
		95 Am Americium 95																	
		96 Cm Curium 96																	
		97 Bk Berkelium 97																	
		98 Cf Californium 98																	
		99 Es Einsteinium 99																	
		100 Fm Fermium 100																	
		101 Md Mendelevium 101																	
		102 No Nobelium 102																	
		103 Lr Lawrencium 103																	
		70 Yb Ytterbium 70																	
		69 Tm Thulium 69																	
		71 Lu Lutetium 71																	
		175 Lu Lutetium 71																	
		173 Yb Ytterbium 70																	
		169 Tm Thulium 69																	
		167 Er Erbium 68																	
		165 Ho Holmium 67																	
		162 Dy Dysprosium 66																	
		159 Tb Terbium 65																	
		157 Gd Gadolinium 64																	
		152 Eu Europium 63																	
		150 Sm Samarium 62																	
		144 Nd Neodymium 60																	
		141 Pr Praseodymium 59																	
		140 Ce Cerium 58																	

Key

a	X
b	

a = relative atomic mass
X = atomic symbol
b = proton (atomic) number

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.