



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

CANDIDATE
NAME

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

* 7 3 4 6 2 6 8 7 3 5 *

CO-ORDINATED SCIENCES

0654/32

Paper 3 (Extended)

October/November 2013

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 28.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

This document consists of **28** printed pages.



- 1 (a) Fig. 1.1 shows apparatus that can be used to test the electrical conductivity of the materials contained in beakers **P**, **Q** and **R**.

For
Examiner's
Use




Fig. 1.1

- (i) Explain, in terms of protons and electrons, why a sodium ion, Na⁺, has a single positive electrical charge.

.....

.....

..... [2]

- (ii) The material in beaker **R** is a good electrical conductor.

The materials in beakers **P** and **Q** are insulators.

Explain these statements in terms of ions.

.....

.....

.....

..... [3]

(iii) The material in beaker **R** is tested using the apparatus in Fig. 1.1.

Bubbles of gas form on the surfaces of both electrodes and the pH of the solution increases.

Name the gas that forms at each electrode and explain briefly why the pH increases.

gas formed at the negative electrode

gas formed at the positive electrode

reason for the increase in pH

.....

..... [4]

(b) Fig. 1.2 represents the structure of solid sodium chloride.




Fig. 1.2

Explain, in terms of its structure and bonding, why sodium chloride has a very high melting point (801 °C).

.....

.....

.....

.....

..... [3]

2 (a) Fig. 2.1 shows two means of communication between Singapore and Sydney.




Fig. 2.1

Method 1 Microwave signals are sent by satellite.

Method 2 Infra-red waves carrying a signal are sent through an optical fibre cable.

Fig. 2.2 shows an infra-red ray entering an optical fibre.




Fig. 2.2

The infra-red ray travels all the way through the optical fibre.

(i) Explain why the infra-red ray stays inside the optical fibre. You may draw on the diagram if it helps your answer.

.....

.....

.....

..... [3]

(ii) The length of an optical fibre cable between Singapore and Sydney is 6.3×10^6 m.
The speed of infra-red waves in an optical fibre is 2.1×10^8 m/s.

Calculate the time taken for the signal to travel from Singapore to Sydney.

State any formula that you use, show your working and state the unit of your answer.

formula

working

..... unit [2]

(iii) The speed at which microwaves travel through space is greater than the speed at which infra-red waves travel through an optical fibre.

Suggest why the time taken by infra-red signals is less than the time taken by the microwave signals to travel from Singapore to Sydney.

.....
..... [1]

(b) Fig. 2.3 shows a demonstration of sound transmission using a bell jar.

For
Examiner's
Use




Fig. 2.3

As the air is removed from the bell jar, the ringing sound from inside the bell jar gets quieter. When all the air has been removed, the bell cannot be heard.

Explain these observations.

.....


.....

.....

..... [2]

3 Sodium hydrogencarbonate, NaHCO_3 , is a white solid compound which is soluble in water.

- (a) A student adds some sodium hydrogencarbonate to a beaker which contains an aqueous solution of full range indicator (Universal Indicator).



When the sodium hydrogencarbonate dissolves, the solution changes colour from green to blue.

- (i) State how the pH of the mixture changes when the sodium hydrogencarbonate dissolves.

..... [1]

- (ii) The student then adds excess dilute hydrochloric acid to the solution.

Apart from an increase in volume, state **two** observations that are made when the acid is added.

1

.....

2

..... [2]

- (b) Fig. 3.1 shows apparatus a teacher uses to demonstrate the heating of sodium hydrogencarbonate.

For
Examiner's
Use




Fig. 3.1

The solid sodium hydrogencarbonate is heated strongly for a few minutes and the following observations are made.

- The cobalt chloride paper changes colour from blue to pink.
- A gas bubbles out through the limewater, turning it cloudy.

After the reaction a white solid remains in the large test-tube.

- (i) Explain how the observations show that both water and carbon dioxide are produced.

.....

 [1]

- (ii) The teacher tells her students that

- sodium hydrogencarbonate has been decomposed (broken down into simpler compounds),
- the white solid which remains in the large test-tube is sodium carbonate, Na₂CO₃.


Construct a balanced symbol equation for the decomposition of sodium hydrogencarbonate.

..... [2]

(iii) A student places a piece of paper into a solution of sodium hydrogencarbonate.

She removes the paper and allows it to dry. She notices that crystals of solid sodium hydrogencarbonate are left on the paper.

For
Examiner's
Use



The student finds that it is now difficult to set fire to the paper.

Use the results of the experiment in Fig. 3.1 to suggest why the student finds it difficult to get the paper to burn.

.....

.....

.....

..... [2]

(iv) Suggest, with a reason, whether the decomposition of sodium hydrogencarbonate is an exothermic or an endothermic reaction.

.....

.....

..... [2]

4 Most plants have root hairs near the tips of their roots. A mutation in a plant called land cress affects the growth of its root hairs.

(a) (i) Define the term *mutation*.

.....
..... [1]

(ii) State **one** factor that increases the chance of mutation.

..... [1]

(b) The growth of root hairs in normal plants, and in plants with the mutation, is affected by the concentration of phosphate ions in the soil.

Researchers grew normal and mutant land cress plants in soil with different concentrations of phosphate ions. They measured the mean number of root hairs in a small area of the roots, and also the mean length of the root hairs.

Table 4.1 shows their results.

Table 4.1

type of plant	phosphate concentration	mean number of root hairs per unit area	mean length of root hairs / micrometres
normal plants	low	1.26	175
	high	1.70	149
mutant plants	low	1.41	225
	high	1.85	52

(i) Describe how the addition of phosphate ions to the soil affects the root hairs in normal plants.

.....
.....
..... [2]

(ii) Compare the effect of adding phosphate ions to the soil for normal plants and for mutant plants.

.....
.....
..... [2]

(iii) Predict and explain how a reduction in the length of its root hairs would affect the growth of a plant.

.....
.....
.....
.....
..... [3]

(c) Farmers often add fertilisers containing phosphate ions, potassium ions and nitrate ions to the soil in which they grow crops.

(i) Explain why adding nitrate ions to the soil helps the crop plants to grow faster and larger.

.....
.....
..... [2]

(ii) Explain how careless use of fertilisers can cause harm to living organisms in rivers and lakes.

.....
.....
.....
.....
.....
..... [4]

5 Fig. 5.1 shows a bicycle with a front light **A** and a rear light **B** powered by the same battery.

For
Examiner's
Use




Fig. 5.1

Fig. 5.2 shows how the lights are connected.




Fig. 5.2

(a) The resistance of light **A** is $10\ \Omega$ and the resistance of light **B** is $5\ \Omega$.

Calculate the combined resistance of the two lights in this circuit.

State the formula that you use and show your working.

formula

working

..... Ω [3]

(b) The voltage supplied by the battery is 9V.

Calculate the current passing through light **A**.

State any formula that you use, show your working and state the unit of your answer.

formula

working

..... unit [2]

*For
Examiner's
Use*

6 Fig. 6.1 shows a fetus in the uterus just before it is born.

For
Examiner's
Use




Fig. 6.1

(a) On Fig. 6.1, use the letters **A**, **B** and **C** to label these parts on the diagram:

A – the placenta

B – amniotic fluid

C – the cervix

[3]

(b) Describe how the placenta and umbilical cord help to supply the fetus with oxygen.

.....

.....

.....

.....

.....

..... [3]

7 (a) Fluorine is one of the halogens in Group 7 of the Periodic Table.

Suggest the physical state at room temperature (solid, liquid or gaseous) of fluorine.

Explain your answer in terms of the relative size of fluorine molecules in comparison with those of the other halogens.

physical state of fluorine

explanation

.....

..... [2]

(b) Fluorine is the most reactive element in the Periodic Table. There are only three other elements that do **not** react with fluorine. These elements are all found in the same group of the Periodic Table.

Suggest and explain which group of the Periodic Table contains the elements that do **not** react with fluorine.

group

explanation

.....

..... [3]

(c) In some countries, drinking water contains low concentrations of compounds containing fluoride ions.

One of the compounds found in drinking water is sodium fluoride, NaF.

(i) Explain briefly why, although fluorine is very reactive, it is safe to drink water that contains fluoride ions.

.....

.....

.....

..... [2]

- (ii) A sample of drinking water contains sodium fluoride at a concentration of $0.000064 \text{ mol/dm}^3$.

Calculate the mass of sodium fluoride that must be dissolved in 10000 dm^3 of water to obtain this concentration.

Show your working.

*For
Examiner's
Use*

..... [3]

8 (a) During part of a journey, a car moves 1 km and the driving force is 10 000 N.

For
Examiner's
Use

(i) Calculate the work done by the driving force.

State any formula that you use, show your working and state the unit of your answer.

formula

working

..... unit [2]

(ii) This work is done in 100 s.

Calculate the useful power output from the car's engine during this time.

State any formula that you use, show your working and state the unit of your answer.

formula

working

..... unit [2]

(b) When the car is stationary, each of its four tyres has an area of 150 cm^2 in contact with the road.

The pressure exerted by the car on the road is $300\,000\text{ N/m}^2$.

Calculate the mass of the car.

State any formulae that you use, show your working and state the unit of your answer.
(use $g = 10\text{ N/kg}$)

formula

working

..... unit [4]

(c) The cooling system of the car uses water to remove heat energy from the hot engine. The heated water goes into the radiator. Heat energy is lost from the radiator.

(i) Fig. 8.1 shows a car radiator.




Fig. 8.1

Explain how the features of the radiator that are shown in Fig. 8.1 increase the rate of cooling of hot water.

.....
.....
..... [2]

- (ii) The mass of water in the radiator is 5 kg.

The specific heating capacity of water is $4200 \text{ J/kg } ^\circ\text{C}$.

Calculate the energy released when the water in the radiator cools by 12°C .

State any formula that you use, show your working and state the unit of your answer.

formula

working

..... unit [3]

For
Examiner's
Use

- 9 Rabbits are often kept as pets. People try to breed rabbits with unusual colours, such as himalayan colouring. Fig. 9.1 shows a rabbit with himalayan fur colour. The rabbit's fur is white with some black areas.




Fig. 9.1

- (a) Completely white fur and himalayan-coloured fur are produced by two alleles of a gene.

When a white rabbit and a himalayan rabbit are bred together, all the offspring are white.

When two of these white offspring are bred together, one quarter of their offspring are himalayan and three quarters are white.

- (i) Identify which allele is dominant, and suggest suitable symbols for the two alleles.

dominant allele:

colour produced symbol

recessive allele:

colour produced symbol [2]

- (ii) Two rabbits that are heterozygous for these alleles are crossed.

Construct a genetic diagram, using your symbols from (i), to explain the results of this cross.

[4]

(b) Rabbits, like humans, keep their internal body temperature constant. The body temperature of a rabbit is 38.5 °C.

(i) Explain how a rabbit generates heat within its body.

.....
.....
..... [2]

(ii) Suggest how the fur of a rabbit helps to maintain its body temperature higher than that of its environment.

.....
.....
..... [2]

(iii) When himalayan rabbits are first born, they are white all over. The black colour develops gradually. The black pigment is produced by the action of an enzyme that is only active at temperatures below 25 °C.

Use this information to suggest a reason for the distribution of black fur on the body of a himalayan rabbit.

.....
.....
..... [2]

- 10 Fig. 10.1 shows the structure of one molecule of a type of compound called a CFC (chlorofluorocarbon).




Fig. 10.1

- (a) (i) State the number of electrons in the outer shells of chlorine and fluorine atoms.

..... [1]

- (ii) State and explain briefly the number of electrons in the outer shells of the chlorine and fluorine atoms in the molecule shown in Fig. 10.1.

number of electrons

explanation

.....

..... [2]

- (b) Fig. 10.2 shows a cross-section through an aerosol spray can used to produce a paint spray.




Fig. 10.2

- (i) Explain, in terms of molecules, how the gaseous CFC produces a force on the surface of the paint.

.....

 [2]


- (ii) Scientists have discovered that CFC molecules are causing damage to the atmosphere because they react with molecules of the gas ozone, O₃.

Describe how a molecule of ozone differs from a molecule of gaseous oxygen, O₂.

.....
 [1]

- (c) CFCs have been replaced in most aerosol spray cans by gaseous hydrocarbons such as propane and butane.

- (i) Complete the molecular structure diagram of one molecule of propane.



[2]

- (ii) Suggest **one** disadvantage of using hydrocarbons in aerosol spray cans.

.....
 [1]

11 (a) A mobile phone (cell phone) is powered by a rechargeable battery.

Fig. 11.1 shows a mobile phone being charged. The charger contains a circuit which acts as a transformer.




Fig. 11.1

Link each description in Table 11.1 with one of the labelled parts shown in Fig. 11.1.

Write your answers next to the descriptions in Table 11.1

Table 11.1

description	part
This transforms electrical impulses into sound energy	
This transforms electrical energy to stored chemical energy	
This transforms electrical energy to light energy	
This reduces the mains voltage to a lower voltage.	

[4]

(b) A simple transformer is shown in Fig. 11.2.

For
Examiner's
Use




Fig. 11.2

(i) Calculate the number of turns on the primary coil.

State the formula that you use and show your working.

formula

working

..... turns [3]

(ii) State the function of the iron core in a transformer.

.....
..... [1]

(iii) State how step-up transformers reduce the electrical energy lost in transmission through a grid from a power station to the point of use.

.....
.....
..... [2]

- (c) (i) Draw lines to show the magnetic field around the bar magnet in Fig. 11.3



Fig. 11.3

[2]

- (ii) Draw lines to show the shape of the magnetic field produced by the solenoid coil in Fig. 11.4, when an electric current passes through it.




Fig. 11.4

[1]

For
Examiner's
Use

12 Cigarette smoke contains many harmful substances.

(a) List **four** harmful components of cigarette smoke.

- 1
- 2
- 3
- 4

[2]

(b) Some of the components of cigarette smoke prevent cilia from working properly.

Explain how this can lead to an increase in infections of the lungs by bacteria.

.....
.....
.....
..... [2]

(c) Describe the roles of white blood cells in defending the body against infections by bacteria.

.....
.....
.....
..... [3]

DATA SHEET
The Periodic Table of the Elements

		Group																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		I	II	III	IV	V	VI	VII	VIII	IX	X																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
		1 H Hydrogen 1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		4 He Helium 2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
7	9	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Li Lithium	Be Beryllium	B Boron	C Carbon	N Nitrogen	O Oxygen	F Fluorine	Ne Neon	Na Sodium	Mg Magnesium	Al Aluminium	Si Silicon	P Phosphorus	S Sulfur	Cl Chlorine	Ar Argon	K Potassium	Ca Calcium	Sc Scandium	Ti Titanium	V Vanadium	Cr Chromium	Mn Manganese	Fe Iron	Co Cobalt	Ni Nickel	Cu Copper	Zn Zinc	Ga Gallium	Ge Germanium	As Arsenic	Se Selenium	Br Bromine	Kr Krypton																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
19	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
Rb Rubidium	Sr Strontium	Y Yttrium	Zr Zirconium	Nb Niobium	Mo Molybdenum	Tc Technetium	Ru Ruthenium	Rh Rhodium	Pd Palladium	Ag Silver	Cd Cadmium	In Indium	Sn Tin	Sb Antimony	Te Tellurium	I Iodine	Xe Xenon	Cs Caesium	Ba Barium	La Lanthanum	Ce Cerium	Pr Praseodymium	Nd Neodymium	Pm Promethium	Sm Samarium	Eu Europium	Gd Gadolinium	Tb Terbium	Dy Dysprosium	Ho Holmium	Er Erbium	Tm Thulium	Yb Ytterbium	Lu Lutetium	Fr Francium	Ra Radium	Ac Actinium	Th Thorium	Pa Protactinium	U Uranium	Np Neptunium	Pu Plutonium	Am Americium	Cm Curium	Bk Berkelium	Cf Californium	Es Einsteinium	Fm Fermium	Md Mendelevium	No Nobelium	Lr Lawrencium																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
55	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000

* 58-71 Lanthanoid series
† 90-103 Actinoid series

Key
 a = relative atomic mass
 X = atomic symbol
 b = proton (atomic) number

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.