MARK SCHEME for the May/June 2011 question paper

for the guidance of teachers

5090 BIOLOGY

5090/21

Paper 2 (Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



	Page 2		Mark Scheme: Teachers' version GCE O LEVEL – May/June 2011	Syllabus 5090	Paper 21
			Section A		
1	(a)	small	olant/alga/phytoplankton;		[1]
	(b)	<u>20;</u>			[1]
	(c)	small eaten (Only (merc each increa is not canno stored	[max 5]		
	(d)	conce mercu mercu	rm diet of fishermen; ntration of mercury would be even higher in fishermen AW ry poisonous/harmful/toxic AW R affects; ry affects nervous system/brain; t be broken down [* or in (c)];	;	[max 2] [Total: 9]
2	(a)	moves towards plant/upwards; as water is used for photosynthesis; lost during transpiration/evaporation from leaves;			
	(b)	(i) o (t	nspiration <u>pull;</u> /er period of time/gradually; ubble) slows down; night) stop;		[max 3] [max 2]
		ir sl d p	apour builds up around/stays close to leaf; over prevents air current/wind reaching leaf; creased humidity; ower rate of water loss/transpiration/evaporation; ffusion gradient less steep AW; notosynthesis <u>stops;</u>		
			omata close; ss water used by shoot;		[max 6] [Total: 11]
3	(a)	<u>fertilis</u> oviduo	<u>ation;</u> .t / Fallopian tube;		[2]
	(b)	<u>mitosi</u>	<u>s;</u>		[1]

 (d) any two environmentally affected characters (e.g. size/weight/hair colour) R different traits unqualified/intelligence; ref. to <u>environment/genes</u> only partly responsible; named relevant environmental factor e.g. amount of sun light/lack of food etc.; (i) <u>insect</u> (or named); any two from: large petals/stigma not feathery/stigma protected/ large or rough pollen grains (if self pollination - no marks); (if f self pollination - no marks); (if f vind' given for (ii) - no mark, but allow 'no nectary' for one mark) (if cores pollination/pollen transferred from anther to stigma given for (ii) allow two reason marks A no anthers for a valid reason) (b) pollen tube drawn down style and entering ovule; through micropyle; (female) nucleus drawn and labelled in ovule/embryo sac; (male) nucleus drawn and labelled in ovule/embryo sac; (male) nucleus drawn and labelled correctly. (c) D, E, G (and H) – 3 for 2 marks, 2 for 1 mark;; F; I; (c) digestion or enzyme activity stops/amylase doesn't work; pH incorrect/too acidic; no suitable amylase produced; in the stomach; (c) no starch; all digested/only water absorption in colon; (c) no starch; all digested/only water absorption in colon; 	Ра	Page 3		Mark Scheme: Teachers' version Syllabus		Paper	
 R different traits unqualified/intelligence;; ref. to <u>environment/genes</u> only partly responsible; named relevant environmental factor e.g. amount of sun light/lack of food etc.; (i) <u>insect</u> (or named); any two from: large petals/stigma not feathery/stigma protected/ large or rough pollen grains (If self pollination – no marks);; (If wind' given for (ii) – no marks, but allow 'no nectary' for <i>one</i> mark) (If cross pollination/penet transferred from anther to stigma given for (ii) allow two reason marks A no anthers for a valid reason) (b) pollen tube drawn down style and entering ovule; through micropyle; (female) nucleus shown in bottom half of pollen tube and labelled; female and male nucleus identified correctly; [max (c) D, E, G (and H) – 3 for 2 marks, 2 for 1 mark;; F; I; 5 (a) K – ileum/jejunum R small intestine; L – colon/large intestine; (b) digestion or enzyme activity stops/amylase doesn't work; pH incorrect/too acidic; no suitable amylase produced; in the stomach; (c) no starch; all digested/only water absorption in colon; 	(c)	(e.g R lo cha hav	y. sex ook al racte re bot	enetic similarities like/same age/same chromosomes;; ers caused by genes only; th inherited identical/same genes* once only;			
 (ii) <u>insect</u> (or named); any two from: large petals/stigma not feathery/stigma protected/ large or rough pollen grains (If self pollination – no marks);; (If wind' given for (ii) – no mark, but allow 'no nectary' for one mark) (If cross pollination/pollen transferred from anther to stigma given for (ii) allow two reason marks A no anthers for a valid reason) (b) pollen tube drawn down style and entering ovule; through micropyle; (female) nucleus drawn and labelled in ovule/embryo sac; (male) nucleus shown in bottom half of pollen tube and labelled; female and male nucleus identified correctly; [max (c) D, E, G (and H) – 3 for 2 marks, 2 for 1 mark;; F; ; 5 (a) K – ileum/jejunum R small intestine; L – colon/large intestine; (b) digestion or enzyme activity stops/amylase doesn't work; pH incorrect/too acidic; no suitable amylase produced; in the stomach; (c) no starch; all digested/only water absorption in colon; 	(d)	R different traits unqualified/intelligence;; ref. to <u>environment/genes</u> only partly responsible;			[4] [Total: 11]		
 any two from: large petals/stigma not feathery/stigma protected/ large or rough pollen grains (If self pollination – no marks);; (If 'wind' given for (ii) – no mark, but allow 'no nectary' for one mark) (If cross pollination/pollen transferred from anther to stigma given for (ii) allow two reason marks A no anthers for a valid reason) (b) pollen tube drawn down style and entering ovule; through micropyle; (female) nucleus drawn and labelled in ovule/embryo sac; (male) nucleus shown in bottom half of pollen tube and labelled; female and male nucleus identified correctly; (c) D, E, G (and H) – 3 for 2 marks, 2 for 1 mark;; F; ; f (a) K – ileum/jejunum R small intestine; L – colon/large intestine; (b) digestion or enzyme activity stops/amylase doesn't work; pH incorrect/too acidic; no suitable amylase produced; in the stomach; (c) no starch; all digested/only water absorption in colon; 	1 (a)	(i)	polli	ination;		[1]	
 large or rough pollen grains (If self pollination – no marks);; (If vind' given for (ii) – no mark, but allow 'no nectary' for one mark) (If cross pollination/pollen transferred from anther to stigma given for (ii) allow two reason marks A no anthers for a valid reason) (b) pollen tube drawn down style and entering ovule; through micropyle; (female) nucleus shown in bottom half of pollen tube and labelled; female) nucleus shown in bottom half of pollen tube and labelled; female and male nucleus identified correctly; (c) D, E, G (and H) – 3 for 2 marks, 2 for 1 mark;; F; I; 5 (a) K – ileum/jejunum R small intestine; L – colon/large intestine; (b) digestion or enzyme activity stops/amylase doesn't work; pH incorrect/too acidic; no suitable amylase produced; in the stomach; (c) no starch; all digested/only water absorption in colon;		(ii)	inse	ect_(or named);			
 through micropyle; (female) nucleus drawn and labelled in ovule/embryo sac; (male) nucleus shown in bottom half of pollen tube and labelled; female and male nucleus identified correctly; [max (c) D, E, G (and H) – 3 for 2 marks, 2 for 1 mark;; F; I; 5 (a) K – ileum/jejunum R small intestine; L – colon/large intestine; (b) digestion or enzyme activity stops/amylase doesn't work; pH incorrect/too acidic; no suitable amylase produced; in the stomach; (c) no starch; all digested/only water absorption in colon; 			large (If se (If 'w (If cr	e or rough pollen grains elf pollination – no marks);; wind' given for (ii) – no mark, but allow 'no nectary' for c ross pollination/pollen transferred from anther to stigma	one mark)	[3]	
 F; l; (a) K - ileum/jejunum R small intestine; L - colon/large intestine; (b) digestion or enzyme activity stops/amylase doesn't work; pH incorrect/too acidic; no suitable amylase produced; in the stomach; (c) no starch; all digested/only water absorption in colon; 	(b)	thro (fer (ma	ough i nale) ile) ni	micropyle; nucleus drawn and labelled in ovule/embryo sac; nucleus shown in bottom half of pollen tube and labelled	l;	[max 3]	
 l; [Total: 1 5 (a) K - ileum/jejunum R small intestine; L - colon/large intestine; (b) digestion or enzyme activity stops/amylase doesn't work; pH incorrect/too acidic; no suitable amylase produced; in the stomach; (c) no starch; all digested/only water absorption in colon; 	(c)	_	E, G ((and H) – 3 for 2 marks, 2 for 1 mark;;			
 5 (a) K – ileum/jejunum R small intestine; L – colon/large intestine; (b) digestion or enzyme activity stops/amylase doesn't work; pH incorrect/too acidic; no suitable amylase produced; in the stomach; (c) no starch; all digested/only water absorption in colon; 		ı, I;				[4]	
 L - colon/large intestine; (b) digestion or enzyme activity stops/amylase doesn't work; pH incorrect/too acidic; no suitable amylase produced; in the stomach; (c) no starch; all digested/only water absorption in colon; 						[Total: 11]	
 pH incorrect/too acidic; no suitable amylase produced; in the stomach; (c) no starch; all digested/only water absorption in colon; 	5 (a)			•••		[2]	
all digested/only water absorption in colon;	(b)	pH no s	incor suitat	rrect/too acidic; ble amylase produced;		[4]	
[Total:	(c)					[2]	
-						[Total: 8]	

Pa	ige 4		me: Teachers' version	Syllabus	Paper			
		GCE O LE	VEL – May/June 2011	5090	21			
	Section B							
6 (a)	hepatic p from gut/ glucose (amino ac hepatic v removes urea;	xygen; es/insulin/adrenalin; portal vein; /villi/small intestine; (A with ref to artery) F cids (A with ref to arte			[max 8]			
(b)	allow diff short dis of urea/s of carbor	s/one cell thick; fusion; tance (to diffuse)/clos alts etc. into kidneys; n dioxide into alveoli/l o excretory tissues;			[max 2] [Total: 10]			
7 (a)	during ph to make eaten by <u>respiratio</u> in any 2 releases leaves de	s with water notosynthesis; named carbohydrate/ /passed to consumer <u>on;</u> named groups of diffe carbon dioxide A with ecomposed/decay/ re	s/animals; erent types of organism;	ed;	[max 7]			
(b)	in short s	named requirement ((supply AW; /llabus term <u>limiting fa</u>			[3]			
					[Total: 10]			

	Page 5		Mark Scheme: Teachers' version GCE O LEVEL – May/June 2011	Syllabus 5090	Paper 21	
				2090	21	
	Section C					
8	(a)	osmosis/ active tra against o uses ene only requ manufac	conc. gradient;	;	[max 5]	
	(b)	ref. conc pressure cell wall prevents supplies	ters; /diffusion; entration gradient/more concentrated cell sap; within cell/turgor; tough/flexible/made of cellulose; cell bursting/membrane tearing; support to plant/stem/leaves; ape/rigidity/support to <u>cell;</u>		[max 5]	
					[Total: 10]	
9	(a)	Accept s (sensory to CNS/s (relay) w connectin (motor) f	anywhere; pecific examples for next 6 mps) from sense organ/receptor; spinal cord/brain; ithin CNS; ng sensory to motor neurones; rom CNS/spinal cord/brain; pr/muscle/gland;		[max 5]	
	(b)	<u>brain;</u> gland/ad adrenalir blood; heart <u>mu</u>	; ect reference to a neurone; renal/suprarenal; ne/epinephrine; <u>iscles;</u>		[may 5]	
		rei, light/	flight/fright etc. response – or described;		[max 5]	
					[Total: 10]	