## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS GCE Ordinary Level

## MARK SCHEME for the May/June 2011 question paper for the guidance of teachers

## **5090 BIOLOGY**

5090/61

Paper 6 (Alternative to Practical), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Pa	ge 2	<u>.                                    </u>	Mark Scheme: Teachers' version	Syllabus	Рар	er
			GCE O LEVEL – May/June 2011	5090	61	
1 (a)	• •	B 4. C 5. 3 co 3 co	.5–4.6 cm .9–5.0 cm .3–5.4 cm rrect with correct units at least once rrect with no units or 2 correct with correct units once wers related to measurements in (a)(i) rrect with appropriate –/loss or +/gain	1	? marks mark ? marks	[2]
			rrect with no -/loss or +/gain or 2 correct with -/loss and		mark	[2]
	(iii)	osm corre	nanges described correctly in terms of increase, decreases: ect reference to the direction of movement of water; ect reference to the effect on cell size / cell turgor / AW		inge;	[4]
(b)	suit eac initi exte equ rep	able in the left all and ernal all mare eat use	lant tissue; range of sucrose solutions; for the same appropriate length of time; d final masses measured / changes in mass measured blotting of tissue after removal from solution; asses used initially / percentage change in mass calcula r reliability; sing narrower range of sucrose concentrations / use gra to identifying solution producing no change;	ated ;	-	max 5]
					[	
2 (a)	relia	ability	of result / need for average / reducing experimental er	ror ;		[1]
(b)	(i)	suita corre	s correctly orientated and fully labelled; able scale on <i>y</i> -axis; ect plotting; ruled and of similar width;			[4]
	(ii)	310 50	$\frac{0}{1} = 62$ ;			[1]
(c)	fruits collected at same time; stored under identical conditions; sampled at regular intervals; juice tested with DCPIP; constant volumes used; results compared; repeat / replicate; OVP;			[n	nax 5]	
(d)	•		scurvy / AW ; e made by body ;			[2]

Mark Scheme: Teachers' version

**Syllabus** 

Paper

Page 2

[Total: 13]

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – May/June 2011	5090	61

3 (a) (i) correct leg drawn with clear, clean lines at least 8cm wide; jointed segments well proportioned; detail of claw at end; at least 6 spines drawn; [4] (ii) measurements correct; [2] ratio calculated and correctly expressed; (b) segments / three body parts / jointed; head; thorax; abdomen; pair of eyes; 6 / 3 pairs of legs; feelers / antennae; [max 3] (c) (i) correct reference to sizes; locust 2 pairs of wings / fly one pair; hairs present on fly / absent on locust; OVP; [max 2] (ii) wings on fly / no wings on aphid; OVP; [max 1]

magnification correct with x or times to 2 d.p.;

(iii) size of drawing;

[Total: 14]

[2]