UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

GCE O Level

MARK SCHEME for the November 2005 question paper

5090 BIOLOGY

5090/02 Paper 2 maximum raw mark 80

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which Examiners were initially instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began. Any substantial changes to the mark scheme that arose from these discussions will be recorded in the published *Report on the Examination*.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the *Report on the Examination*.

CIE will not enter into discussion or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the November 2005 question papers for most IGCSE and GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

| Page 1 | Mark Scheme | Syllabus | Paper |
|--------|-----------------------------|----------|-------|
| | GCE O Level – November 2005 | 5090 | 02 |

Section A

| 1 | (a) | bacterium/named bacterium | ; | [1] |
|---|-----|--|---------------------------------------|------------|
| | (b) | specific pH read from graph | • | |
| | | ref. to acid/low pH | ; | |
| | | sours/curdles the milk | ; | |
| | | flavours the cheese | ; | [max. 3] |
| | (c) | stomach | ; | |
| | | stomach is acidic/ref. HC1 | ; | |
| | | enzyme has optimum low pH AW | ; | |
| | | young mammals consume only milk | ; | |
| | | curdling increases surface area | , | [max. 2] |
| | (d) | (i) the use of vegetable oil/unsaturated fat (A v.v. for animal fat) | ; | |
| | | (ii) Any two from: obesity or described, named circulatory disorder, dairy allergies | •• | [3] [9] |
| 2 | (a) | A - alveolus/air sac | ; | |
| | | B - capillary | | |
| | | 5 July 11 | , | |
| | | C – RBC/erythrocyte | ; | [3] |
| | (b) | | · · · · · · · · · · · · · · · · · · · | [3] [2] |
| | (b) | C – RBC/erythrocyte one mark each for statements 2 and 3, remove a mark for each | ; | |
| | ` ' | C – RBC/erythrocyte one mark each for statements 2 and 3, remove a mark for each incorrect | ; | |
| | ` ' | C – RBC/erythrocyte one mark each for statements 2 and 3, remove a mark for each incorrect dissolves | ; | |
| | ` ' | C – RBC/erythrocyte one mark each for statements 2 and 3, remove a mark for each incorrect dissolves diffuses | ; | |
| | (c) | C – RBC/erythrocyte one mark each for statements 2 and 3, remove a mark for each incorrect dissolves diffuses combines with haemoglobin/forms oxyhaemoglobin | ; | [2] |
| | (c) | C – RBC/erythrocyte one mark each for statements 2 and 3, remove a mark for each incorrect dissolves diffuses combines with haemoglobin/forms oxyhaemoglobin ref. any structure/substance which O_2 passes through | ; | [2] |
| | (c) | C – RBC/erythrocyte one mark each for statements 2 and 3, remove a mark for each incorrect dissolves diffuses combines with haemoglobin/forms oxyhaemoglobin ref. any structure/substance which O ₂ passes through more oxygen in air breathed out | ; | [2] |
| | (c) | C – RBC/erythrocyte one mark each for statements 2 and 3, remove a mark for each incorrect dissolves diffuses combines with haemoglobin/forms oxyhaemoglobin ref. any structure/substance which O ₂ passes through more oxygen in air breathed out Fe needed for haemoglobin | ; | [2] |

| 3 | (a) | (i) | chlorophyll | , | [1] |
|---|-----|------|---|----|----------|
| | | (ii) | magnesium | ; | [1] |
| | (b) | (i) | carbon dioxide/carbon(IV)oxide | ; | |
| | | | photosynthesis | • | [2] |
| | | (ii) | supplied with oxygen | • | |
| | | | for respiration | ; | |
| | | | waste product/carbon dioxide removed AW | ; | |
| | | | camouflage | ; | |
| | | | food/part of food chain AW | ; | |
| | | | importance in reproduction/eggs attached to leaves AW | ; | |
| | | | shade | • | [max. 4] |
| | (c) | | animal/fish + no CCW/vacuole/chloroplasts | • | [1] |
| | | | | | [9] |
| 4 | (a) | poll | ution | • | [1] |
| | (b) | (i) | carbon dioxide/carbon monoxide/sulphur dioxide/various oxides of nitrogen (R symbols) | ; | [1] |
| | | (ii) | global warming AW/carboxyhaemoglobin AW/acid rain (effect must be related to named gas) | ; | [1] |
| | (c) | (i) | Any two from: drainage from land, ion/salt/nutrients or named, sewage, dung, warmer water | ;; | [2] |
| | | (ii) | bacteria in sewage/cow dung | ; | |
| | | | decomposition AW | ; | |
| | | | oxygen used up | ; | |
| | | | bacteria + respiration | ; | |
| | | | animals/plants + unable to respire | ; | [max. 4] |
| | | | | | [9] |
| 5 | (a) | (i) | M - (inferior) vena cava | ; | |
| | | | N - (systemic) aorta | ; | |
| | | | O - pulmonary vein | ; | [3] |
| | | | | | |

Mark Scheme

GCE O Level – November 2005

Syllabus

5090

Paper

02

Page 2

| Page 3 | | 3 | Mark Scheme | Syllabus | Paper |
|--------|------|---|---|--------------|---------------------|
| | | | GCE O Level – November 2005 | 5090 | 02 |
| | | (ii) | muscle | • | |
| | | | coronary + artery | ; | [2] |
| | (b) | (i) | semilunar valves correctly shown + label | • | |
| | | (ii) | & (iii) tricuspid correctly shown | ; | |
| | | | bicuspid correctly shown | ; | |
| | | | both correctly labelled | ; | [4] |
| | (c) | (c) 1, 4, 2, 3. (3 if all correct, 2 if correct sequence, but starting in wrong place, 1 for any two in sequence) ;;; atrium contracts then ventricle contracts, forcing tcv closed and as pressure builds up, slv open | | | |
| | | | | | [12] |
| | | | The maximum | mark for Sec | tion A is 50 |
| | | | Section B | | |
| 6 | ref. | in ei | ther (a) or (b) to reflex action | • | |
| | neu | irone | s/impulses | ; | |
| | (a) | cilia | ary | ; | |
| | | mu | scles + relax | • | |
| | | (sus | spensory) ligaments | • • | |
| | | tigh | ten AW | ; | |
| | | pull | on lens AW | , | |
| | | lens | s flatter AW | ; | |
| | | to fo | ocus on distant object/longer focal length | ; | [max. 6*] |
| | (b) | brig | hter light | ; | |
| | | circ | ular iris muscles contract | ; | |
| | | rad | al muscles relax | • | |
| | | pup | il becomes smaller | • | [max. 4*] |
| | | (* to | include either of the first two marking points) | I | Total = 10] |

| Page 4 | | } | Mark Scheme | Syllabus | Paper |
|--------|-----|--------------|---|--------------|-------------|
| | | | GCE O Level – November 2005 | 5090 | 02 |
| • | (a) | ovid | uct/Fallopian tube | • | |
| | | zyg | ote | ; | |
| | | cell | division/mitosis | ; | |
| | | ball | of cells/blastula/blastocyst | ; | |
| | | uter | us | ; | |
| | | spor | ngy lining/endometrium | ; | |
| | | imp | antation | ; | [max. 4] |
| | (b) | (i) | Each need must be qualified with the importance to preq (max. 1 for list of three unqualified nutrients) | gnancy | |
| | | | iron + blood production | ; | |
| | | | calcium/phosphate + bone | ; | |
| | | | protein for embryonic growth | ; | |
| | | | vitamins for healthy development | ; | [max. 3] |
| | | (ii) | contains correct proportions of dietary requirements | ; | |
| | | | antibodies | ; | |
| | | | correct temperature | ; | |
| | | | inexpensive/readily available | ; | |
| | | | sterile | ; | [max. 3] |
| | | | | ı | Total = 10] |
| 3 | Ε | (A a | ny point marked * to score once only – up to max. for ea | ch section.) | |
| | (a) | wate | er + inside cells* | ; | |
| | | osm | osis* | ; | |
| | | pres | sure/turgor* | ; | |
| | | cells | push against one another* | ; | |
| | | strei | ngthening/lignin | ; | |
| | | in xy | rlem | ; | |
| | | effe | et of roots | ; | [max. 4] |

Mark Scheme

Syllabus

Paper

Page 4

7

8

| Page 5 | |) | Mark Scheme | Syllabus | Paper |
|--------|-------|-------|---|----------|--------------|
| | | | GCE O Level – November 2005 | 5090 | 02 |
| | (b) | (i) | stem droops/sags AW | ; | |
| | | | (plus any points marked * from above) | | |
| | | (ii) | insufficient water in plant | ; | |
| | | | water lost by plant faster than it is absorbed | ; | |
| | | | lack of water in soil | ; | |
| | | | low humidity | ; | |
| | | | wind | ; | |
| | | | high temp | ; | [max. 6] |
| | | | | | [Total = 10] |
| 8 | 0 | | | | |
| | (a) | (i) | no roots to bind soil AW | , | |
| | | | no protection for soil from wind/rain | ; | |
| | | | soil washed away | ; | [3] |
| | | (ii) | less transpiration | ; | |
| | | | fewer clouds | ; | |
| | | | less rainfall | ; | |
| | | | ref. to temperature (higher temperatures without trees) | ; | [max. 3] |
| | | (iii) | loss of livelihood AW | ; | |
| | | | loss of food | ; | |
| | | | loss of fuel | ; | |
| | | | loss of remedies | ; | |
| | | | homelessness/relocation | ; | [max. 3] |
| [N. | B. M. | AX. 8 | 3 for (a)] | | |
| | (b) | nuti | rients are in the seed | ; | |
| | | nuti | rients from the soil are not required | ; | |
| | | Any | TWO from: needs water, oxygen, suitable temperature | ;; | [max. 2] |
| | | | | | [Total = 10] |

Mark Scheme

Syllabus

Paper

Page 5