UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

CDT:DESIGN AND COMMUNICATION

7048/01

Paper 1

October/November 2007

MARK SCHEME

Maximum Mark: 100

IMPORTANT NOTICE

Mark Schemes have been issued on the basis of **one** copy per Assistant examiner and **two** copies per Team Leader.

CDT: Design and Communication 7048/01

Mark scheme - 2007

Question		<u> </u>	T
1 (a)	Front elevation		
	Width - correct to overlay		
	Height of wall - correct to overlay	1	
	Height of roof - correct to overlay	1	
	Windows - correct to overlay (1 mark each)	2	
	Door - correct to overlay	1	
	Porch width and pitch – of a suitable size (1 mark each)	2	8
	End elevation		
	Width - correct to overlay	1	
	Height of walls - correct to overlay	1	
	Pitch - correct to overlay	1	
	Chimney shown of a suitable size	1	4
	Plan		
	Width - correct to overlay	1	
	Ridge - correct to overlay	1	
	Porch - correctly shown projected from front elevation	1	
	Porch - correctly shown projected from end elevation	1	4
	Scale 1:2 used throughout	1	
	First/third angle projection used (symbol not required)	1	2
	(c)		18
			1
1 (b)	Front - height correct to overlay	1	1
1 (0)	End (left) - height of walls and pitch correct to overlay	2	
	(1 mark for each)		
	End (right)- height of walls and pitch correct to overlay	2	
	(1 mark for each)		
	Roof - correct width and ridge shown	2	
	(1 mark for each)		
	Back - height correct to overlay	1	
	Glue tabs - sufficient to hold net together	1	
	Slots - 6 shown in an appropriate position	1	10
	Stots - 0 shown in an appropriate position	1	10
:		_	10
1 (a)	All surfaces shown and the correct shape	1	
1 (c)	All surfaces shown and the correct shape		
	Net holds together and fastens to roof	1	3
	Quality of sketch - high quality for mark	1	-
			3
4 (4)		1	
1 (d)	All surfaces shown and the correct shape	1	
	Net holds together and fastens to roof	1	
	Quality of sketch - high quality for mark	1	3
			3
			<u>34</u>

Question			
2 (a) (i)	No overlay - perspective sketch. No marks for 2D		
2 (a) (1)	Drawing in perspective VP1 used	1	
		_	
	VP2 used	1	_
	Overall proportions of drawing (L140, H80+ & W80)	<u> </u>	3
	Good 2, satisfactory 1 or poor 0		
	Marks above only available for perspective drawings.		
	Isometric and planometric can be awarded marks below.		
	Base of lorry and protruding at front and back	1	ļ
	Basic shape of cab	1	
		1	
	Sloping front of cab		1
	Basic shape of back of lorry	1	4
	Wheel with thickness	1	
	Quality of curve of profile of wheel		
	2 - good, 1 - reasonable or 0 - poor	2	3
	2 - good, 1 - teasonable of 0 - poor	-	 -
2 (a) (ii)	Wheels and body different colours	1	
- (a) (m)	Quality of colouring of body		
		2	
	2 - excellent, 1 - good & 0 - poor	4	
	Quality of colouring of wheels including curved surface		
	3 - excellent, 2 – good, 1 reasonable or 0 - poor	3	6
			16
		<u> </u>	ļ
2 (b) (i)	Wheel position - touching side of lorry (ignore size)	1	
	Front profile of wheel correct to overlay	1	
	Depth of wheel correct to overlay	1	
	Construction method visible in (i) or (ii)	1	4
2 (b) (ii)			-
	Axle - 8mm protruding from body and correct diameter	1	
	Wheel position - 30mm away from lorry (ignore size)	1	
	Front profile of wheel correct to overlay	1	
		1 1	1
	Depth of wheel correct to overlay	1	4
			8
2 () ()		1	1
2 (c) (i)	Side window the correct shape	1	
	Side window the correct orientation (mark to overlay)	1	
	Side window the correct size	1	$\frac{3}{2}$
2 (c) (ii)	Windscreen height (mark to overlay)	1	2
. , . ,	Windscreen width (mark to overlay)	1	
	(1
2 (c) (iii)	Two parallel sides of correct width	1	
	Overall length correct	1	
	16mm radius curve at end – mark best one	1	
	Name added but not same style or size as example given	1	5
	·	I -	
	Name added accurately – height and depth matches example	1	10
			1

Question			
3 (a)	Correct size acrylic strip added at top	1	
- ()	Correct size acrylic strip added at bottom	1	
	Correct size acrylic strip added at right	1	
	Correct size acrylic strip added at left	1	4
	Construction of the contract o		
	Inside 'track' completed and works	1	
	Inside 'track' completed and works well - coin rolls right, left		
	and then right	1	
	Width of inner track correct (coin will fit - 17mm minimum)	1	
	Width of inner acrylic strip correct (6mm)	1	4
	, and the same state of the sa		8
3 (b)	Back and front acrylic sheet shown	1	
	Disc shown	1	
	Suitable design for disc shown (up to)	2	
	Appropriate position of pivot shown	1	
	Coin 'contained' - will not roll out (up to)	2	
	Path/route of coin shown	1	
	Notes describe the design (up to)	2	10
			10
3 (c)	Ideas relate to the theme 'Sea world'	1	
	Strong association (fishes or other images present)	1	2
	Quality of sketching of ideas for sticker		
	3 - excellent, 2 - good, 1 - reasonable or 0 - poor	3	
	Notes describe the design for the sticker		
	2 - good, 1 - reasonable or 0 - poor	2	5
	Development of ideas	2	2
	2 - good, 1 - reasonable or 0 - poor		9
3 (d)	Quality of letter and images on sticker		
	2 - excellent, 1 - good or 0 - poor	2	
	Use of colour on sticker		
	2 - excellent, 1 - good or 0 - poor	2	
	Overall effectiveness of design on sticker		
	2 - excellent, 1 - good or 0 - poor	2	6
		ļ	6
Total		1	33

Approx. 45 degree lines (parallel) Front surface Back surface Edge Sketch of part (b) Approx. 45 degree lines (parallel) Bottom surface Top surface Back Inner block Inner block Inner block Inner block Inner surface complete Top 'U' completed Two inner surface scompleted Two front edges completed Top campleted Top to Completed Top or U' surface complete Inner block (b) (must be accurate to overlay) Height (80mm) Depths (10mm, 60mm & 10mm) Front surface complete Interpretation of block (b) (must be accurate to overlay) Height (80mm) Depths (10mm & 80mm) Front edges completed Inner block co	Quest. 4			
Front surface 1	4 (a)	Sketch of part (a)		
Back surface Edge		Approx. 45 degree lines (parallel)	1	
Edge		Front surface	1	
Sketch of part (b) Approx. 45 degree lines (parallel) Bottom surface Top surface Back Inner block complete Inner block completed Inner		Back surface	1	
Approx. 45 degree lines (parallel) Bottom surface Top surface Back Inner block Drawing of block (a) (must be accurate to overlay) Height (60mm) Depths (10mm, 60mm & 10mm) Front surface complete Top 'U' completed Two inner surfaces completed Two front edges completed Two front edges completed Drawing of block (b) (must be accurate to overlay) Height (80mm) Depths (10mm & 80mm) Front 'U' surface complete Top completed End completed Inner block completed Inner		Edge	1	4
Bottom surface Top surface Back Inner block Inner block Drawing of block (a) (must be accurate to overlay) Height (60mm) Depths (10mm, 60mm & 10mm) Front surface complete Top 'U' completed Two inner surfaces completed Two front edges completed I Drawing of block (b) (must be accurate to overlay) Height (80mm) Depths (10mm & 80mm) Front 'U' surface complete Top completed Inner block completed I Top completed Inner block completed I Top completed I Top completed I Top completed I I T		Sketch of part (b)		
Top surface Back Inner block Inner block complete Inner block completed Inn		Approx. 45 degree lines (parallel)	1	
Back Inner block 1 1 5 Inner block 1 1 5 4 (b) Drawing of block (a) (must be accurate to overlay) Height (60mm) Depths (10mm, 60mm & 10mm) 3 Front surface complete 1 1 Top 'U' completed 1 1 Two inner surfaces completed 1 1 Two front edges completed 1 1 8 Drawing of block (b) (must be accurate to overlay) Height (80mm) 2 Front 'U' surface complete 1 1 Top completed 1 1 End grain shown 3 3 4 (c) Appropriate colour selected (brown, yellow) 1 End grain shown 1 1 Grain shown 0 1 0 Overall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor 3 6 6		Bottom surface	1	
Inner block		Top surface	1	
4 (b) Drawing of block (a) (must be accurate to overlay) Height (60mm) Depths (10mm, 60mm & 10mm) Front surface complete Top 'U' completed Two inner surfaces completed Two front edges completed Two front edges completed Drawing of block (b) (must be accurate to overlay) Height (80mm) Depths (10mm & 80mm) Front 'U' surface complete Top completed End completed Inner block		Back	1	
4 (b) Drawing of block (a) (must be accurate to overlay) Height (60mm) Depths (10mm, 60mm & 10mm) Front surface complete Top 'U' completed Two inner surfaces completed Two front edges completed Drawing of block (b) (must be accurate to overlay) Height (80mm) Depths (10mm & 80mm) Front 'U' surface complete Top completed End completed Inner block completed Inner block completed Inner block completed A percellent, 2 - good, 1 - reasonable or 0 - poor A percellent, 2 - good, 1 - reasonable or 0 - poor A coverall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor A coverall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor A coverall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor A coverall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor A coverall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor A coverall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor A coverall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor A coverall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor		Inner block	1	5
Height (60mm) Depths (10mm, 60mm & 10mm) Front surface complete Top 'U' completed Two inner surfaces completed Two front edges completed Two front edges completed Drawing of block (b) (must be accurate to overlay) Height (80mm) Depths (10mm & 80mm) Front 'U' surface complete Top completed End completed Inner block completed I				9
Height (60mm) Depths (10mm, 60mm & 10mm) Front surface complete Top 'U' completed Two inner surfaces completed Two front edges completed Two front edges completed Drawing of block (b) (must be accurate to overlay) Height (80mm) Depths (10mm & 80mm) Front 'U' surface complete Top completed End completed Inner block completed I				
Height (60mm) Depths (10mm, 60mm & 10mm) Front surface complete Top 'U' completed Two inner surfaces completed Two front edges completed Two front edges completed Drawing of block (b) (must be accurate to overlay) Height (80mm) Depths (10mm & 80mm) Front 'U' surface complete Top completed End completed Inner block completed I	4 (b)	Drawing of block (a) (must be accurate to overlay)		
Depths (10mm, 60mm & 10mm) Front surface complete Top 'U' completed Two inner surfaces completed Two front edges completed Two front edges completed Drawing of block (b) (must be accurate to overlay) Height (80mm) Depths (10mm & 80mm) Front 'U' surface complete Top completed End completed Inner block compl	` '	Height (60mm)	1	
Front surface complete Top 'U' completed Two inner surfaces completed Two front edges completed Two front edges completed Drawing of block (b) (must be accurate to overlay) Height (80mm) Depths (10mm & 80mm) Front 'U' surface complete Top completed End completed Inner block completed Inner block completed Joverall quality of line work Joverall quality of line work Joverall quality of line work Appropriate colour selected (brown, yellow) End grain shown Grain shown Overall effectiveness of rendering Joverall effectiveness of rendering Joverall effectiveness of rendering Joverall effectiveness of rendering Joverall effectiveness of rendering Joverall effectiveness of rendering Joverall effectiveness of rendering Joverall effectiveness of rendering Joverall effectiveness of rendering Joverall effectiveness of rendering Joverall effectiveness of rendering Joverall effectiveness of rendering Joverall effectiveness of rendering Joverall effectiveness of rendering		Depths (10mm, 60mm & 10mm)	3	
Top 'U' completed Two inner surfaces completed Two front edges completed Two front edges completed Drawing of block (b) (must be accurate to overlay) Height (80mm) Depths (10mm & 80mm) Front 'U' surface complete Top completed End completed Inner block completed Inner block completed Overall quality of line work 3 - excellent, 2 - good, 1 - reasonable or 0 - poor Appropriate colour selected (brown, yellow) End grain shown Grain shown Overall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor 3 6			1	
Two inner surfaces completed Two front edges completed Drawing of block (b) (must be accurate to overlay) Height (80mm) Depths (10mm & 80mm) Front 'U' surface complete Top completed End completed Inner block completed Inner block completed Overall quality of line work 3 - excellent, 2 - good, 1 - reasonable or 0 - poor Appropriate colour selected (brown, yellow) End grain shown Grain shown Overall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor 3 6		•	1	
Two front edges completed Drawing of block (b) (must be accurate to overlay) Height (80mm) Depths (10mm & 80mm) Front 'U' surface complete Top completed End completed Inner block completed Inner block completed Overall quality of line work 3 - excellent, 2 - good, 1 - reasonable or 0 - poor Appropriate colour selected (brown, yellow) End grain shown Grain shown Overall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor 3 6			1	
Drawing of block (b) (must be accurate to overlay) Height (80mm) Depths (10mm & 80mm) Front 'U' surface complete Top completed End completed Inner block completed Inner block completed 3 - excellent, 2 - good, 1 - reasonable or 0 - poor 4 (c) Appropriate colour selected (brown, yellow) End grain shown Grain shown Overall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor 3 6 6		·	1	8
Height (80mm) Depths (10mm & 80mm) Front 'U' surface complete Top completed End completed Inner block completed Inner block completed 3 - excellent, 2 - good, 1 - reasonable or 0 - poor Appropriate colour selected (brown, yellow) End grain shown Grain shown Overall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor 3 6				
Depths (10mm & 80mm) Front 'U' surface complete Top completed End completed Inner block completed Inner block completed 3 - excellent, 2 - good, 1 - reasonable or 0 - poor Appropriate colour selected (brown, yellow) End grain shown Grain shown Overall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor 3 6			1	
Front 'U' surface complete Top completed End completed Inner block completed Inner block completed 3 - excellent, 2 - good, 1 - reasonable or 0 - poor 4 (c) Appropriate colour selected (brown, yellow) End grain shown Grain shown Overall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor 3 6			2	
Top completed End completed Inner block completed Inner block completed Overall quality of line work 3 - excellent, 2 - good, 1 - reasonable or 0 - poor Appropriate colour selected (brown, yellow) End grain shown Grain shown Overall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor Overall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor 6			1	
End completed Inner block completed 1 Overall quality of line work 3 - excellent, 2 - good, 1 - reasonable or 0 - poor 3 18 4 (c) Appropriate colour selected (brown, yellow) End grain shown Grain shown Overall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor 3 6		<u>•</u>	1	
Inner block completed Overall quality of line work 3 - excellent, 2 - good, 1 - reasonable or 0 - poor Appropriate colour selected (brown, yellow) End grain shown Grain shown Overall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor 3 6			1	
Overall quality of line work 3 - excellent, 2 - good, 1 - reasonable or 0 - poor 3 4 (c) Appropriate colour selected (brown, yellow) End grain shown Grain shown Overall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor 3 6		_	1	7
3 - excellent, 2 - good, 1 - reasonable or 0 - poor 4 (c) Appropriate colour selected (brown, yellow) End grain shown Grain shown Overall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor 6				
4 (c) Appropriate colour selected (brown, yellow) End grain shown Grain shown Overall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor 6			3	3
End grain shown Grain shown Overall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor 6				18
End grain shown Grain shown Overall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor 6				
End grain shown Grain shown Overall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor 6	4 (c)	Appropriate colour selected (brown, yellow)	1	
Grain shown Overall effectiveness of rendering 3 - excellent, 2 - good, 1 - reasonable or 0 - poor 6	` ′		1	
3 - excellent, 2 - good, 1 - reasonable or 0 - poor 3 6 6			1	
3 - excellent, 2 - good, 1 - reasonable or 0 - poor 3 6 6				
6		-	3	6
33				6
33				
		The state of the s		33

Question	15		
5 (a)	41 mm radius circle - centre	1	
	41 mm radius circle - size to overlay	1	
	Left top curve correct to overlay - 1 mark	1	
	Left top centre correct to overlay - 1 mark	1	
	Right top curve to overlay - 1 mark	1	
	Right top centre correct to overlay - 1 mark	1	6
	Top - position	1	
	Top - length	1	2
	Base - position	1	
	Base - length	1	2
	Handle width - 41mm	1	
		1	
	Handle top right curve to overlay - 1 mark	1.	
	Handle top right curve centre to overlay - 1 mark		
	Handle bottom right curve to overlay - 1 mark		
··-	Handle bottom right centre to overlay - 1 mark	1	5
			15
5 (b)	Circle correct to overlay (1)	1	
	Hexagon - any size (1) or correct to overlay (2)	2	3
	Handle shown in the middle of a face	1	
	Handle correct to overlay - length	1	
	- width	1	3
			6
5 (c)	3D sketch of an hexagonal box	1	
J (C)	3D lid of correct shape (hexagon)	1	
	Fold flaps	1	
	Overall quality of sketch (must be 3D)	1	
	Excellent 3, good - 2 marks, satisfactory - 1 mark or	3	6
	poor - 0 marks	- 3	6
			0
5 (d)	Vertical axis of ellipse 80mm	1	
	Horizontal axis of ellipse 44mm	1	
	Construction method Clear and accurate - 2 marks	2	
	Some construction - 1 mark		
	No evidence - 0 marks		
	Quality of profile Accurate to overlay - 2 marks	2	
	Reasonably accurate - 1 mark		
	Poor - 0 marks		6
			6
	<u>and the state of </u>		33

Question			
6 a)	Circle drawn (2D or 3D)	1	
,	Circle divided into 5	1	
	Circle divided correctly (D30, L90, R45, P120 & M75)	1	
	Appropriate use of colour	1	
	Labels clearly identify the different parts	1	5
	1		5
6 b)	Appropriate graphical method selected (bar chart or graph)	1	
0 0)	Suitable scale/s selected	1	
	Information correctly plotted	1	1
	Appropriate use of colour	1	
	Labels clearly identify the different parts	1	5
	Europs crearry receiving the different puris		5
6 c) (i)	Correct data used from the table	1	
, ()	Ideas relate to the toys		
	2 - excellent, 1 - good or 0 - poor	2	
	Ideas 3 dimensional	1	
	Overall quality of ideas		
	2 - excellent, 1 - good or 0 - poor	2	
	Notes clearly explain the ideas		
	2 - excellent, 1 - good or 0 - poor	2	8
	2 continue, 2 grant P		8
6 c) (ii)	All the toys represented	1	
, ()	Overall level of sales accurately represented	1	
	Overall idea 3 dimensional	1	
	Appropriate use of colour	1	
	Labels clearly identify the different parts	1	<u> </u>
	Lucoto ciomij racinarji ina directori princi		5
	Representation (quality) 2 - excellent, 1 - good & 0 - poor		
	Duck	2	
	Lorry	2	
	Rocket	2	
	Puzzle	2	
	Money box	$\frac{2}{2}$	10
	, money our		15
Total			<u>33</u>

Final Check of Mark Scheme

When you have checked the mark scheme, please fill in the following form and return it together with the mark scheme.

Date of Examination	Name of Paper	Syllabus / Component	Maximum Mark
October/November 2007	CDT: Design & Communication	7048/01	100

No changes are required	to the mark scheme and disk sent to me	
Changes are required: I h	ave marked the changes on the mark scheme and revised the disk sent to me	\square
Changes are required: I e	nclose new pages to add to the mark scheme and revised the disk sent to me	
Changes are required: I e	nclose a new version of the mark scheme and disk	
Other Change high	shted on paper copy - you have an electronic copy.	
For Principal Examiners v	who work with Team Leaders and/or Assistant Examiners:	
Do you want the mark scl If no, please give instructi	neme to be distributed to all Examiners? Yes V No ons for distribution:	
Do you want any other do If yes, please give instruc	ocument to be distributed with the mark scheme? Yes \(\sumboxed{\text{No}} \sumboxed{\text{No}} \)	•••••
		••••••
	1/ A (() A (() A () A () A () A () A () A	
Name (Please print)	K A CRAMPTON	
Signed		
Date	10/10/2006	