| UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level | | | | | |
|---|--|---------------|--|--|--|
| CHEMISTRY | | 5070/01 | | | |
| Paper 1 Multiple (| Choice | May/June 2005 | | | |
| Additional Materials: | Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended) | 1 hour | | | |

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid. Write your name, Centre number and candidate number on the answer sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in **soft pencil** on the separate answer sheet.


Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 20.

This document consists of **17** printed pages and **3** blank pages.



1 The experiment is set up as shown and left until there is no further change.



What is observed?


- **A** a colourless layer below a purple layer
- **B** a colourless liquid with the purple crystal unchanged
- **C** a purple layer below a colourless layer
- **D** a uniformly purple solution
- **2** A student adds aqueous sodium hydroxide or aqueous ammonia to aqueous solutions of four different metal compounds.

Which solution contains Zn²⁺ ions?

| solution | add a few drops of NaOH(aq) | add excess NaOH(aq) | add a few drops of NH₃(aq) | add excess NH ₃ (aq) |
|----------|-----------------------------------|------------------------|----------------------------------|------------------------------------|
| Α | ppt | ppt dissolves | ppt | ppt dissolves |
| В | ppt | ppt dissolves | ppt | ppt |
| С | ppt | ppt | no ppt | no ppt |
| D | no ppt | no ppt | no ppt | no ppt |

3 A sample of a pure compound is heated until it is completely molten and the compound is then allowed to cool until it is completely solid again.


The graph shows how the temperature of the compound changes with time.



When are liquid and solid both present?

- A P to Q and R to S
- **B** P to Q
- C Q to R
- D R to S

The water level does not change.



What is the reason for this?

- **A** Both gases are diatomic.
- **B** Nitrogen is an unreactive gas.
- **C** The gas particles are too large to pass through the porous pot.
- **D** The two gases have the same relative molecular mass.
- 5 Which statement about all the noble gases is correct?
 - **A** The number of protons in the atoms equals the number of neutrons.

5070/01/M/J/05

- **B** Their atoms each have a stable arrangement of electrons.
- **C** Their atoms each have eight electrons in their outer shell.
- **D** They exist as molecules containing two atoms.
- 6 A substance **Q** conducts electricity both when solid and molten.

What is **Q**?

- A an alloy
- **B** a hydrocarbon
- **C** a metal oxide
- D a salt

7 The diagrams show the structures of two forms of carbon.



Which set of data is correct for these two structures?

| | conducts electricity | very hard material | can be used as lubricant |
|---|----------------------|--------------------|--------------------------|
| Α | т | т | S |
| в | S | т | S |
| С | S | S | Т |
| D | т | S | Т |

8 Substance **X** has a melting point higher than 500 °C. It is insoluble both in water and in organic solvents. It conducts electricity when both solid and molten.

What is **X**?

- A copper
- B mercury
- C poly(ethene)
- D sodium chloride
- **9** How many moles per dm³ of gaseous carbon dioxide are there if 4.4 g occupies 500 cm³?

A 0.1 mol/dm^3 **B** 0.2 mol/dm^3 **C** 2.2 mol/dm^3 **D** 8.8 mol/dm^3

10 Which reactions take place during the electrolysis of aqueous copper(II) sulphate with copper electrodes?

| | reaction at positive electrode | reaction at negative electrode |
|---|---|---|
| Α | $Cu^{2+} + 2e^- \rightarrow Cu$ | $Cu \rightarrow Cu^{2+} + 2e^{-}$ |
| В | $4\text{OH}^- \rightarrow 2\text{H}_2\text{O} + \text{O}_2 + 4\text{e}^-$ | $Cu^{2+} + 2e^- \rightarrow Cu$ |
| С | $Cu \rightarrow Cu^{2+} + 2e^{-}$ | $2H^{\scriptscriptstyle +} + 2e^{\scriptscriptstyle -} \to H_2$ |
| D | $Cu \rightarrow Cu^{2+} + 2e^{-}$ | $Cu^{2+} + 2e^- \rightarrow Cu$ |


11 The heat-reflecting shields of some space rockets are gold-plated, using electrolysis.

Which electrodes and electrolyte would be used to gold-plate the heat shield?

| | negative electrode | positive electrode | electrolyte |
|---|--------------------|--------------------|-----------------|
| Α | carbon | heat shield | gold compound |
| в | gold | heat shield | copper compound |
| С | heat shield | carbon | copper compound |
| D | heat shield | gold | gold compound |


- 12 The reaction $C_2H_4 + 3O_2 \rightarrow 2CO_2 + 2H_2O$ is exothermic because
 - **A** more bonds are broken than are formed.
 - **B** more bonds are formed than are broken.
 - **C** the energy needed to break the bonds is greater than that released on forming new bonds.
 - **D** the energy needed to break the bonds is less than that released on forming new bonds.

13 Which reaction profile shows the fastest exothermic reaction?




14 In two separate experiments, a substance is decomposed and the gas evolved is collected.

The graph shows the total volume of gas collected against time for each experiment.



Which graph shows how the speed of reaction varies with time in each experiment?



15 A colourless gas is passed into each of three different solutions. The results are shown in the table.

| solution of | potassium iodide | acidified potassium dichromate(VI) | acidified potassium manganate(VII) |
|-------------|------------------|---------------------------------------|---------------------------------------|
| result | stays colourless | orange to green | purple to colourless |

What is the colourless gas?

- A an acid
- B an alkali
- **C** an oxidising agent
- **D** a reducing agent

16 Chlorine can be manufactured by using the reversible reaction between hydrogen chloride and oxygen.

 $4HCl(g) + O_2(g) \rightleftharpoons 2H_2O(g) + 2Cl_2(g)$ ΔH is negative

A mixture in dynamic equilibrium is present at 450 °C.

Which change to the mixture will increase the amount of chlorine at equilibrium?

- A adding a catalyst
- **B** adding more HC*l*(g)
- C decreasing the pressure
- D increasing the temperature
- 17 Which pair of substances produce a precipitate when their aqueous solutions are mixed?
 - A sodium chloride and barium nitrate
 - B sodium nitrate and barium chloride
 - C sodium nitrate and silver nitrate
 - D sodium sulphate and barium chloride
- 18 Which statement about catalysts is correct?
 - A Catalysts are used in industry to reduce energy costs.
 - **B** Catalysts are used up during a reaction.
 - **C** Iron is used as a catalyst in the Contact Process.
 - **D** Transition metals do not make good catalysts.
- **19** Element **X** is a solid at room temperature.

It needs one electron per atom to gain the electronic structure of a noble gas.

It is the least reactive element in its group.

What is the element **X**?

| | Α | At | В | Cs | С | F | D | Li |
|--|---|----|---|----|---|---|---|----|
|--|---|----|---|----|---|---|---|----|

20 Elements X and Y are in Group VII of the Periodic Table.

X is a liquid at room temperature. **Y** is a solid at room temperature.

- 1 Atoms of **Y** have more protons than atoms of **X**.
- 2 Molecules of **Y** have more atoms than molecules of **X**.
- 3 Y displaces X from aqueous solutions of X⁻ions.


Which statements are correct?

- A 1 only
- B 2 only
- C 3 only
- **D** 1, 2 and 3
- **21** Metal **M** will displace copper from aqueous copper(II) sulphate solution, but will not displace iron from aqueous iron(II) sulphate solution. **M** is extracted from its oxide by heating the oxide with carbon.

What is the order of reactivity of these four metals?

| | least reactive | → most reactive | | | | | |
|---|----------------|-----------------|----------------|--------|--|--|--|
| Α | sodium | metal M | iron | copper | | | |
| в | sodium | iron | metal M | copper | | | |
| С | copper | iron | metal M | sodium | | | |
| D | copper | metal M | iron | sodium | | | |

22 The diagram shows the electrolytic production of aluminium.



What is the physical state of the aluminium oxide and aluminium during this process?

| | aluminium oxide | aluminium |
|---|-----------------|-----------|
| Α | liquid | liquid |
| в | liquid | solid |
| С | solid | liquid |
| D | solid | solid |

23 Aluminium is used to make saucepans because of its apparent lack of reactivity.

Which property of aluminium explains its unreactivity?

- A It has a high electrical conductivity.
- **B** It has a low density.
- **C** It has a surface layer of oxide.
- **D** It is in Group III of the Periodic Table.
- 24 Alloys are usually harder than the metals from which they are made.

Which difference between the metals explains the greater hardness of alloys?

- A atomic radii
- **B** densities
- C electrical conductivities
- D relative atomic masses

- A carbon dioxide
- **B** carbon monoxide
- **C** hydrocarbons
- D nitrogen dioxide
- 26 Which gas, present in pond water, decreases in concentration during eutrophication?
 - A carbon dioxide
 - B methane
 - **C** nitrogen
 - D oxygen
- 27 The results of tests carried out on compound X are shown.

| test | result |
|------------------------------------|---|
| dilute hydrochloric acid added | gas given off which turned limewater cloudy |
| warm with aqueous sodium hydroxide | gas evolved which turned red litmus blue |

What is compound **X**?


- A ammonium carbonate
- **B** ammonium nitrate
- **C** calcium carbonate
- D calcium nitrate
- **28** Aluminium sulphate can be obtained as shown in the equation.

 $2A\mathit{l}(OH)_3 + 3H_2SO_4 \rightarrow A\mathit{l}_2(SO_4)_3 + 6H_2O$

How many moles of sulphuric acid are needed to produce 0.5 mol of aluminium sulphate?

A 0.5 **B** 1.0 **C** 1.5 **D** 3.0

During which stage in the manufacture of ammonium sulphate does a reaction with water occur?



30 The diagram shows the colours of the indicators, methyl orange and methyl red, at different pH values.

| рН | 2 | 3 | 4 | 5 | 6 |
|----------------------------|----|----|---|--------|--------|
| colour of methyl orange | re | d | | yellow | |
| colour of methyl red | | re | d | | yellow |

The table shows the pH of four solutions.


| solution | W | Х | Y | Ζ |
|----------|---|---|---|---|
| pН | 2 | 3 | 5 | 6 |

In which solutions will both indicators be yellow?


A W and X **B** X and Y **C** Y and Z **D** Z only

31 The diagram shows some of the stages in the manufacture of ammonium sulphate.

From which connecting pipe would a major leak most increase the pH value of rain?



32 Which graph shows the changes in pH as an excess of hydrochloric acid is added to aqueous sodium hydroxide?




33 Two tests are carried out on a solution of compound **X**.

| test | result |
|--|--|
| add nitric acid followed by aqueous silver nitrate | white precipitate formed |
| excess aqueous sodium hydroxide added | white precipitate formed that does not re-dissolve |

What is compound X?

- A aluminium chloride
- **B** aluminium sulphate
- **C** calcium chloride
- D calcium sulphate

- 34 Which property of the alkanes does not increase as relative molecular mass increases?
 - A boiling point
 - **B** flammability
 - **C** melting point
 - **D** viscosity
- **35** What is the structure of the product of the reaction between butene, CH_3 – CH_2 – $CH=CH_2$, and bromine, Br_2 ?
 - $\textbf{A} \quad CH_2Br-CH_2-CH_2-CH_2Br$
 - B CH₂Br–CH₂–CHBr–CH₃
 - $C \quad CH_3-CHBr-CH_2-CH_2Br$
 - D CH₃-CH₂-CHBr-CH₂Br
- **36** Which formula represents a compound that will react with sodium carbonate to give off carbon dioxide?
 - A CH₃OH
 - B HCO₂CH₃
 - $C CH_3CO_2H$
 - $\textbf{D} \quad CH_3CO_2C_2H_5$
- 37 The displayed formulae of two compounds are shown.




What are the similarities and differences between the two compounds?


| | similarities | differences |
|---|--------------------|---------------------------|
| Α | molecular formulae | reactions |
| в | molecular formulae | relative molecular masses |
| С | structures | molecular formulae |
| D | structures | relative molecular masses |

- 38 In which of the following are all the compounds members of the same homologous series?
 - CH_4 C_2H_6 C_3H_6 Α CH_4 C_2H_6 C_3H_8 В С C_2H_4 C_3H_6 C_4H_{10} $\mathsf{C}_3\mathsf{H}_4$ D C_3H_6 C₃H₈


39 Which polymer has the empirical formula CH?



40 *Terylene* (a polyester) is made by condensation polymerisation of the two monomers shown.



What is the repeat unit of the polymer?



BLANK PAGE

5070/01/M/J/05

BLANK PAGE

BLANK PAGE

19

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

DATA SHEET The Periodic Table of the Elements

| | : | | | | | | | | | | | | | | | | |
|----------------------|---------------------------|----------------------------|-----------------|----------------|--------------------|------------------|------------------|-----------------|-----------------|------------------|-----------------|-------------------|-------------------|------------------|--------------------|-----------------|-------------------|
| | = | | | | | | | | | | | ≡ | \geq | > | N | ۸II | 0 |
| | | | | | | | - T | | | | | | | | | | ⁴ He |
| | | | | | | | Hydrogen 1 | | | | | | | | | | Helium 2 |
| | 6 | | | | | | | _ | | | | 11 | 12 | 14 | 16 | 19 | 20 |
| : | Be | | | | | | | | | | | ۵ | ပ | z | 0 | ш | Ne |
| د 4 | 8 | | | | | | | | | | | Boron 5 | Carbon 6 | Nitrogen 7 | Oxygen 8 | Fluorine | Neon 10 |
| 23 | 24 | | | | | | | | | | | 27 | 28 | 31 | 32 | 35.5 | 40 |
| Na | Mg | | | | | | | | | | | 1 A | Si | ₽ | S | C1 | Ar |
| Sodium 12 | Magnesium 12 | | | | | | | | | | | Aluminium 13 | Silicon 14 | Phosphorus 15 | Sulphur 16 | Chlorine 17 | Argon 18 |
| 39 | 40 | 45 | 48 | 51 | 52 | 55 | 56 | 59 | 59 | 64 | | 70 | 73 | 75 | 79 | 80 | 84 |
| × | Ca | Sc | Ħ | > | ບັ | Mn | Fe | ပိ | ïZ | Cu | Zn | Ga | _ | | Se | Br | Кr |
| Potassium 0 | Calcium | Scandium 2 | Titanium 22 | Vanadium 23 | Chromium 24 | Manganese 25 | lron 26 | Cobalt 27 | Nickel 28 | Copper 29 | Zinc 30 | Gallium 31 | Germanium 32 | Arsenic 33 | Selenium 34 | Bromine 35 | Krypton 36 |
| 85 | 88 | 89 | 91 | 93 | 96 | | 101 | 103 | 106 | 108 | 112 | 115 | | | 128 | 127 | 131 |
| Rb | Sr | ≻ | | qN | Мо | Ц | Ru | Rh | Pd | Ag | Cd | In | Sn | Sb | Te | Ι | Хе |
| Rubidium SI 37 38 | Strontium 3 | Yttrium 39 4 | Zirconium 40 | Niobium 41 | Molybdenum 42 | Technetium 43 | Ruthenium 44 | Rhodium 45 | Palladium 46 | Silver 47 | Cadmium 48 | Indium 49 | 50 Tin | Antimony 51 | Tellurium 52 | lodine 53 | Xenon 54 |
| 133 | 137 | 139 | 178 | 181 | 184 | 186 | 190 | 192 | 195 | 197 | 201 | 204 | 207 | 209 | | | |
| Cs | Ba | La | Ηf | Та | × | Re | SO | Ir | ł | Αu | Hg | Τl | Pb | Bi | Ро | At | Rn |
| Caesium 56 | Barium | Lanthanum 7 | Hafnium 72 | Tantalum 73 | Tungsten 74 | Rhenium 75 | Osmium 76 | Iridium 77 | Platinum 78 | Gold 79 | Mercury 80 | Thallium 81 | Lead 82 | Bismuth 83 | Polonium 84 | Astatine 85 | Radon 86 |
| | 226 | 227 | | | | | | | | | | | | | | | |
| ŗ | Ra | Ac | | | | | | | | | | | | | | | |
| Francium 88 | Radium | Actinium 89 | L | | | | | | | | | | | | | - | |
| 1 l ant | *58-71 I anthanoid series | series | | 140 | 141 | | | 150 | 152 | 157 | 159 | 162 | 165 | 167 | 169 | 173 | 175 |
| 03 Act | 90-103 Actinoid series | ries | | e Ce | ۲ | PN - | ۳ | Sm | Eu | Gd | Tb | | Р | Ъ ; | ۲ ۲ | ٩۲ | Lu |
| | ſ | | | Cerium 58 | Praseodymium 59 | Neodymium 60 | Promethium 61 | Samarium 62 | Europium 63 | Gadolinium 64 | Terbium 65 | Dysprosium 66 | Holmium 67 | Erbium 68 | Thulium 69 | Ytterbium 70 | Lutetium 71 |
| ອ | | a = relative atomic mass | c mass | 232 | | 238 | | | | | | | | | | | |
| × | | X = atomic symbol | 10 | Th | Ра | | Np | Pu | | с С | BK | ັບ | | Еn | Md | No | ۲ |
| q | = q | b = proton (atomic) number | ;) number | Thorium 90 | Protactinium 91 | Uranium 92 | Neptunium 93 | Plutonium 94 | Americium 95 | Curium 96 | Berkelium 97 | Californium 98 | Einsteinium 99 | Fermium 100 | Mendelevium 101 | Nobelium 102 | Lawrencium 103 |

University of Cambridge International Examinations is part of the University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

20