

# UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

CHEMISTRY 5070/01

Paper 1 Multiple Choice May/June 2007

1 hour

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

#### **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

#### Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.


Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.



- 1 Which property of a gas affects the rate at which it spreads throughout a laboratory?
  - A boiling point
  - **B** molecular mass
  - **C** reactivity
  - **D** solubility in water
- 2 A mixture of two substances is spotted on to a piece of chromatography paper.


The paper is inserted into a beaker containing a liquid.



For separation of the substances to occur the mixture must

- **A** be placed so that the spot is just below the level of the liquid.
- **B** be soluble in the liquid.
- $\mathbf{C}$  contain substances of the same  $R_f$  values.
- **D** contain substances that are coloured.
- 3 Which pair of substances are both mixtures?
  - A air; water
  - B limewater; water
  - C sea-water; air
  - D sea-water; ethanol

4 The diagram shows a simple laboratory apparatus for the preparation and collection of a dry gas.



What is the gas?

- A carbon dioxide
- **B** chlorine
- C hydrogen
- D hydrogen chloride

#### 5 Gas X

- has no effect either on damp red litmus paper or on damp blue litmus paper,
- puts out both a glowing splint and a burning splint.

What is gas X?

- A ammonia
- B carbon dioxide
- C chlorine
- **D** nitrogen

**6** What is the structure of the ion  ${}^{90}_{38}\text{Sr}^{2+}$ ?

	protons	neutrons	electrons		
Α	38	52	36		
В	38	52	38		
С	38	90	36		
D	52	38	36		

- 7 In which substance is each carbon atom covalently bonded to **only three** other atoms?
  - A carbon dioxide
  - **B** diamond
  - **C** graphite
  - **D** methane
- 8 In which pair of substances does each have a giant molecular structure?
  - A diamond, iodine
  - B diamond, silica (sand)
  - C iodine, methane
  - **D** methane, silica (sand)
- 9 How does a magnesium atom form a bond with an oxygen atom?
  - **A** by giving one pair of electrons to the oxygen atom
  - **B** by sharing one pair of electrons, both electrons provided by the magnesium atom
  - **C** by sharing two pairs of electrons, both pairs provided by the oxygen atom
  - **D** by sharing two pairs of electrons, each atom donating one pair of electrons
- 10 Metals have positive ions in a 'sea of electrons'.

Which metal atom provides most electrons for the sea?

- **A** aluminium
- **B** calcium
- C magnesium
- **D** sodium

11 The element X forms a gaseous molecule  $X_2$ . One volume of  $X_2$  combines with one volume of hydrogen to form two volumes of a gaseous hydride.


What is the formula for the hydride of X?

- $\mathbf{A}$   $\mathbf{H}X$
- **B**  $HX_2$
- $\mathbf{C}$   $H_2X$
- **D**  $H_2X_2$


12 Which substance has the highest percentage by mass of nitrogen?

- A NH<sub>4</sub>NO<sub>3</sub>
- $M_{\rm r} = 80$
- **B**  $(NH_4)_2SO_4$
- $M_{\rm r} = 132$
- $\mathbf{C}$  CO(NH<sub>2</sub>)<sub>2</sub>
- $M_{\rm r} = 60$
- **D**  $(NH_4)_3PO_4$   $M_r = 149$


13 The diagram shows the electrolysis of aqueous copper(II) sulphate using copper electrodes.



Which graph shows how the mass of the cathode changes during electrolysis?




14 The energy diagram for the reaction between sodium hydroxide and hydrochloric acid is shown.




What can be deduced from the diagram?

- A Heat is needed to start the reaction.
- **B** The products contain less energy than the reactants.
- **C** The reaction is rapid.
- **D** The OH<sup>-</sup> ions have more energy than the H<sup>+</sup> ions.
- **15** A student adds marble chips to hydrochloric acid.



The mass of flask and contents is measured at regular time intervals.

Which graph shows the result?



- 16 In which change is the nitrogen reduced?
  - A NH<sub>3</sub> to NO
- **B** NH $_3$  to NO $_3^-$
- $\mathbf{C}$  N<sub>2</sub> to NH<sub>3</sub>
- **D**  $N^{3-}$  to  $N_2$

17 The equation shows the reaction for the formation of sulphur trioxide.

$$2SO_2(g) + O_2(g) \rightleftharpoons 2SO_3(g)$$
  $\Delta H = -197 \text{ kJ}$ 

Which change in reaction conditions would produce more sulphur trioxide?

- A adding more catalyst
- **B** decreasing the pressure
- C increasing the temperature
- D removing some sulphur trioxide
- **18** Which salt can be prepared by an acid-alkali titration method?
  - A ammonium sulphate
  - **B** copper(II) sulphate
  - C iron(II) sulphate
  - **D** zinc sulphate
- **19** The table shows properties of four chlorides.

Which is magnesium chloride?

	colour solubility in water		method of preparation	
Α	green soluble		metal and acid	
В	white	insoluble	precipitation	
С	white soluble		metal and acid	
D	green	insoluble	precipitation	

- 20 Why is ethanoic acid described as a weak acid?
  - **A** It is only slightly ionised in water.
  - **B** It is a poor conductor of electricity.
  - C It is an organic acid.
  - **D** It reacts only with very reactive metals.
- 21 Which pair of substances produce a precipitate when their aqueous solutions are mixed?
  - A barium nitrate, silver nitrate
  - **B** sodium chloride, barium nitrate
  - C sodium nitrate, barium chloride
  - D sodium sulphate, barium chloride

- 22 Ammonia may be obtained from ammonium chloride by heating with
  - aqueous calcium chloride.
  - aqueous sodium hydroxide. В
  - C dilute hydrochloric acid.
  - D water.
- 23 The diagram represents the manufacture of sulphuric acid by the Contact process.



What is used in step **R**?

- vanadium(V) oxide
- water only В
- water followed by concentrated sulphuric acid
- concentrated sulphuric acid followed by water D
- 24 Rubidium, Rb, is an element in Group I of the Periodic Table.

Which statement about rubidium is correct?

- It reacts slowly with water.
- It forms an insoluble hydroxide. В
- C It is liberated at the cathode during the electrolysis of an aqueous solution of its chloride.
- D It forms a sulphate, Rb<sub>2</sub>SO<sub>4</sub>.
- **25** The element sulphur, S, is in Group VI of the Periodic Table.

Which formula is incorrect?

- A S<sup>2-</sup>
- **B**  $S_2O_3$  **C**  $SO_4^{2-}$
- $D SO_3$

**26** The table shows some of the properties of four elements.

Which element is **most** likely to be a transition metal?

	melting point °C	density g/cm³	electrical conductivity	
Α	3550	3.5	poor	
В	1860	7.2	good	
С	660	2.7	good	
D	232	7.3	good	

27 Which equation represents the reaction of calcium with cold water?


**A** Ca + 
$$H_2O \rightarrow CaO + H_2$$

**B** 
$$2Ca + 2H_2O \rightarrow 2CaOH + H_2$$

C Ca + 
$$2H_2O \rightarrow Ca(OH)_2 + H_2$$

**D** Ca + 
$$2H_2O \rightarrow Ca(OH)_2 + 2H_2$$

28 Dry hydrogen gas is passed over a powdered solid and then through a cooled U-tube before the excess of hydrogen is burned in air.



A colourless liquid collects in the U-tube.

What could the powdered solid be?

- A calcium oxide
- B copper(II) oxide
- **C** magnesium
- **D** zinc oxide

**29** A coil of clean copper wire is suspended in aqueous silver nitrate. Crystals of silver are deposited on the copper wire.

Which statement is **not** correct?

- A The copper is oxidised.
- **B** The total mass of the crystals of silver increases gradually.
- **C** The total number of positive ions in the solution is unchanged.
- **D** The solution turns blue.
- **30** Zinc and aluminium both react with dilute hydrochloric acid.

Why does zinc react more quickly than aluminium?

- A Aluminium is lower than hydrogen in the reactivity series.
- **B** Aluminium has an oxide coating.
- C Zinc is an amphoteric element.
- **D** Zinc is a transition metal.
- 31 Which metal is used in the sacrificial protection of iron pipes?
  - A copper
  - **B** lead
  - C magnesium
  - **D** sodium
- **32** Some metals can be obtained by the reduction of their oxides with hydrogen.

Which line of the table is correct?

	aluminium	copper	silver	sodium	
Α	✓	✓	X	X	key
В	X	✓	✓	X	✓ = can be obtained
С	X	X	✓	✓	x = cannot be obtained
D	✓	X	✓	X	

**33** The table shows pollutants which cause eutrophication, sources of these pollutants and a problem that eutrophication causes.

Which entry in the table is correct?

	pollutant	source	problem		
Α	nitrates	detergents	oxygen depletion		
В	nitrates	fertilisers	excess oxygen		
С	phosphates	detergents	oxygen depletion		
D	phosphates	fertilisers	excess oxygen		

- **34** Which gas burns in air to form a single product?
  - A ammonia
  - B carbon monoxide
  - C hydrogen chloride
  - **D** methane
- **35** Which pair of statements about the combustion of a carbohydrate and its formation by photosynthesis is **not** correct?

	combustion	photosynthesis		
Α	reaction exothermic	reaction endothermic		
В	oxygen used up	oxygen set free		
С	no catalyst needed	catalyst needed		
D	chemical energy	chemical energy		
	converted to heat energy	converted to light energy		

36 Which of the following has **not** been prepared by reacting a carboxylic acid with an alcohol?

$$\mathbf{A} \quad \left\{ \mathbf{O} - \mathbf{C} - \mathbf{C} - \mathbf{C} - \mathbf{C} - \mathbf{C} \right\}$$

37 Which compound is obtained by the oxidation of ethanol, C<sub>2</sub>H<sub>5</sub>OH?

- HCO<sub>2</sub>CH<sub>3</sub>
- C<sub>2</sub>H<sub>5</sub>CO<sub>2</sub>H
- C CH₃OH
- D CH<sub>3</sub>CO<sub>2</sub>H


38 Which statement applies to all three of the compounds ethane, ethene and ethanol?

- One molecule of each compound contains the same number of carbon atoms.
- One mole of each compound contains the same number of hydrogen atoms. В
- C They all occur in crude oil.
- D They are all liquids at room temperature.


39 What is the empirical formula of ethanoic acid?


- A CH<sub>2</sub>O
- **B** CH<sub>4</sub>O
- **C**  $C_2H_3O$  **D**  $C_2H_4O_2$


40 Poly(ethene) can be manufactured by the process below.




Which diagram shows the change in molecular size during this process?









## **BLANK PAGE**

### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

DATA SHEET
The Periodic Table of the Elements

	0	<b>He</b> 4 4 Helium	20 Neon 10 Neon 40 Ar Ar Argon	84 <b>Kr</b> Krypton 36	131 <b>Xe</b> Xenon	Rn Radon 86		175 <b>Lu</b> Lutetium 71	Lr Lawrencium 103
			19 Fluorine 9 35.5 <b>C.1</b> Chlorine	80 <b>Br</b> Bromine 35	127 <b>I</b> lodine	At Astatine 85		Y <b>b</b> Ytterbium 70	Nobelium
	>		16 Oxygen 8 32 Suphur	Selenium	128 <b>Te</b> Tellurium	Po Polonium 84		169 <b>Tm</b> Thulium 69	Md delevium
	>		Nitrogen 7 31 97 Phosphorus 15	75 <b>AS</b> Arsenic	122 <b>Sb</b> Antimony 51	209 <b>Bi</b> smuth		167 <b>Er</b> Erbium 68	Fermium 100
	≥		Carbon 6 Carbon 8 Silicon 14	73 <b>Ge</b> Germanium 32	119 <b>Sn</b> Tin	207 <b>Pb</b> Lead		165 <b>Ho</b> Holmium 67	
	=		11 Beron 5 27 A1 Aluminium 13	70 <b>Ga</b> Gallium 31	115 <b>In</b> Indium	204 <b>T1</b> Thallium 81		162 <b>Dy</b> Dysprosium	Californium
				65 <b>Zn</b> Zinc 30	112 <b>Cd</b> Cadmium 48	201 <b>Hg</b> Mercury 80		159 <b>Tb</b> Terbium 65	<b>BK</b> Berkelium
				64 Copper 29	108 <b>Ag</b> Silver 47	197 <b>Au</b> Gold		157 <b>Gd</b> Gadolinium 64	Carrium
Group				59 <b>X</b> Nickel	106 Pd Palladium 46	195 <b>Pt</b> Platinum 78		152 <b>Eu</b> Europium 63	Americium
G			1	59 <b>Cob</b>	Rhodium 45			Sm Samarium 62	<b>Pu</b> Plutonium
		T Hydrogen		56 Fe Iron	Ru Ruthenium 44	190 <b>OS</b> Osmium 76		Pm Promethium 61	
				Manganese	Tc Technetium 43	186 <b>Re</b> Rhenium 75		144 Neodymium 60	238 Uranium
				Chromium 24	96 <b>Mo</b> Molybdenum 42	184 <b>W</b> Tungsten 74		Pr Praseodymium 59	Pa Protactinium
				51 V Vanadium 23	Niobium 41	181 <b>Ta</b> Tantalum		140 <b>Ce</b> Cerium 58	232 <b>Th</b>
				48 Titanium	2r Zrconium 40	178 <b>#</b> Hafnium		٦	nic mass Ibol nic) number
				Scandium 21	89 <b>≺</b> Yttrium 39	139 <b>La</b> Lanthanum 57 *	227 <b>Ac</b> Actinium +	d series series	<ul> <li>a = relative atomic mass</li> <li>X = atomic symbol</li> <li>b = proton (atomic) number</li> </ul>
	=		Beeryllium 4 24 Magnesium 12	40 <b>Ca</b> Calcium	Strontium	137 <b>Ba</b> Barium 56	226 <b>Ra</b> Radium	*58-71 Lanthanoid series 190-103 Actinoid series	« <b>X</b>
	_		7   Lithium 3   23   Na a   Sodium 11	39 <b>K</b> Potassium	Rubidium 37	133 Cs Caesium 55	<b>Fr</b> Francium 87	*58-71 L	Key

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).