



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
General Certificate of Education Ordinary Level

CANDIDATE
NAME

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--



CHEMISTRY

5070/32

Paper 3 Practical Test

May/June 2010

1 hour 30 minutes

Candidates answer on the Question Paper

Additional Materials: As listed in the Confidential Instructions

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black ink.

You may use a soft pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

Qualitative Analysis Notes are printed on page 8.

You should show the essential steps in any calculations and record experimental results in the spaces provided on the question paper.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use	
1	
2	
Total	

This document consists of **6** printed pages and **2** blank pages.



- 1 An organic acid has the molecular formula $C_3H_4O_5$.

You are required to find by experiment the number of moles of sodium hydroxide that react with 1 mole of this organic acid.

P is 0.300 mol/dm^3 sodium hydroxide.

Q is an aqueous solution of the organic acid, $C_3H_4O_5$, containing 18.0 g/dm^3 .

- (a) Put **Q** into the burette.

Pipette a 25.0 cm^3 (or 20.0 cm^3) portion of **P** into a flask and titrate with **Q**, using the indicator provided.

Record your results in the table, repeating the titration as many times as you consider necessary to achieve consistent results.

Results

Burette readings

titration number	1	2	
final reading / cm^3			
initial reading / cm^3			
volume of Q used / cm^3			
best titration results (✓)			

Summary

Tick (✓) the best titration results.

Using these results, the average volume of **Q** required was cm^3 .

Volume of **P** used was cm^3 .

[12]

- (b) **P** is 0.300 mol/dm³ sodium hydroxide.

Calculate the number of moles of sodium hydroxide in the volume of **P** used.

For
Examiner's
Use

moles of sodium hydroxide in the volume of **P** used [1]

- (c) **Q** is an aqueous solution of C₃H₄O₅ containing 18.0 g/dm³.

Calculate the concentration, in mol/dm³, of C₃H₄O₅ in **Q**.
[The relative molecular mass of C₃H₄O₅ is 120.]

concentration of C₃H₄O₅ in **Q** mol/dm³ [1]

- (d) Calculate the number of moles of C₃H₄O₅ in the average volume of **Q** used in the titration.

moles of C₃H₄O₅ [1]

- (e) Using your answers from (b) and (d) calculate the number of moles of sodium hydroxide which react with 1 mole of C₃H₄O₅.

moles of sodium hydroxide [1]

- (f) Using your answer to (e) write an equation for the reaction of the organic acid, C₃H₄O₅, with sodium hydroxide.

.....[2]

[Total: 18]

- 2 You are provided with three solutions **R**, **S**, and **T**. Carry out the following tests and record your observations in the table. You should test and name any gas evolved.

For
Examiner's
Use

test no.	test	observations with solution R
1	<p>(a) To 2 cm depth of the solution in a test-tube, add an equal volume of dilute sulfuric acid.</p> <p>(b) Add 2 cm depth of aqueous hydrogen peroxide to the mixture from (a) and leave to stand.</p>	
2	<p>(a) To 2 cm depth of the solution in a test-tube, add a few drops of aqueous silver nitrate.</p> <p>(b) Add an equal volume of dilute nitric acid to the mixture from (a).</p>	
3	<p>(a) To 2 cm depth of the solution in a test-tube, add a few drops of aqueous barium chloride.</p> <p>(b) Add an equal volume of dilute hydrochloric acid to the mixture from (a).</p>	

observations with solution S	observations with solution T

[19]

ConclusionThe formula of the anion present in **R** isThe formula of the anion present in **S** isSuggest the type of element in the compound present in **T**.

.....[3]

[Total: 22]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

QUALITATIVE ANALYSIS NOTES

Tests for anions

<i>anion</i>	<i>test</i>	<i>test result</i>
carbonate (CO_3^{2-})	add dilute acid	effervescence, carbon dioxide produced
chloride (Cl^-) [in solution]	acidify with dilute nitric acid, then add aqueous silver nitrate	white ppt.
iodide (I^-) [in solution]	acidify with dilute nitric acid, then add aqueous lead(II) nitrate	yellow ppt.
nitrate (NO_3^-) [in solution]	add aqueous sodium hydroxide then add aluminium foil; warm carefully	ammonia produced
sulfate (SO_4^{2-}) [in solution]	acidify with dilute nitric acid, then add aqueous barium nitrate	white ppt.

Tests for aqueous cations

<i>cation</i>	<i>effect of aqueous sodium hydroxide</i>	<i>effect of aqueous ammonia</i>
aluminium (Al^{3+})	white ppt., soluble in excess giving a colourless solution	white ppt., insoluble in excess
ammonium (NH_4^+)	ammonia produced on warming	–
calcium (Ca^{2+})	white ppt., insoluble in excess	no ppt., or very slight white ppt.
copper(II) (Cu^{2+})	light blue ppt., insoluble in excess	light blue ppt., soluble in excess giving a dark blue solution
iron(II) (Fe^{2+})	green ppt., insoluble in excess	green ppt., insoluble in excess
iron(III) (Fe^{3+})	red-brown ppt., insoluble in excess	red-brown ppt., insoluble in excess
zinc (Zn^{2+})	white ppt., soluble in excess giving a colourless solution	white ppt., soluble in excess giving a colourless solution

Tests for gases

<i>gas</i>	<i>test and test result</i>
ammonia (NH_3)	turns damp litmus paper blue
carbon dioxide (CO_2)	turns limewater milky
chlorine (Cl_2)	bleaches damp litmus paper
hydrogen (H_2)	'pops' with a lighted splint
oxygen (O_2)	relights a glowing splint
sulfur dioxide (SO_2)	turns acidified aqueous potassium dichromate(VI) from orange to green