



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS  
General Certificate of Education Ordinary Level

CANDIDATE  
NAME

CENTRE  
NUMBER

--	--	--	--	--

CANDIDATE  
NUMBER

--	--	--	--



**CHEMISTRY**

Paper 2 Theory

**5070/21**

**May/June 2012**

**1 hour 30 minutes**

Candidates answer on the Question Paper.

No Additional Materials are required.

**READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

**Section A**

Answer **all** questions.

Write your answers in the spaces provided in the Question Paper.

**Section B**

Answer any **three** questions.

Write your answers in the spaces provided in the Question Paper.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use	
<b>Section A</b>	
<b>B6</b>	
<b>B7</b>	
<b>B8</b>	
<b>B9</b>	
<b>Total</b>	

This document consists of **17** printed pages and **3** blank pages.



## Section A

Answer **all** the questions in this section in the spaces provided.

The total mark for this section is 45.

For  
Examiner's  
Use

**A1** Choose from the following gases to answer the questions below.

<b>ammonia</b>	<b>carbon monoxide</b>
<b>chlorine</b>	<b>ethane</b>
<b>fluorine</b>	<b>methane</b>
<b>neon</b>	<b>nitrogen</b>
<b>nitrogen monoxide</b>	<b>oxygen</b>
<b>propane</b>	<b>propene</b>
<b>sulfur dioxide</b>	<b>sulfur trioxide</b>

Each gas can be used once, more than once or not at all.

Which gas

**(a)** turns moist red litmus paper blue,

..... [1]

**(b)** decolourises bromine water,

..... [1]

**(c)** is used in the manufacture of steel,

..... [1]

**(d)** is a monatomic element,

..... [1]

**(e)** is used as a food preservative,

..... [1]

**(f)** is used to disinfect water,

..... [1]

**(g)** is a molecule with 14 protons?

..... [1]

[Total: 7]

**A2** Iron(II) sulfate crystals decompose when heated to give three gases **U**, **V** and **W** and an orange-brown solid **T**.

- Gas **U** was tested with filter paper soaked with acidified potassium dichromate(VI). The filter paper changed colour from orange to green.
- Analysis of gas **V** showed it contained 40.0% sulfur and 60.0% oxygen by mass.
- When gas **W** was condensed it formed a colourless liquid that turned anhydrous copper(II) sulfate from white to blue.
- Solid **T** was dissolved in dilute nitric acid. Aqueous ammonia was added drop by drop and a red-brown precipitate was obtained.

**(a) (i)** What is the formula for gas **U**?

..... [1]

**(ii)** Calculate the empirical formula of gas **V**.

empirical formula of **V** is ..... [2]

**(iii)** Name gas **W**.

..... [1]

**(iv)** Give the name or the formula of the metal ion present in solid **T**.

..... [1]

**(b)** Iron(II) sulfate dissolves in water to give a green solution **X**. Aqueous sodium hydroxide was added drop by drop to solution **X**. A green precipitate, **Y**, was formed.

**(i)** Name precipitate **Y**.

..... [1]

**(ii)** Construct the ionic equation, with state symbols, to show the formation of the precipitate, **Y**.


..... [2]

[Total: 8]

- A3** Iodine forms a diatomic molecule,  $I_2$ .  
It has a simple molecular structure.

The diagram shows the structure of the simple molecular lattice of iodine.

For  
Examiner's  
Use



Each iodine molecule is held in place by weak intermolecular forces.  
Within each iodine molecule the atoms are covalently bonded.

- (a)** Explain why solid iodine does not conduct electricity.

.....  
..... [1]

- (b)** When heated, **solid** iodine turns directly into iodine **gas**.  
Use the kinetic particle theory to explain this change of state.

.....  
.....  
.....  
..... [2]

- (c)** Draw a 'dot-and-cross' diagram to show the bonding in an iodine molecule.  
Show only the outer shell electrons.

[1]

(d) Chlorine, bromine, iodine and astatine are all in Group VII.

(i) What is the formula for an astatide ion?

..... [1]

(ii) Complete the table about the appearance at room temperature of the elements in Group VII.

element	atomic number	colour	state
$Cl_2$	17	green	
$Br_2$	35		
$I_2$	53		solid

[2]

(iii) Predict the appearance of astatine at room temperature.

..... [1]

(e) Chlorine is bubbled into aqueous potassium iodide.

(i) Describe what you would see.

..... [1]

(ii) Construct the ionic equation for the reaction that takes place.

..... [1]

(f) Explain why astatine will not react with aqueous potassium iodide.

.....

..... [1]

[Total: 11]

For  
Examiner's  
Use

**A4** This question is about some Group II elements and their compounds.

Magnesium reacts with oxygen to form magnesium oxide.

**(a)** The table shows information about the ions in magnesium oxide.

**(i)** Complete the table.

ion	electron configuration	number of protons	number of neutrons
${}^{24}_{12}\text{Mg}^{2+}$	.....	.....	.....
${}^{16}_8\text{O}^{2-}$	.....	.....	.....

[3]

**(ii)** Describe how a magnesium atom and an oxygen atom form a magnesium ion and an oxide ion.

.....  
 .....  
 ..... [1]

**(b)** Explain, in terms of structure and bonding, why magnesium oxide has a very high melting point.

.....  
 .....  
 .....  
 ..... [2]

**(c)** Barium sulfate is an insoluble salt.

Describe how a pure dry sample of barium sulfate can be prepared from aqueous barium chloride in a laboratory.

.....  
 .....  
 .....  
 .....  
 .....  
 .....  
 ..... [4]

[Total: 10]

**A5** Displacement reactions occur when a metal reacts with a metal compound.

The table shows the results of some displacement reactions.

In each case a sample of powdered metal is added to an aqueous metal sulfate.

	aqueous copper(II) sulfate	aqueous iron(II) sulfate	aqueous magnesium sulfate	aqueous nickel(II) sulfate
copper		no reaction	no reaction	no reaction
iron	reaction		no reaction	reaction
magnesium	reaction	reaction		reaction
nickel	reaction	no reaction	no reaction	

**(a)** Place the four metals in order of increasing reactivity.

least reactive .....

.....

.....

most reactive .....

[1]

**(b)** Iron powder is added to aqueous copper(II) sulfate.

What you would observe in this reaction?

.....

..... [2]

**(c)** Aluminium foil is added to aqueous copper(II) chloride. A displacement reaction takes place. The temperature of the reaction mixture increases.

**(i)** Name the type of reaction in which the temperature of the reaction mixture increases.

..... [1]

**(ii)** Construct the ionic equation for this displacement reaction.

..... [1]


**(d)** Explain why, even though it is high up in the reactivity series, aluminium does not react with cold water.

.....

.....

..... [2]

- (e) Molybdenum, atomic number 42, is manufactured by the displacement reaction between molybdenum(VI) oxide and aluminium.



Calculate the mass of aluminium needed to make 1 tonne of molybdenum.  
[1 tonne is one million grams.]

mass of aluminium = ..... [2]

[Total: 9]

For  
Examiner's  
Use



## Section B

Answer **three** questions from this section in the spaces provided.

The total mark for this section is 30.

For  
Examiner's  
Use

- B6** Seawater contains many dissolved ions. The table shows the concentration of some of these ions in a typical sample of seawater.

ion	formula	concentration/ g/dm <sup>3</sup>
chloride	Cl <sup>-</sup>	19.00
sodium	Na <sup>+</sup>	10.56
sulfate	SO <sub>4</sub> <sup>2-</sup>	2.65
magnesium	Mg <sup>2+</sup>	1.26
calcium	Ca <sup>2+</sup>	0.40
potassium	K <sup>+</sup>	0.38
hydrogencarbonate	HCO <sub>3</sub> <sup>-</sup>	0.14


- (a) Suggest the formula of one salt dissolved in seawater.

..... [1]

- (b) Calculate the concentration, in mol/dm<sup>3</sup>, of sulfate ions in seawater.

.....  
 .....  
 ..... [1]

- (c) Excess aqueous silver nitrate is added to a 25.0 cm<sup>3</sup> sample of seawater.  
 What mass of silver chloride is precipitated in this reaction?



.....  
 .....  
 .....  
 .....  
 ..... [3]

- (d) Some countries purify seawater to make drinking water.  
Name the process by which seawater is purified into drinking water.

..... [1]

- (e) The pH of seawater is 7.9.

- (i) State the formula of an ion, other than those in the table, which must be present in seawater to account for this pH. Explain your answer.

formula of ion .....

explanation .....

..... [2]

- (ii) One way of measuring the pH of seawater is to use a pH meter.  
Describe an alternative method of measuring the pH of seawater.

.....

.....

..... [2]

[Total: 10]

- B7** Carboxylic acids are a homologous series of organic compounds.  
The table shows some information about the first five carboxylic acids.

For  
Examiner's  
Use

name	molecular formula	melting point / °C	boiling point / °C
methanoic acid	CH <sub>2</sub> O <sub>2</sub>	8	101
ethanoic acid	C <sub>2</sub> H <sub>4</sub> O <sub>2</sub>	17	118
propanoic acid	C <sub>3</sub> H <sub>6</sub> O <sub>2</sub>	-21	141
	C <sub>4</sub> H <sub>8</sub> O <sub>2</sub>	-6	164
pentanoic acid	C <sub>5</sub> H <sub>10</sub> O <sub>2</sub>		

- (a) Explain the meaning of the term *homologous series*.

.....  
 .....  
 .....  
 ..... [2]

- (b) Suggest the name of the carboxylic acid with the molecular formula C<sub>4</sub>H<sub>8</sub>O<sub>2</sub>.

..... [1]

- (c) Draw the structure, showing all atoms and all bonds, of the carboxylic acid with the molecular formula C<sub>3</sub>H<sub>6</sub>O<sub>2</sub>.

[1]

- (d) Deduce the molecular formula for a molecule of a carboxylic acid that contains seven carbon atoms.

..... [1]

- (e) Explain why it is easier to predict the boiling point of pentanoic acid rather than its melting point.

.....  
 .....  
 ..... [1]

- (f) Ethanoic acid is a weak acid whereas hydrochloric acid is a strong acid. Describe the difference between a *weak acid* and a *strong acid*. Include equations in your answer.

.....  
.....  
.....  
..... [2]

- (g) Powdered calcium carbonate,  $\text{CaCO}_3$ , is added to a sample of dilute ethanoic acid. The mixture fizzes and eventually forms a colourless solution. Construct the equation, including state symbols, for this reaction.

..... [2]

[Total: 10]

**B8** Solid sodium hydroxide, NaOH, has a giant ionic structure.

For  
Examiner's  
Use

(a) How many electrons are there in one hydroxide ion?

..... [1]



(b) Explain why solid sodium hydroxide cannot be electrolysed but aqueous sodium hydroxide can be electrolysed.

.....

.....

..... [2]

(c) The electrolysis of aqueous sodium hydroxide produces hydrogen and oxygen as shown by the electrode reactions.



Explain why the electrolysis of aqueous sodium hydroxide involves both oxidation **and** reduction.


.....

.....

.....

..... [2]

- (d) The overall reaction for the electrolysis of aqueous sodium hydroxide is shown below.



For  
Examiner's  
Use

This reaction is endothermic.

- (i) Explain, in terms of the energy changes associated with bond breaking and bond forming, why the reaction is endothermic.

.....  
 .....  
 ..... [2]

- (ii) Some submarines use this reaction to provide oxygen for the occupants to breathe.

Calculate the mass of water which must be electrolysed to make 2500 dm<sup>3</sup> of oxygen at room temperature and pressure.


[One mole of any gas at room temperature and pressure occupies a volume of 24 dm<sup>3</sup>.]

mass of water = ..... g [3]

[Total:10]

**B9** Hydrogen has many industrial uses. One possible way to manufacture hydrogen involves the reversible reaction between methane and steam.

For  
Examiner's  
Use



The reaction is carried out in the presence of a nickel catalyst. The conditions used are 30 atmospheres pressure and a temperature of 750 °C.

**(a)** If the temperature of the reaction mixture is **increased** to 900 °C, explain what happens to the position of equilibrium.

.....  
 .....  
 .....  
 ..... [2]

**(b)** If the pressure of the reaction mixture is **increased** to 50 atmospheres explain, in terms of collisions between reacting particles, what happens to the speed of the forward reaction.

.....  
 .....  
 .....  
 ..... [2]

**(c)** Explain the advantages of using a catalyst in this manufacture of hydrogen.

.....  
 .....  
 .....  
 ..... [2]

**(d)** In the reaction, 210 kJ of heat energy is used to form 3.0 moles of hydrogen.

Calculate how much heat energy is needed to make 1000 kg of hydrogen.

heat energy = ..... kJ [2]

(e) Describe how hydrogen is used to manufacture margarine.

For  
Examiner's  
Use

.....

.....

.....

..... [2]

[Total: 10]







**BLANK PAGE**

---

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

## DATA SHEET The Periodic Table of the Elements

Group																	
I	II	III	IV	V	VI	VII	O										
		1 <b>H</b> Hydrogen 1					4 <b>He</b> Helium 2										
7 <b>Li</b> Lithium 3	9 <b>Be</b> Beryllium 4		12 <b>C</b> Carbon 6	14 <b>N</b> Nitrogen 7	16 <b>O</b> Oxygen 8	19 <b>F</b> Fluorine 9	20 <b>Ne</b> Neon 10										
23 <b>Na</b> Sodium 11	24 <b>Mg</b> Magnesium 12	13 <b>Al</b> Aluminium 13	14 <b>Si</b> Silicon 14	15 <b>P</b> Phosphorus 15	16 <b>S</b> Sulfur 16	17 <b>Cl</b> Chlorine 17	18 <b>Ar</b> Argon 18										
39 <b>K</b> Potassium 19	40 <b>Ca</b> Calcium 20	27 <b>Ga</b> Gallium 31	32 <b>Ge</b> Germanium 32	33 <b>As</b> Arsenic 33	34 <b>Se</b> Selenium 34	35 <b>Br</b> Bromine 35	36 <b>Kr</b> Krypton 36										
85 <b>Rb</b> Rubidium 37	88 <b>Sr</b> Strontium 38	49 <b>In</b> Indium 49	50 <b>Sn</b> Tin 50	51 <b>Sb</b> Antimony 51	52 <b>Te</b> Tellurium 52	53 <b>I</b> Iodine 53	54 <b>Xe</b> Xenon 54										
133 <b>Cs</b> Caesium 55	137 <b>Ba</b> Barium 56	81 <b>Tl</b> Thallium 81	82 <b>Pb</b> Lead 82	83 <b>Bi</b> Bismuth 83	84 <b>Po</b> Polonium 84	85 <b>At</b> Astatine 85	86 <b>Rn</b> Radon 86										
223 <b>Fr</b> Francium 87	226 <b>Ra</b> Radium 88	65 <b>Zn</b> Zinc 30	64 <b>Cu</b> Copper 29	66 <b>Hg</b> Mercury 80	67 <b>Ag</b> Silver 47	78 <b>Pt</b> Platinum 78	79 <b>Au</b> Gold 79										
* 58–71 Lanthanoid series † 90–103 Actinoid series																	
140 <b>Ce</b> Cerium 58	141 <b>Pr</b> Praseodymium 59	142 <b>Nd</b> Neodymium 60	143 <b>Pm</b> Promethium 61	144 <b>Sm</b> Samarium 62	145 <b>Eu</b> Europium 63	146 <b>Gd</b> Gadolinium 64	147 <b>Tb</b> Terbium 65	148 <b>Dy</b> Dysprosium 66	149 <b>Ho</b> Holmium 67	150 <b>Er</b> Erbium 68	151 <b>Tm</b> Thulium 69	152 <b>Yb</b> Ytterbium 70	153 <b>Lu</b> Lutetium 71				
232 <b>Th</b> Thorium 90	231 <b>Pa</b> Protactinium 91	238 <b>U</b> Uranium 92	237 <b>Np</b> Neptunium 93	244 <b>Pu</b> Plutonium 94	243 <b>Am</b> Americium 95	242 <b>Cm</b> Curium 96	247 <b>Bk</b> Berkelium 97	251 <b>Cf</b> Californium 98	252 <b>Es</b> Einsteinium 99	257 <b>Fm</b> Fermium 100	258 <b>Md</b> Mendelevium 101	259 <b>No</b> Nobelium 102	260 <b>Lr</b> Lawrencium 103				

Key

a	<b>X</b>	a = relative atomic mass
b	<b>X</b>	X = atomic symbol
	<b>X</b>	b = atomic (proton) number

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).