

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

CHEMISTRY 5070/12

Paper 1 Multiple Choice May/June 2013

1 hour

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO NOT WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.





		2		
1 Which mixture could best be separated by using a separating funnel?				
	Α	oil and sand		
	В	oil and water		
	С	sodium chloride and sand		
	D	sodium chloride and water		
2	A crystallisation			
	В	distillation evaporation		
	D	filtration		
3	Wh	ich compound, when mixed with aqueous barium nitrate, does not form a white pr		

- precipitate?
 - A ammonium carbonate
 - **B** dilute sulfuric acid
 - **C** silver nitrate
 - **D** sodium carbonate
- 4 The structure of metals consists of positive ions in a 'sea of electrons'.

Which statement correctly describes what happens to the particles in the metallic heating element of an electric kettle when the kettle is switched on?

- Electrons move in both directions in the element.
- В Electrons move in one direction only in the element.
- Electrons move in one direction and positive ions move in the opposite direction in the element.
- **D** Positive ions move in one direction only in the element.
- 5 Naturally-occurring bromine has a relative atomic mass of 80 and consists entirely of two isotopes of relative atomic masses 79 and 81.

What can be deduced about naturally-occurring bromine from this information only?

- Bromine contains the two isotopes in equal proportions.
- Bromine has different oxidation states. В
- Bromine isotopes have different numbers of protons. C
- **D** Bromine is radioactive.

6 Silicon carbide, SiC, has a structure similar to diamond. Boron nitride, BN, has a structure similar to graphite. Bronze is an alloy of copper and tin.

Which statements about SiC, BN and bronze are correct?

- 1 All are bonded covalently.
- 2 All except silicon carbide conduct electricity when solid.
- 3 All have high melting points.
- A 1 and 2 only
- **B** 1 and 3 only
- C 2 and 3 only
- **D** 1, 2 and 3
- 7 What can be deduced about two gases that have the same relative molecular mass?
 - A They have the same boiling point.
 - **B** They have the same number of atoms in one molecule.
 - **C** They have the same rate of diffusion at room temperature and pressure.
 - **D** They have the same solubility in water at room temperature.
- 8 Sodium is in Group I of the Periodic Table.

When sodium combines with chlorine, what happens to each sodium atom?


- **A** It gains one electron from one chlorine atom.
- **B** It shares one electron with one chlorine atom.
- **C** It transfers one electron to one chlorine atom.
- **D** It transfers two electrons to one chlorine atom.
- **9** Hydrogen and sulfur react to form the compound hydrogen sulfide.

Which row shows the type of bonding between hydrogen and sulfur and the electrical conductivity of liquid hydrogen sulfide?

	type of bonding	electrical conductivity in the liquid state
Α	covalent	good
В	covalent	non-conductor
С	ionic	good
D	ionic	non-conductor

10	Whi	ich statement ab	out	aqueous potass	sium	sulfate is co	rrect?	
	Α	It contains more	e su	Ifate ions than p	otas	sium ions.		
	В	It contains two different types of molecule.						
	С	It does not conduct electricity.						
	D	It forms a white	pre	cipitate when a	dded	to aqueous	barium n	itrate.
11		e volume of a g n two volumes o				nbines with a	an equal	volume of gaseous hydrogen to
	Wh	at is the formula	for	the hydride of X	?			
	Α	H_2X	В	HX	С	HX_2	D	H_2X_2
12	The	relative atomic	mas	ss of chlorine is	35.5			
	Wha	at is the mass of	f 2 n	noles of chlorine	gas	?		
	Α	17.75 g		35.5 g	_	71 g	D	142 g
13	Hov	v could a sample	e of	potassium be o	btain	ed from pota	assium ch	nloride, KC <i>l</i> ?
		method 1	ado	ding zinc to a so	lutio	n of KC <i>1</i>		
				ctrolysing an aq			f KC1	
				ctrolysing molte				
	Α	method 1 only						
	В	methods 1 and	2					
	С	methods 2 and	3					
	D	method 3 only						
14	A co	oncentrated aqu	eou	s solution of cop	oper(II) chloride i	is electrol	ysed using inert electrodes.
	Wha	hat is the product at the positive electrode?						
	Α	chlorine		•				
	В	copper						
	С	hydrogen						
	D	oxygen						


15 The diagrams show an electrolysis experiment using inert electrodes.



Which could be liquid **Y**?

- A aqueous copper(II) sulfate
- B concentrated aqueous sodium chloride
- C dilute sulfuric acid
- **D** ethanol

16 The energy profile for the forward direction of a reversible reaction is shown.



Which row correctly shows both the sign of the activation energy and the type of the enthalpy change for the **reverse** reaction?

	sign of activation energy	enthalpy change
Α	negative	endothermic
В	negative	exothermic
С	positive	endothermic
D	positive	exothermic

17 Which ionic equation describes a redox reaction?

A
$$Ag^{+}(aq) + Cl^{-}(aq) \rightarrow AgCl(s)$$

B
$$2H^{+}(aq) + CO_3^{2-}(aq) \rightarrow CO_2(g) + H_2O(I)$$

$$\mathbf{C}$$
 $H^{+}(aq) + OH^{-}(aq) \rightarrow H_{2}O(I)$

D
$$Zn(s) + Cu^{2+}(aq) \rightarrow Zn^{2+}(aq) + Cu(s)$$

18 Four separate mixtures of a solution and a solid are made, as given in the table.

The mixtures are warmed.

In which mixtures does gas form?

	NaOH(aq) and NH₄C <i>l</i> (s)	NaOH(aq) and Mg(s)	H ₂ SO ₄ (aq) and NH ₄ C <i>l</i> (s)	H ₂ SO ₄ (aq) and Mg(s)	
Α	✓	×	✓	x	key
В	✓	×	×	✓	✓ = gas forms
С	x	✓	✓	×	x = no gas forms
D	X	✓	x	✓	

19 Four oxides are added separately to aqueous sodium hydroxide.

- 1 aluminium oxide
- 2 carbon dioxide
- 3 copper(II) oxide
- 4 magnesium oxide

Which oxides react with aqueous sodium hydroxide?

- A 1 and 2 only
- **B** 1, 3 and 4 only
- C 2 only
- **D** 3 and 4 only

20 Chlorine can be manufactured by the following reaction.

$$4HCl(g) + O_2(g) \rightleftharpoons 2H_2O(g) + 2Cl_2(g) \Delta H$$
 is negative

A mixture in dynamic equilibrium is formed.

Which change to the mixture will increase the amount of chlorine at equilibrium?

- A adding a catalyst
- **B** adding more HCl(g)
- C decreasing the pressure
- **D** increasing the temperature
- 21 Which is a use of sulfuric acid?
 - A as a bleach
 - **B** in the manufacture of ammonia
 - **C** in the manufacture of fertilisers
 - **D** in the manufacture of sulfur trioxide
- 22 Which statement about ammonia is correct?
 - **A** It is a colourless, odourless gas.
 - **B** It is a gas which turns damp blue litmus paper red.
 - **C** It is formed when potassium nitrate is heated with aqueous sodium hydroxide and aluminium.
 - **D** It is manufactured using vanadium(V) oxide as a catalyst.
- 23 Which property is common to calcium, potassium and sodium?
 - **A** Their atoms all have more neutrons than protons.
 - **B** Their ions all have eight electrons in their outer shell.
 - C They all sink when added to water.
 - **D** They are all deposited at the positive electrode when their molten chloride is electrolysed.

24 The table shows the solubility of some compounds of metal Q in cold water.

salt	solubility in cold water
carbonate	insoluble
chloride	soluble
sulfate	insoluble

What is metal Q?

- **A** barium
- **B** lead
- C magnesium
- **D** sodium

25 Which two statements indicate that metal *M* may have a proton number between 21 and 30?

- 1 It conducts electricity.
- 2 It does not react with water.
- 3 It forms two basic oxides with formulae MO and M_2O_3 .
- 4 It forms two coloured sulfates.
- **A** 1 and 2 **B** 1 and 4 **C** 2 and 3 **D** 3 and 4


26 An atom of which element has the same electronic configuration as the strontium ion?

- A calcium
- **B** krypton
- **C** rubidium
- **D** selenium

27 Which substance, in the given physical state, is found at the bottom of the blast furnace?

	substance	physical state
Α	calcium carbonate	solid
В	calcium silicate	liquid
С	carbon	liquid
D	iron	solid

28 Gas Z is to be separated from a mixture of gases X, Y and Z by the apparatus shown in the diagram.



For which mixture will this system work successfully?

	X	Υ	Z
Α	hydrogen	carbon dioxide	nitrogen
В	oxygen	hydrogen	carbon monoxide
С	nitrogen	oxygen	hydrogen
D	carbon dioxide	nitrogen	oxygen

- 29 Magnesium can be obtained by heating magnesium oxide with which element?
 - A carbon
 - **B** hydrogen
 - C sodium
 - **D** zinc

30 Methanol is manufactured using the following reaction.

$$CO(g) + 2H_2(g) \rightleftharpoons CH_3OH(g)$$

The usual conditions are 30 atmospheres and 300 °C.

At 400 °C the percentage of methanol in the equilibrium mixture is lower than at 300 °C.

What could be the explanation for this?

- All the molecules are gaseous.
- В The forward reaction is exothermic.
- C The reaction is slower at 400 °C.
- D There are fewer product molecules than reactant molecules.
- 31 In the electrolysis of molten aluminium oxide for the extraction of aluminium, the following three reactions take place.

1
$$Al^{3+} + 3e^- \rightarrow Al$$

$$2 20^{2-} \rightarrow O_2 + 4e^{-}$$

3 C +
$$O_2 \rightarrow CO_2$$

Which reactions take place at the positive electrode?

- A 1 only
- **B** 2 only
- C 1 and 3 only D 2 and 3 only
- 32 An alloy of copper and zinc is added to an excess of dilute hydrochloric acid. The resulting mixture is then filtered.

Which observations are correct?

	filtrate	residue
Α	colourless solution	none
В	colourless solution	red-brown
С	blue solution	grey
D	blue solution	none

33 The compounds $CO(NH_2)_2$ and NH_4NO_3 are used as fertilisers.

The proportion of nitrogen by mass in $CO(NH_2)_2$ is1..... that in NH_4NO_3 .


The proportion of nitrogen by mole in CO(NH₂)₂ is2..... that in NH₄NO₃.

Which words correctly complete gaps 1 and 2?

	1	2
Α	equal to	equal to
В	higher than	equal to
С	higher than	higher than
D	lower than	lower than

- 34 Which method will remove salt from seawater?
 - **A** chlorination
 - **B** distillation
 - **C** filtration
 - **D** use of carbon
- **35** Which organic compound requires the least oxygen for the complete combustion of one mole of the compound?
 - \mathbf{A} $\mathbf{C}_3\mathbf{H}_7\mathbf{OH}$
- **B** C₃H₇COOH
- \mathbf{C} $\mathbf{C}_3\mathbf{H}_8$
- \mathbf{D} $\mathbf{C}_4\mathbf{H}_8$
- 36 Which polymer contains only three elements?
 - A protein
 - **B** poly(ethene)
 - C poly(propene)
 - **D** starch

37 What are the reactions of compounds W, X, Y and Z?



	decolourises aqueous bromine	has a pH of less than 7	reacts with a carboxylic acid to form an ester
Α	X and Y	W, X and Y	W, X , Y and Z
В	X and Y	X and Z	X and Z
С	W and Z	W, X and Y	X and Z
D	W and Z	X and Z	W, X and Y

38 The diagram shows the partial structure of *Terylene*.

From which pair of compounds is it made?

39 Which straight chain hydrocarbon can form a polymer by addition polymerisation?

- **A** C_6H_{14}
- **B** C_7H_{14} **C** C_8H_{18}
- **D** C_9H_{20}

40 Which information is correct regarding the formation of ethanol by the process of fermentation?

	substances fermented	gas evolved during fermentation
Α	carbohydrates	carbon dioxide
В	carbohydrates	carbon monoxide
С	hydrocarbons	carbon dioxide
D	hydrocarbons	carbon monoxide

BLANK PAGE

BLANK PAGE

DATA SHEET
The Periodic Table of the Elements

Group	0	4 He Helium	20 Neon 10 At Argom	84 Krypton 36	131 Xe Xenon 54	Radon 86		Lutetium 771	Lr Lawrencium 103
	II /		19 Fluorine 9 35.5 C t Chlorine	80 Br Bromine 35	127 	At Astatine 85		173 Yb Ytterbium 70	Nobelium 102
	>		16 Oxygen 8 32 S Sulfur	Selenium	128 Te Tellurium 52	Po Polonium 84		169 Tm Thulium 69	Md Mendelevium 101
	>		14 Nitrogen 7 31 Phosphorus 15	75 AS Arsenic 33	122 Sb Antimony 51	209 Bi Bismuth		167 Er Erbium 68	Fm Fermium 100
	≥		12 Carbon 6 Si Silicon 14	73 Ge Germanium 32	119 Sn Tin 50	207 Pb Lead		165 Ho Holmium 67	ES Einsteinium 99
	≡		11 B Boron 5 27 A A Uminium	70 Ga Gallium 31	115 n Indium 49	204 T 1 Thallium		162 Dy Dysprosium 66	Cf Californium 98
				65 Zn Zinc 30	112 Cd Cadmium 48	201 Hg Mercury 80		159 Tb Terbium 65	BK Berkelium 97
				64 Cu Copper 29	108 Ag Silver 47	197 Au Gold		157 Gd Gadolinium 64	Curium 96
				59 Nickel	106 Pd Palladium 46	195 Pt Platinum 78		152 Eu Europium 63	Am Americium 95
				59 Co Cobalt	Rhodium 45	192 F		Sm Samarium 62	Pu Plutonium
		1 Hydrogen		56 Iron	Ru Ruthenium 44	190 Os Osmium 76		Pm Promethium 61	Neptunium 93
				Manganese	Tc Technetium 43	186 Re Rhenium 75		144 Nd Neodymium 60	238 U Uranium 92
				52 Cr Chromium 24	96 Mo Molybdenum 42	184 W Tungsten 74		Pr Praseodymium 59	Pa Protactinium 91
				51 Vanadium 23	93 Nbobium 141	181 Ta Tantalum 73		140 Ce Cerium	232 Th Thorium
				48 Ti Titanium	91 Zr Zirconium 40	178 Ha fnium * 72			nic mass Ibol nic) number
				Scandium 21	89 Y Yttrium 39	139 La Lanthanum 57 *	227 Ac Actinium 89	series eries	a = relative atomic mass X = atomic symbol b = proton (atomic) number
	=		Be Beryllium 4 24 Magnesium 12	40 Ca Calcium	Strontium	137 Ba Barium 56	226 Ra Radium 88	*58-71 Lanthanoid series	∞ × m
	_		7	39 Potassium	Rb Rubidium 37	Caesium 55	Fr Francium 87	*58-71 L	Key

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.