



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS  
General Certificate of Education Ordinary Level

CANDIDATE  
NAME

CENTRE  
NUMBER

--	--	--	--	--

CANDIDATE  
NUMBER

--	--	--	--



**CHEMISTRY**

**5070/22**

Paper 2 Theory

**October/November 2010**

**1 hour 30 minutes**

Candidates answer on the Question Paper.

No Additional Materials are required.

**READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

**DO NOT WRITE IN ANY BARCODES.**

**Section A**

Answer **all** questions.

Write your answers in the spaces provided in the Question Paper.

**Section B**

Answer any **three** questions.

Write your answers in the spaces provided in the Question Paper.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use	
<b>Section A</b>	
<b>B6</b>	
<b>B7</b>	
<b>B8</b>	
<b>B9</b>	
<b>Total</b>	

This document consists of **17** printed pages and **3** blank pages.



## Section A

Answer **all** the questions in this section in the spaces provided.

The total mark for this section is 45.

For  
Examiner's  
Use

**A1 (a)** Choose from the following list of metals to answer the questions below.

**aluminium**  
**iron**  
**lead**  
**magnesium**  
**potassium**  
**silver**  
**vanadium**

Each metal can be used once, more than once or not at all.

Which metal

- (i)** reacts with cold water to form an alkaline solution,  
..... [1]
- (ii)** forms a protective oxide layer on its surface,  
..... [1]
- (iii)** is the catalyst used in the industrial manufacture of ammonia,  
..... [1]
- (iv)** is a sacrificial metal used to prevent iron pipes from rusting,  
..... [1]
- (v)** is in Period 5 of the Periodic Table?  
..... [1]

**(b)** Draw a labelled diagram to show the structure of a typical metal.

[2]

[Total: 7]

**A2** Ethanol can be made both by fermentation and by the addition of steam to ethene.

For  
Examiner's  
Use

**(a) (i)** Name the organic compound required for fermentation.

..... [1]


**(ii)** State the conditions under which fermentation most readily takes place.

.....  
..... [2]

**(b)** Write an equation for the reaction between steam and ethene.

[1]

**(c)** Ethanol, C<sub>2</sub>H<sub>5</sub>OH, reacts with ethanoic acid, CH<sub>3</sub>COOH.



**(i)** Name the compound CH<sub>3</sub>COOC<sub>2</sub>H<sub>5</sub>.

..... [1]

**(ii)** What name is given to this type of chemical reaction?

..... [1]

**(d) (i)** Name the third member of the alcohol homologous series.


..... [1]

**(ii)** Draw the structural formula of this compound, showing all atoms and bonds.

[1]

[Total: 8]

- A3** A student measured the volume of hydrogen produced over time when small pieces of zinc reacted with excess sulfuric acid. The results are shown in the graph below.



- (a) Use the information from the graph to calculate the average speed of reaction in the first two minutes.

[1]

- (b) Explain why the reaction stopped after 6 minutes.

..... [1]

- (c) Copper catalyses this reaction.

- (i) On the axes above, sketch a line to show the expected results for the catalysed reaction. [1]

- (ii) Explain how a catalyst changes the speed of reaction.

..... [1]

(d) Explain, using ideas about colliding particles, what happens to the speed of this reaction when larger particles of zinc are used.

For  
Examiner's  
Use

.....  
.....  
..... [2]

(e) Explain, using ideas about colliding particles, what happens to the speed of this reaction when the temperature of the reaction mixture is increased.

.....  
.....  
..... [2]

[Total: 8]

**A4** Chlorine, bromine and iodine are non-metals in Group VII of the Periodic Table. Their molecules are diatomic.

For  
Examiner's  
Use

**(a)** What do you understand by the term *diatomic*?

..... [1]

**(b) (i)** Describe the trend in colour of the Group VII elements down the Group.


..... [1]

**(ii)** In what physical state do the following elements exist at room temperature and pressure?

bromine .....

iodine ..... [2]

**(c)** Aqueous bromine reacts with aqueous potassium iodide.



**(i)** Write an ionic equation for this reaction.

[1]

**(ii)** Describe a positive test for iodide ions.

test .....

observation ..... [2]

**(iii)** Explain why aqueous bromine does not react with aqueous potassium chloride.

.....


..... [1]

**(d)** Hydrochloric acid can be made by burning hydrogen in chlorine, then dissolving the product in water.

Give the formulae for the ions present in hydrochloric acid.

..... [1]

- (e) An aqueous solution of calcium hydroxide was titrated with  $0.0150 \text{ mol/dm}^3$  hydrochloric acid.



It required  $6.00 \text{ cm}^3$  of this aqueous hydrochloric acid to neutralise  $20.0 \text{ cm}^3$  of the calcium hydroxide solution.

Calculate the concentration, in  $\text{mol/dm}^3$ , of the calcium hydroxide solution.


For  
Examiner's  
Use

[3]


[Total: 12]

A5 Carbon and graphite are two forms of carbon.

For  
Examiner's  
Use



diamond



graphite


- (a) (i) Describe **two** differences in the structure of diamond and graphite.

.....  
 .....  
 .....  
 ..... [2]

- (ii) Explain, in terms of their structure, why graphite is soft but diamond is hard.

.....  
 .....  
 ..... [2]

- (b) Tin is extracted by heating tin(IV) oxide,  $\text{SnO}_2$ , with carbon in a furnace.



- (i) How does this equation show that tin(IV) oxide gets reduced?

.....  
 ..... [1]

- (ii) Explain why carbon monoxide must not be allowed to escape from the furnace.

..... [1]

- (c) Carbon monoxide can be formed by the reduction of carbon dioxide with red-hot carbon.

- (i) Write an equation for this reaction.

[1]




- (ii) Carbon monoxide has a triple covalent bond.  
Draw the electronic structure of carbon monoxide. Show only the outer electrons.

For  
Examiner's  
Use

[2]

- (iii) Carbon monoxide reacts with chromium to form chromium carbonyl.  
The structure of chromium carbonyl is shown below.



Write the empirical formula for chromium carbonyl.

..... [1]

[Total: 10]

**Section B**

Answer **three** questions from this section in the spaces provided.

The total mark for this section is 30.

For  
Examiner's  
Use

**B6** The carbon cycle regulates the amount of carbon dioxide in the atmosphere.

**(a)** Explain how the processes of photosynthesis and respiration help to regulate the amount of carbon dioxide in the atmosphere.

.....  
.....  
.....  
.....  
..... [3]

**(b)** Methane is an atmospheric pollutant which contributes to global warming.

**(i)** Suggest **two** possible consequences of an increase in global warming.

.....  
..... [2]

**(ii)** Write an equation for the complete combustion of methane.

[1]

**(iii)** Methane is generally unreactive. Apart from combustion, state one other chemical reaction of methane.

..... [1]

(c) Methane is a member of the alkane homologous series.

For  
Examiner's  
Use

(i) Describe how the boiling points of unbranched alkanes vary with the size of their molecules.

.....  
.....[1]


(ii) Alkanes can be cracked to form alkenes.  
State the conditions required for cracking alkanes.

.....  
.....[2]

[Total: 10]

**B7** Zinc chloride is an ionic solid. It can be electrolysed using the apparatus shown below.

For  
Examiner's  
Use



**(a)** Explain why zinc chloride conducts electricity when molten, but not when solid.

.....  
 ..... [2]

**(b)** Predict the products of this electrolysis at

the anode, .....  
 the cathode. .... [1]


**(c)** When a dilute aqueous solution of zinc chloride is electrolysed, hydroxide ions are converted to oxygen at the anode. Write the ionic equation for this reaction.

[2]

**(d)** Describe a positive test for zinc ions.

test .....  
 observations .....  
 ..... [3]

- (e) Solid zinc chloride absorbs ammonia to form tetrammine zinc chloride,  $\text{Zn}(\text{NH}_3)_4\text{Cl}_2$ .



Calculate the maximum yield, in grams, of tetrammine zinc chloride formed when 3.4 g of zinc chloride reacts with excess ammonia.

For  
Examiner's  
Use

[2]

[Total:10]

**B8** Magnesium is a reactive metal.

For  
Examiner's  
Use

- (a) (i)** Name the products formed when magnesium reacts with steam.

..... [1]

- (ii)** Write the equation for the reaction of magnesium with ethanoic acid,  $\text{CH}_3\text{COOH}$ .

[2]

- (b)** Magnesium chloride is a soluble salt.  
Describe how you can make pure dry crystals of magnesium chloride from magnesium carbonate.

.....  
.....  
.....  
.....  
..... [3]


- (c)** The equation shows the reaction which occurs when magnesium carbonate is heated.



State the name given to this type of chemical reaction.

..... [1]

- (d) A student compared the action of heat on three solid metal carbonates. She heated each carbonate using the apparatus shown below. In each case, she recorded the length of time taken for the limewater to turn milky.



- (i) State one factor that must be kept constant if the speeds of reaction are to be compared in a fair way.

..... [1]

- (ii) The time taken for the limewater to turn milky for each metal carbonate is shown in the table.

metal carbonate	time taken for the limewater to turn milky / s
copper carbonate	10
magnesium carbonate	40
zinc carbonate	24

Describe and explain these results in terms of the reactivity of the metals.

.....  
 .....  
 ..... [2]

[Total: 10]

**B9** Sulfur dioxide is a gas which contributes to acid rain.

For  
Examiner's  
Use

- (a) (i) State one source of sulfur dioxide in the atmosphere.

.....[1]

- (ii) Acid rain can cause lakes to become acidic. This may cause fish and plants in the water to die.

Describe one **other** environmental problem caused by acid rain.

.....[1]

- (b) Acid rain is a solution of dilute sulfuric acid.

The acidity in lakes can be neutralised by adding powdered calcium carbonate.

- (i) Write an equation, including state symbols, for the reaction of calcium carbonate with sulfuric acid.

[2]

- (ii) State one industrial use of sulfuric acid.

.....[1]

- (iii) Sulfuric acid is a strong acid.

What do you understand by the term *strong acid*?


.....  
.....[1]

- (c) Sulfuric acid is manufactured by the Contact process.

Name the raw materials used in the first stage of the Contact process.

.....[1]

- (d) The equation shows the second stage of the Contact process.



- (i) State the meaning of the symbol  $\Delta H$ .

.....[1]

- (ii) Predict and explain the effect of increasing the temperature on the position of equilibrium in this reaction.

.....  
.....  
.....[2]

[Total: 10]







**BLANK PAGE**

---

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

**DATA SHEET**  
**The Periodic Table of the Elements**

		Group																																				
		I	II	III	IV	V	VI	VII	0																													
		1 <b>H</b> Hydrogen 1										2 <b>He</b> Helium 2																										
7 <b>Li</b> Lithium 3	9 <b>Be</b> Beryllium 4											20 <b>Ne</b> Neon 10																										
23 <b>Na</b> Sodium 11	24 <b>Mg</b> Magnesium 12											35.5 <b>Cl</b> Chlorine 17																										
39 <b>K</b> Potassium 19	40 <b>Ca</b> Calcium 20	45 <b>Sc</b> Scandium 21	48 <b>Ti</b> Titanium 22	51 <b>V</b> Vanadium 23	52 <b>Cr</b> Chromium 24	55 <b>Mn</b> Manganese 25	56 <b>Fe</b> Iron 26	59 <b>Co</b> Cobalt 27	59 <b>Ni</b> Nickel 28	64 <b>Cu</b> Copper 29	65 <b>Zn</b> Zinc 30	73 <b>Ge</b> Germanium 32	75 <b>As</b> Arsenic 33	79 <b>Se</b> Selenium 34	80 <b>Br</b> Bromine 35	84 <b>Kr</b> Krypton 36																						
85 <b>Rb</b> Rubidium 37	88 <b>Sr</b> Strontium 38	89 <b>Y</b> Yttrium 39	91 <b>Zr</b> Zirconium 40	93 <b>Nb</b> Niobium 41	96 <b>Mo</b> Molybdenum 42	101 <b>Ru</b> Ruthenium 44	101 <b>Rh</b> Rhodium 45	103 <b>Rh</b> Rhodium 45	106 <b>Pd</b> Palladium 46	108 <b>Ag</b> Silver 47	112 <b>Cd</b> Cadmium 48	115 <b>In</b> Indium 49	119 <b>Sn</b> Tin 50	122 <b>Sb</b> Antimony 51	127 <b>I</b> Iodine 53	131 <b>Xe</b> Xenon 54																						
133 <b>Cs</b> Caesium 55	137 <b>Ba</b> Barium 56	139 <b>La</b> Lanthanum 57	178 <b>Hf</b> Hafnium 72	181 <b>Ta</b> Tantalum 73	184 <b>W</b> Tungsten 74	190 <b>Os</b> Osmium 76	192 <b>Ir</b> Iridium 77	195 <b>Pt</b> Platinum 78	197 <b>Au</b> Gold 79	201 <b>Hg</b> Mercury 80	204 <b>Tl</b> Thallium 81	207 <b>Pb</b> Lead 82	209 <b>Bi</b> Bismuth 83	210 <b>Po</b> Polonium 84	222 <b>Rn</b> Radon 86																							
223 <b>Fr</b> Francium 87	226 <b>Ra</b> Radium 88	227 <b>Ac</b> Actinium 89										260 <b>Lr</b> Lawrencium 103																										
		* 58–71 Lanthanoid series										175 <b>Lu</b> Lutetium 71																										
		† 90–103 Actinoid series										260 <b>Lr</b> Lawrencium 103																										
		<div style="display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; padding: 2px; margin-right: 5px;">a</div> <div style="margin-right: 5px;">X</div> <div style="border: 1px solid black; padding: 2px; margin-left: 5px;">b</div> </div> <p style="text-align: center;">Key</p> <p style="text-align: center;">a = relative atomic mass X = atomic symbol b = atomic (proton) number</p>										173 <b>Yb</b> Ytterbium 70	169 <b>Tm</b> Thulium 69	167 <b>Er</b> Erbium 68	165 <b>Ho</b> Holmium 67	162 <b>Dy</b> Dysprosium 66	159 <b>Tb</b> Terbium 65	157 <b>Gd</b> Gadolinium 64	152 <b>Eu</b> Europium 63	150 <b>Sm</b> Samarium 62	147 <b>Pm</b> Promethium 61	144 <b>Nd</b> Neodymium 60	141 <b>Pr</b> Praseodymium 59	140 <b>Ce</b> Cerium 58	232 <b>Th</b> Thorium 90	231 <b>Pa</b> Protactinium 91	238 <b>U</b> Uranium 92	237 <b>Np</b> Neptunium 93	244 <b>Pu</b> Plutonium 94	247 <b>Am</b> Americium 95	247 <b>Cm</b> Curium 96	247 <b>Bk</b> Berkelium 97	251 <b>Cf</b> Californium 98	252 <b>Es</b> Einsteinium 99	257 <b>Fm</b> Fermium 100	258 <b>Md</b> Mendelevium 101	259 <b>No</b> Nobelium 102	260 <b>Lr</b> Lawrencium 103

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).