## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS GCE Ordinary Level

# MARK SCHEME for the October/November 2009 question paper for the guidance of teachers

### **5126 SCIENCE (CHEMISTRY AND BIOLOGY)**

5126/04 Paper 4 (Theory (Biology)), maximum raw mark 65

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – October/November 2009	5126	04

#### Section A

1	(a)	(i)	Any two from: no chloroplasts; no cell wall; no large / central vacuole; cilia present;	[max. 2]
		(ii)	control passage of substances into; and out of cell;	[2]
	(b)	(i)	root hair cell	[1]
		(ii)	elongated part / hair; gives large surface area; for rapid absorption of water;	[3]
				[Total: 8]
2	(a)	(i)	passage of water; from region of high water concentration to region of low water concentration / down a water concentration gradient; through a partially permeable membrane;	[3]
		(ii)	when water concentration of cell sap lower than epidermal cells; water passes by osmosis into guard cells making them swell and open stoma;	[2]
	(b)	(i)	carbon dioxide + water $\rightarrow$ glucose + oxygen; (accept <u>correct</u> symbol equation $6CO_2 + 6H_2O \rightarrow C_6H_{12}O_6 + 6O_2$ )	[1]
		(ii)	carbon dioxide enters through stomata; by diffusion (from air);	[2]
		(iii)	water is lost through stomata; oxygen is lost through stomata;	[2]
				[Total: 10]
3	(a)	(i)	points correctly plotted +/- one small square (one mark lost for each error);;	[2]
		(ii)	straight line drawn within +/- one small square of each point;	[1]
	(b)	rea	d +/- one small square from graph (expect 174);	[1]
	(c)	(i)	by haemoglobin; in red blood cells;	[2]
		(ii)	glucose + oxygen → carbon dioxide + water;	[1]

	Page 3		3	Mark Scheme: Teachers' version	Syllabus	Paper
				GCE O LEVEL – October/November 2009	5126	04
	(iii) at higher speed muscles are used more / more active / contract more free respiration rate increases so more oxygen / oxygenated blood needed; heart rate increases to supply more oxygen / oxygenated blood			ood needed;	iently;	
						[Total: 10]
4	(a)			of toxic materials; te products of metabolism (from an organism);		[2]
	(b)	(i)		er; urea; ause concentration higher in urine than plasma;		[3]
		(ii)		no acids broken down to urea; e liver;		[2]
	(c)	(i)	carb	on dioxide;		[1]
		(ii)	one	surface area; cell thick; st surface;		[3]
						[Total: 11]
5	(a)	(i)		at night / minimum at about 05.00; in day / maximum at about 14.00;		[2]
		(ii)		osynthesis requires energy from sunlight; occurs in daylight / maximum when light brightest;		[2]
	(b)	(i)	suga	ar concentration in stem increases after that in leaves;		[1]
		(ii)	in ph	nloem;		[1]

[Total: 6]

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – October/November 2009	5126	04

#### **Section B**

**6 (a)** *differences*: sexual requires two parents, asexual only one;

sexual involves male and female gametes, asexual does not;

sexual produces genetically different offspring, asexual identical; [max 2]

advantages: sexual allows variation;

asexual allows more rapid growth of population / asexual can occur easily in a widely dispersed population; [2]

(b)

	R	r
r	Rr red	rr blue
r	Rr red	rr blue

any appropriate style of diagram showing alleles in gametes of parents;

two **Rr** offspring;

two rr offspring;

Rr identified as red;

rr identified as blue;

50 red and 50 blue;

(allow ecf at all stages)

- -

[6]

[Total: 10]

#### 7 (a) Any six from:

set up container with starch solution;

one container for each pH value;

add amylase and start timer;

remove samples at time intervals and test with iodine;

note time when no longer blue;

keep concentration and volumes of starch and amylase the same;

carry out at same temperature each time;

(allow valid alternative methods)

[6]

[4]

#### (b) soluble products of digestion;

pass through wall of small intestine/capillary wall;

into the blood (capillaries);

undigested food molecules too large to pass through / only digested food molecules small enough to pass through;

[Total: 10]

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – October/November 2009	5126	04

#### 8 (a) Any seven from:

bacterial feed on sewage in river / sewage causes bacteria to increase in number; oxygen is used up;

fish / aerobic aquatic organisms die;

sulfur dioxide dissolves to form acid rain;

which kills trees / kills fish in lakes / erodes statues / damages buildings;

insecticide washed into rivers / blown over land;

insecticide accumulates up food chain / trophic levels;

poisons fish / toxic to humans / kills useful insects;

[7]

#### (b) paper is made from trees;

the more paper recycled the fewer trees need to be cut down; more trees means more carbon dioxide removed from the air / less greenhouse effect / less global warming;

[3]

[Total: 10]