Name

# CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

**SCIENCE** 

5124/03, 5126/03

Paper 3 Chemistry

May/June 2003

1 hour 15 minutes

Additional Materials: Answer paper.

### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

#### Section A

Answer all questions.

Write your answers in the spaces provided on the question paper.

#### **Section B**

Answer any two questions.

Write your answers on the lined paper provided and, if necessary, continue on separate answer paper.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

A copy of the Periodic Table is printed on page 12.

If you have been given a label, look at the details. If any details are incorrect or missing, please fill in your correct details in the space given at the top of this page.

Stick your personal label here, if provided.

For Exam	iner's Use
Section A	
Section B	
TOTAL	

This document consists of 9 printed pages and 3 lined pages.

### **Section A**

## Answer **all** the questions.

Write your answers in the spaces provided on the question paper.

## 1 Complete the table in Fig. 1.1

substance	symbol or formula	one use of the substance
aluminium		
ethanol		
haematite	Fe <sub>2</sub> O <sub>3</sub>	
helium	He	

[6]

Fig. 1.1

### 2 Read the information about A, B, C and D.

### Solid A

**A** has a constant composition and decomposes into two elements when heated.

### Solid B

**B** is coloured grey and attracted to a magnet. It cannot be decomposed into anything simpler.

#### Solid C

**C** is speckled black and white. The white particles dissolve in water but the black particles do not.

### Solid **D**

**D** is black. It is formed by strongly heating copper in oxygen.

Complete Fig. 2.1 by placing a tick (✔) in **one** box in each line.

substance	element	compound	mixture
Α			
В			
С			
D			


[4]

Fig. 2.1

3

<b>(a) E</b> is	is a hydrocarbon with the formula $C_2H_6$ . <b>F</b> is a hydrocarbon with the formula $C_2H_4$ .
(i)	Give the full structural formula of <b>E</b> and of <b>F</b> .
(ii)	How would you distinguish in the laboratory between <b>E</b> and <b>F</b> ?
	chemical test
	result with <b>E</b>
	result with <b>F</b>
(iii)	Calculate the relative molecular mass of <b>E</b> .
	[Relative atomic masses A <sub>r</sub> : H, 1; C, 12]
	[5]
(b) (i)	Explain why <b>F</b> can be polymerised but <b>E</b> cannot.
(ii)	Give the chemical structure of the polymer formed from <b>F</b> .
(iii)	Explain why pollution is caused by
	1. dumping polymers,
	2. burning polymers.
	[4]

**4** Fig. 4.1 describes some properties of gas **H** and its industrial preparation. The letters are not the chemical symbols of the substances.






Fig. 4.1

- (a) Name
  (i) gas, H,
  (ii) colourless solution, I,
  (iii) colourless gas, J.
  (b) Give
  (i) the temperature, X,
  (ii) the pressure, Y.
  [2]
- 5 Fig. 5.1 shows properties of four compounds K, L, M and N.

compound	state at 20°C	approximate boiling point /°C	electrical conductivity of molten compound
K	gas	-25	poor conductor
L	solid	5000	poor conductor
М	solid	1500	good conductor
N	liquid	25	poor conductor

Fig. 5.1

(a)		ticles of solids behave differently from particles of gases.  e three differences in behaviour.
	1	
	2	
	3	[3]
(b)	Wri	te the letters of <b>two</b> compounds in Fig. 5.1 that
	(i)	are gases at a temperature of 30 °C,
		and
	(ii)	consist of simple molecules.
		and[2]
(c)	(i)	Suggest how the atoms are bonded in compound ${\bf M}$ and compound ${\bf N}$ .
		M
		<b>N</b> [2]
	(ii)	Suggest why compound <b>M</b> has a higher boiling point than compound <b>N</b> .
		[3]
(a)		oper(II) sulphate solution acts as a catalyst in the reaction of zinc and dilute shuric acid. A gas is produced by the reaction.
	(i)	What gas is produced?
	(ii)	What is meant by a catalyst?
	(iii)	How will the presence of a catalyst affect the time it takes for the reaction to stop?
	(iv)	Give a reason for your answer to <b>a(iii)</b> above.
		[5]

6

[2]

**(b)** The apparatus in Fig. 6.1 is used to investigate how changes in temperature affect the activity of the catalyst in the above reaction.




Fig. 6.1

Complete Fig. 6.1 to show how to

- (i) add a solution of the catalyst to the flask,
- (ii) collect the gas being produced and measure its volume.
- (c) Why is a water bath needed?

[1]
-----

(d) List three measurements you would take.



### **Section B**

Answer any **two** questions.

Write your answers on the lined pages provided and, if necessary, continue on separate answer paper.

- 7 Caesium, lithium, potassium and sodium are all in Group I of the Periodic Table.
  - (a) Place these metals in order of reactivity with water, most reactive metal first. [1]
  - **(b)** Name the chemical products of the reactions between lithium and water and between sodium and water. [3]
  - (c) (i) What would you expect to **see** if small pieces of caesium were dropped onto water? How would the pH of the resulting solution be different from the pH of water?
    - (ii) Write the full chemical equation for the reaction of caesium with water. Include state symbols. [6]
- 8 Magnesium has a proton number of 12 and chlorine has a proton number of 17.
  - (a) Explain how and why a magnesium atom forms a magnesium ion and give the symbol for this ion. [6]
  - **(b)** Draw the electronic structure of the compound that results from magnesium combining with chlorine. All electron shells must be shown. [4]

- 9 (a) Lime is an alkaline substance. Give two uses of lime that depend on this property. One of the uses must be in farming.[2]
  - **(b)** Fig. 9.1 shows some of the properties of a calcium compound, **O**. The letters are not the chemical symbols of the substances.




Fig. 9.1

- (i) Suggest the identity of O, P, Q and R.
- (ii) Name an acid that could be used to liberate gas Q from solid O.
- (iii) Write an equation, including state symbols, for any one of the reactions shown in Fig. 9.1. [8]

 •
•
 •
 •
•
•
•
•
 -

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

1	2

-
---

	0	4 <b>He</b> Helium	20 Neon 10 At Argon	84 <b>Kr</b> ypton 36	131 <b>Xe</b> Xenon Xenon 54	Radon 86		175 <b>Lu</b> Lutetium 71	<b>Lr</b> Lawrencium 103
Group			19 Fluorine 9 35.5 <b>C1</b> Chlorine	80 <b>Br</b> Bromine 35	127 <b>I</b> lodine 53	At Astatine 85		Yb Ytterbium 70	Nobelium
	<b> </b>		16 Oxygen 8 32 S Sulphur	79 Selenium 34	128 <b>Te</b> Tellurium 52	<b>Po</b> Polonium 84		169 <b>Tm</b> Thulium 69	Md Mendelevium 101
	>		14 Nitrogen 7 31 Phosphorus 15	75 <b>AS</b> Arsenic 33	122 <b>Sb</b> Antimony 51	209 <b>Bi</b> Bismuth 83		167 <b>Er</b> Erbium 68	Fm Fermium
	≥		12 Carbon 6 Silicon 14	73 <b>Ge</b> Germanium 32	119 <b>Sn</b> Tin	207 <b>Pb</b> Lead 82		165 <b>Ho</b> Holmium 67	<b>ES</b> Einsteinium 99
	=		11  B Boron 5  27  All Aluminium 13	70 <b>Ga</b> Gallium 31	115 <b>In</b> Indium 49	204 <b>T1</b> Thallium		162 <b>Dy</b> Dysprosium 66	Californium
				65 <b>Zn</b> Zinc 30	112 <b>Cd</b> Cadmium 48	201 <b>Hg</b> Mercury		159 <b>Tb</b> Terbium 65	<b>BK</b> Berkelium 97
				64 Copper 29	108 <b>Ag</b> Silver 47	197 <b>Au</b> Gold		157 <b>Gd</b> Gadolinium 64	Curium 96
	250			59 <b>X</b> Nickel 28	106 <b>Pd</b> Palladium 46	195 <b>Pt</b> Platinum 78		152 <b>Eu</b> Europium 63	Am Americium 95
מווג ו מווג	5			59 <b>Co</b> Cobalt 27	103 <b>Rh</b> Rhodium 45	192 <b>Ir</b> Iridium		150 <b>Sm</b> Samarium 62	<b>Pu</b> Plutonium 94
		T Hydrogen		56 <b>Fe</b> Iron	Ru Ruthenium 44	190 <b>OS</b> Osmium 76		Pm Promethium 61	Neptunium
				Manganese	Tc Technetium 43	186 <b>Re</b> Rhenium 75		144  Nd Neodymium 60	238 <b>C</b> Uranium
				52 <b>Cr</b> Chromium 24	96 <b>Mo</b> Molybdenum 42	184 <b>W</b> Tungsten 74		141 <b>Pr</b> Praseodymium 59	Pa Protactinium 91
				51 V Vanadium 23	Niobium 41	181 <b>Ta</b> Tantalum		140 <b>Ce</b> Cerium 58	232 <b>Th</b> Thorium
				48 <b>Ti</b> Titanium 22	2 Z Z Zirconium 40	178 <b>#</b> Hafhium 72			nic mass bol nic) number
				Scandium 21	89 <b>Y</b> Yttrium 39	139 <b>La</b> Lanthanum 57 *	227 <b>Ac</b> Actinium 89	l series series	<ul> <li>a = relative atomic mass</li> <li>X = atomic symbol</li> <li>b = proton (atomic) number</li> </ul>
	=		Beryllium 4 Beryllium 4 24 Mgg Magnesium 12	40 <b>Cal</b> Calcium 20	Sr Strontium	137 <b>Ba</b> Barium 56	226 <b>Ra</b> Radium 88	*58-71 Lanthanoid series †90-103 Actinoid series	e × a
	_		7 Lithium 3 23 Na Sodium 11	39 K	Rubidium 37	133 <b>CS</b> Caesium 55	<b>Fr</b> Francium 87	*58-71 L †90-103	Key