

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

0653/12 **COMBINED SCIENCE** 

May/June 2013 Paper 1 Multiple Choice

45 minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

## **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO NOT WRITE IN ANY BARCODES.

There are forty questions on this paper. Answer all questions. For each question there are four possible answers A, B, C and D.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

## Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.



- 1 Which substance can enter a plant cell by diffusion?
  - A carbon dioxide
  - **B** cellulose
  - **C** protein
  - **D** starch
- 2 Which comparison between a typical plant cell and a typical animal cell is correct?

|   | feature                       | plant cell                | animal cell           |  |  |
|---|-------------------------------|---------------------------|-----------------------|--|--|
| Α | cell activities controlled by | nucleus and cell membrane | nucleus and cell wall |  |  |
| В | location of chlorophyll       | chloroplasts              | cytoplasm             |  |  |
| С | location of DNA               | cytoplasm                 | nucleus               |  |  |
| D | starch grains                 | present                   | absent                |  |  |

**3** A test-tube contains a solution of an enzyme.

Which colour is obtained when the biuret test is carried out on this solution?

- A blue
- **B** blue-black
- **C** orange
- **D** purple
- 4 Which two chemical substances are required for photosynthesis?
  - A carbon dioxide and glucose
  - **B** glucose and oxygen
  - **C** oxygen and water
  - D water and carbon dioxide
- **5** What is a function of the small intestine?
  - A It allows food to be stored.
  - **B** It cuts food into small pieces.
  - **C** It provides a large surface area for absorption.
  - **D** It provides space for the storage of faeces.

- 6 Which substance makes up a higher percentage of expired air compared to inspired air?
  - A carbon dioxide
  - **B** nitrogen
  - C noble gases
  - **D** oxygen
- 7 What is the function of the valves in the heart?
  - **A** to prevent blood from flowing backwards
  - **B** to pump blood through the heart
  - **C** to separate blood cells from plasma
  - **D** to separate oxygenated and deoxygenated blood
- 8 What are the functions of phloem?

|   | provides<br>support | transports<br>mineral ions | transports<br>sugars |  |  |  |
|---|---------------------|----------------------------|----------------------|--|--|--|
| Α | ✓                   | ✓                          | X                    |  |  |  |
| В | ✓                   | X                          | ✓                    |  |  |  |
| С | X                   | ✓                          | X                    |  |  |  |
| D | X                   | X                          | ✓                    |  |  |  |


key

√ = function of phloem

**x** = not a function of phloem


**9** The diagram shows a section through a flower.

Which part receives pollen during pollination?



**10** The diagram shows a section through the female reproductive system.

Where is the fertilised egg implanted?



- 11 What describes sexual reproduction?
  - A Diploid gametes form a haploid zygote, offspring genetically dissimilar to parents.
  - **B** Diploid gametes form a haploid zygote, offspring genetically similar to parents.
  - **C** Haploid gametes form a diploid zygote, offspring genetically dissimilar to parents.
  - **D** Haploid gametes form a diploid zygote, offspring genetically similar to parents.
- **12** Which chemical is a building block for making proteins?
  - A amino acid
  - B fatty acid
  - C glucose
  - **D** glycerol

13 The diagram shows a calendar for February and March with four of the weeks shaded.


|   | Fe | brua | ary |    |    |    |    |    |
|---|----|------|-----|----|----|----|----|----|
|   | 7  | 14   | 21  | 28 | 7  | 14 | 21 | 28 |
| 1 | 8  | 15   | 22  | 1  | 8  | 15 | 22 | 29 |
| 2 | 9  | 16   | 23  | 2  | 9  | 16 | 23 | 30 |
| 3 | 10 | 17   | 24  | 3  | 10 | 17 | 24 | 31 |
| 4 | 11 | 18   | 25  | 4  | 11 | 18 | 25 |    |
| 5 | 12 | 19   | 26  | 5  | 12 | 19 | 26 |    |
| 6 | 13 | 20   | 27  | 6  | 13 | 20 | 27 |    |

Menstruation for a woman starts on February 14th.

During which shaded week will the lining of the uterus be at its thickest and be rich in blood vessels?


- A February 7th February 13th
- **B** February 14th February 20th
- C February 21st February 27th
- **D** February 28th March 6th
- **14** Aqueous copper(II) sulfate consists of copper(II) sulfate dissolved in water.

Which apparatus could **not** be used to remove water from this solution?



**15** A solid X is placed in the circuit shown.

The lamp lights.



What is X?

- A an alloy
- B a compound
- C an electrolyte
- **D** a salt
- **16** The reaction of zinc and sulfur to form zinc sulfide is exothermic.

Which information in the table is correct?


|   | elements in zinc sulfide | energy change<br>during the formation of<br>zinc sulfide |
|---|--------------------------|--|
| Α | difficult to separate    | heat given out   |
| В | difficult to separate    | heat taken in  |
| С | easy to separate         | heat given out   |
| D | easy to separate         | heat taken in  |

17 A student carries out experiments with zinc and dilute hydrochloric acid.

Which change in conditions makes the reaction slower?

- A adding a suitable catalyst
- B increasing the concentration of the acid
- C increasing the particle size of the zinc
- **D** increasing the temperature

**18** The diagram shows an experiment on the rusting of iron.



The flask is filled with gas P. The taps are closed and the apparatus is left for a week.

The experiment is repeated with four different gases.

What happens to the oil level at X?

|   | gas P         | oil level at X |
|---|---------------|----------------|
| Α | damp nitrogen | rises          |
| В | damp oxygen   | falls          |
| С | dry nitrogen  | falls          |
| D | dry oxygen    | rises          |

**19** Copper(II) sulfate is prepared by reacting copper(II) oxide with dilute sulfuric acid.

$$CuO(s) + H_2SO_4(aq) \rightarrow CuSO_4(aq) + H_2O(I)$$


Which statement is correct?


- **A** Excess copper(II) oxide is used because it can be easily removed by filtration.
- **B** Excess copper(II) oxide is used because it can be easily removed by reacting with more sulfuric acid.
- **C** Excess sulfuric acid is used because it can be easily removed by evaporation.
- **D** Excess sulfuric acid is used because unreacted copper(II) oxide would contaminate the product.

20 The diagrams show two techniques used in school chemistry laboratories for separating mixtures.

1


2





Which technique can also be used to purify a domestic water supply?


- **A** 1 and 2
- **B** 1 only
- C 2 only
- **D** neither 1 nor 2
- 21 The diagram shows the particles in a mixture of gases.



Which statement is **not** correct?

- A There are two different types of atom in the box.
- **B** There are three different compounds in the box.
- **C** There are three different types of molecule in the box.
- **D** There are six molecules in the box.

**22** The diagram shows the electronic structure of an atom of element X.




In which group of the Periodic Table is X, and how many protons does its atom contain?

|   | group number | number of protons |
|---|--------------|-------------------|
| Α | 3            | 15                |
| В | 3            | 16                |
| С | 5            | 15                |
| D | 5            | 16                |

23 The diagram shows the apparatus used for the electrolysis of lead(II) bromide using inert electrodes X and Y.

Lead is formed at electrode Y.



Which statement about the electrolysis is correct?

- A A green gas is given off at electrode X.
- **B** Electrode Y is the anode.
- **C** Only a physical change takes place when the current is switched on.
- **D** The electrolyte is in the molten state.

24 P, Q, R and S are four gases found in air.

P is very unreactive.

Q makes up 21% of the air.

R makes up 78% of the air.

S is formed when fossil fuels are burned.

Which row is correct?

|   | Р              | Q        | R        | S              |
|---|----------------|----------|----------|----------------|
| Α | argon          | nitrogen | oxygen   | carbon dioxide |
| В | argon          | oxygen   | nitrogen | carbon dioxide |
| С | carbon dioxide | oxygen   | nitrogen | argon          |
| D | carbon dioxide | nitrogen | oxygen   | argon          |

25 Which chemical test shows the presence of water?

- **A** Water has a boiling point of 100 °C.
- **B** Water has a freezing point of 0 °C.
- **C** Water turns anhydrous cobalt chloride from blue to pink.
- **D** Water turns anhydrous copper sulfate from blue to white.

26 Which statements about the complete combustion of methane are correct?


- 1 The reaction is endothermic.
- 2 Carbon dioxide is formed.
- 3 Water is formed.
- **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only

27 Which method is used to extract copper from copper(II) oxide?

- A dissolving copper(II) oxide with hydrochloric acid and then filtering
- **B** dissolving copper(II) oxide in water and then filtering
- **C** heating the copper(II) oxide
- **D** heating the copper(II) oxide mixed with carbon

28 Diagram 1 shows a small rock moving through space. There are no forces acting on the rock.


A force is now applied to the rock. Diagram 2 shows the direction of the force.



What is the effect, if any, of this force on the motion of the rock?

|   | speed of body | direction of motion of body |
|---|---------------|-----------------------------|
| Α | changes       | changes                     |
| В | changes       | no effect                   |
| С | no effect     | changes                     |
| D | no effect     | no effect                   |

29 A car driver sets out from home to travel to Cambridge. After one hour he is 40 km from home. He discovers that he must return home to collect his briefcase. This journey also takes him one hour. He sets off again immediately. He reaches Cambridge, 100 km from home, 2 hours later.



What is the average speed for the whole of his journey from leaving home the first time?


- **A** 25 km/h
- **B** 45 km/h
- **C** 50 km/h
- **D** 90 km/h
- 30 As part of a festival, a wooden wheel is set on fire. The burning wheel rolls down a hill.

What is one energy conversion that occurs as the wheel burns and rolls down the hill?

- A gravitational to kinetic
- B heat to chemical
- C kinetic to chemical
- **D** light to gravitational

- 31 When sweat evaporates, which change of state takes place?
  - A gas to liquid
  - B liquid to gas
  - C liquid to solid
  - **D** solid to gas
- 32 A block of ice is supplied with heat at a constant rate. Eventually, the melted ice boils.

The graph shows how the temperature changes with time.




How long does it take to melt all the ice?

- A 4 minutes
- **B** 7 minutes
- C 11 minutes
- **D** 13 minutes
- 33 On a summer's day, hot air rises above hot roofs.

What is the name of this process?


- **A** concentration
- **B** condensation
- **C** conduction
- **D** convection

34 A student measures the distance a cork moves up and down on a wave in a tank of water.



Which quantity can she obtain from this measurement?

- A amplitude
- **B** frequency
- C speed
- **D** wavelength
- 35 Which labelled ray shows the path of the ray of light after it has passed through the glass block?



**36** The diagram shows part of the electromagnetic spectrum.

| gamma rays | Р | ultra violet waves | Q | infrared waves |  |
|------------|---|--------------------|---|----------------|--|
|------------|---|--------------------|---|----------------|--|


Which line in the table shows the missing types of radiation at P and at Q?

|   | at P       | at Q          |
|---|------------|---------------|
| Α | microwaves | radio waves   |
| В | microwaves | visible light |
| С | X-rays     | radio waves   |
| D | X-rays     | visible light |

**37** An electronic circuit in a fire alarm makes a loudspeaker vibrate alternately at two different frequencies.

Which pair of frequencies is suitable to use in the alarm to alert people to the danger of fire?

- **A** 1.5 Hz and 15 Hz
- **B** 15 Hz and 150 000 Hz
- C 150 Hz and 15 000 Hz
- **D** 150 000 Hz and 15 000 000 Hz
- **38** A variable power supply is connected to a resistor and there is a current in the resistor.



The potential difference across the resistor is increased.

The temperature of the resistor does not change.

What happens to the current in the resistor and what happens to the resistance of the resistor?

|   | current   | resistance     |
|---|-----------|----------------|
| Α | decreases | increases      |
| В | decreases | stays the same |
| С | increases | decreases      |
| D | increases | stays the same |


**39** The circuit shows a mains supply connected to a heater.



Between which labelled points should a fuse be connected in the circuit?

- A between P and Q
- B between Q and R
- C between R and S
- **D** between S and P

**40** Four ammeters V, W, X and Y are connected in the circuit shown.



Which ammeters have the same reading as each other?

- A V and W only
- **B** V and Y only
- **C** X and Y only
- **D** V, W, X and Y

DATA SHEET
The Periodic Table of the Elements

|       | 0           | 4 <b>He</b> Helium | Neon Neon 40           | Argon           | 8<br>7          | Krypton<br>36   | 131 | Xe          | Xenon<br>54      |     | Ru  | Radon<br>86       |               | 175 | Lu<br>Lutetium<br>71                              |                          | בֿ                | Lawrencium<br>103          |
|-------|-------------|--------------------|------------------------|-----------------|-----------------|-----------------|-----|-------------|------------------|-----|-----|-------------------|---------------|-----|---|--------------------------|-------------------|----------------------------|
|       | IIΛ         |                    | 19 Fluorine 9 35.5     |                 | ® <b>&amp;</b>  | Bromine<br>35   | 127 | _           | lodine<br>53     |     | ¥   | Astatine<br>85    |               | 173 | Yb<br>Ytterbium<br>70                             |                          |                   | Nobelium<br>102            |
|       |             |                    | Oxygen 8               |                 | Se 3            | Selenium<br>34  | 128 | <u>e</u>    | Tellurium<br>52  |     |     | Polonium<br>84    |               | 169 | Tm<br>Thulium                                     |                          |                   | Mendelevium<br>101         |
|       | >           |                    | 7 Nitrogen 7 31        | suus            | 75<br><b>As</b> | Arsenic<br>33   | 122 | Sp          | Antimony<br>51   | 209 | ö   | Bismuth<br>83     |               | 167 | Erbium 68   |                          |                   | Fermium<br>100             |
|       | <u>&gt;</u> |                    | Carbon 6               | _               | ۶<br>G          | Germanium<br>32 |     | Sn          |                  | 207 | Ър  | Lead<br>82        |               | 165 | Holmium<br>67                                     |                          |                   | Einsteinium<br>99          |
|       | ≡           |                    | 11 Boron 5 A 1         | Aluminium<br>13 | e B             | Gallium<br>31   | 115 | _           | Indium<br>49     | 204 | 11  | Thallium<br>81    |               | 162 | Dy<br>Dysprosium<br>66                            |                          |                   | Californium<br>98          |
|       |             |                    |                        |                 | es<br>Zn        | Zinc<br>30      | 112 | ဦ           | Cadmium<br>48    | 201 | Нg  | Mercury<br>80     |               | 159 | <b>Tb</b> Terbium 65                              |                          | B¥                | Berkelium<br>97            |
|       |             |                    |                        |                 | <sup>62</sup>   | Copper<br>29    | 108 | Ag          |                  | 197 | Αn  | Gold<br>79        |               | 157 | <b>Gd</b> Gadolinium 64                           |                          |                   | Curium<br>96               |
| Group |             |                    |                        |                 | 6 <b>Έ</b>      | Nickel<br>28    | 106 | Pd          | Palladium<br>46  | 195 | Ŧ   | Platinum<br>78    |               | 152 | <b>Eu</b><br>Europium<br>63                       |                          | Am                | Americium<br>95            |
| ອັ    |             |                    |                        |                 | <sub>0</sub> 0  | Cobalt<br>27    | 103 | R           | Rhodium<br>45    | 192 | _   | Iridium<br>77     |               | 150 | Samarium<br>62                                    |                          | Pu                | Plutonium<br>94            |
|       |             | T Hydrogen         |                        |                 | 56<br><b>Fe</b> | Iron<br>26      | 101 | Ru          | Ruthenium<br>44  | 190 | SO. | Osmium<br>76      |               |     | Pm<br>Promethium<br>61                            |                          | ď                 | Neptunium<br>93            |
|       |             |                    |                        |                 | SS<br>Mn        | Manganese<br>25 |     | ဥ           | Technetium<br>43 | 186 | Re  | Rhenium<br>75     |               | 144 | Neodymium 60                                      | 238                      | <b>-</b>          | Uranium<br>92              |
|       |             |                    |                        |                 | ದ ಜ             | Chromium<br>24  | 96  | W           | Molybdenum<br>42 | 184 | >   | Tungsten<br>74    |               |     | Pr<br>Praseodymium<br>59                          |                          | Ра                | Protactinium<br>91         |
|       |             |                    |                        | _               | 5 >             | Vanadium<br>23  | 63  | 9<br>N      | Niobium<br>41    | 181 | Та  | Tantalum<br>73    |               | 140 | Cerium  | 232                      | 드                 | Thorium<br>90              |
|       |             |                    |                        |                 | 84 <b>F</b>     | Titanium<br>22  | 16  | Zr          | Ziroonium<br>40  | 178 | Ξ   | Hafnium<br>72     |               | 7   |   | nic mass                 | loqu              | nic) number                |
|       |             |                    | T                      |                 | Sc 45           | Scandium<br>21  | 88  | <b>&gt;</b> | Yttrium<br>39    | 139 | La  | Lanthanum<br>57 * | AC Actinium + |     | d series<br>series                                | a = relative atomic mass | X = atomic symbol | b = proton (atomic) number |
|       | =           |                    | Beryllium 4 24 Maa     | Magnesium<br>12 | <sup>6</sup> %  | Calcium<br>20   | 88  | Š           | Strontium<br>38  | 137 | Ba  | Barium<br>56      | 226 <b>Ra</b> | 1   | 56-71 Lanmanoid series<br>190-103 Actinoid series | a                        | ×                 |                            |
|       | _           |                    | Lithium 3 Lithium 3 23 | Sodium<br>11    | ® <b>×</b>      | Potassium<br>19 | 85  | Rb          | Rubidium<br>37   | 133 | Cs  | Caesium<br>55     | Francium      | *   | 190-103   |                          | Key               | q                          |

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).