

MARK SCHEME for the May/June 2009 question paper
for the guidance of teachers

0460/02

0460 GEOGRAPHY

Paper 2, maximum raw mark 60

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2009	0460	02

- 1 (a) (i) railway, [1]
- (ii) narrow tarred, [1]
- (iii) cultivation, [1]
- (iv) mine dump, (mark first given) [1]
- (v) trigonometrical station/trig point/pillar, [1]
- (vi) dam(s)/reservoir(s), [1]

- (b) hospital/medical,
aerodrome/landing area/airstrip, (airport = 0)
sports (field),
police station/law/security,
post office/postal,
district administration office/administration/local government,
sewage (pond),
rifle (range),

mine = 0

Points may be expressed as service or function. [3]


(c)

	Richlands	Grahamsdale	Neither of these areas
line of huts	✓		
steep slopes		✓	
quarry or excavation			✓
power line			✓
high density of drainage		✓	

More than one tick per row = 0 [5]

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2009	0460	02

(d)



W and C as shown,
F between 880 metre contours,

More than half letter within tolerance (or an arrow etc. within tolerance)

More than one attempt and one is wrong = 0 [3]

(e) (i) 4650 metres,
More than one circled = 0 [1]

(ii) No mark for horizontal distance

Difference in height = 45 (metres),

1 in 103,

Carry errors forward from (e)(i) and (ii) but the horizontal distance must be the one used in (e)(i).

E.g. answers using 45 m 1 in 87/8 (from 3950 m)
 1 in 93 (from 4200 m)
 1 in 108/9. (from 4900 m)

[2]

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2009	0460	02

- 2 (a) 10% correctly plotted,
5% correctly plotted,

Don't insist on shading. [2]
- (b) (i) greater, (allow more etc.) [1]
(ii) less, [1]
(iii) less, [1]
- (c) (i) Maori percentage will increase, (allow expressions linked back to the question) [1]
(ii) large(r) young population,
high(er) birth rate,
large(r) child bearing population/young adults,
more births in the future,

Allow transfer of marks between (i) and (ii)

Allow answers expressed in terms of the non-Maori population. [2]
- 3 (a) hilly/hills, (high/mountains/upland = 0)
steep slopes,
gentle/flatter in foreground/on right,
low(er) in foreground/on right,
many/small valleys,
narrow/V shaped valley,
spur/ridge, [4]
- (b) on highest land,
in valleys,

More than two circled = 0 [2]
- (c) steep slopes,
bare ground/lack of vegetation/little vegetation,
deforestation/removal of vegetation,

Absence of trees = 0 [2]

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2009	0460	02

- 4 (a) 15(%), [1]
- (b) segment drawn between 67° and $77^\circ = 1$,
segment drawn between 71° and $73^\circ = 2$,

correct key used for renewable = 1,
e.g. not diagonal shading or dots
(mark the smaller segment) [3]
- (c) (i) increased supply,
won't run out/sustainable, renewable = 0
variable supply,
costs may increase, [2]
- (ii) birds killed/injured,
animals frightened by noise,
improved air quality/no air pollution/reduced CO₂ emissions,
habitats not affected by digging,

pollution alone/noise pollution alone/visual pollution = 0 [2]
- 5 (a) plates moving towards each other,
plates moving north west and south east,

If more than two ticks = 0. [2]
- (b) (i) in Pacific Ocean,
close to/west of/along plate boundary,
off east coast of Japan, [1]
- (ii) in Japan/islands,
further from/away from plate boundary,
west of shallow earthquakes, [1]
- (iii) in Sea of Japan/China,
far from plate boundary,
west of other earthquakes,
off west coast of Japan,
in south/Philippine Plate, (allow "near to" Philippine Plate)

Allow "on Eurasian Plate" to score once in either (i) or (ii)
Allow "linear pattern" to score once in (b)
in water, on land = 0 [1]

Page 6	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2009	0460	02

- (c) plates converge, (contradictions = 0 but note the movements on Fig. 10)
subduction/description of subduction,
Pacific Plate beneath Eurasian Plate,
friction,
compression/stress/pressure,
fracturing/faulting/sudden movement,
release of energy, (release of pressure = 0)
Benioff Zone/earthquake zone deeper to west,

Destructive margin = 0

[3]

- 6 (a) two correct lines plotted = 2 (17/54/6 mm),
correct use of key = 1,

[3]

- (b) distant from (South African) coal/ore/raw materials,
high transport costs for raw materials,

market in Western Cape/nearby densely populated area,
concentrates on export/main market is export,
distant from other internal markets,

coastal location/sea transport for export,
coastal location/sea transport for import of raw materials,
(allow "near to coast" for coastal location in these points)
sea transport alone = 1 if neither of the above score,
(coastal location alone = 0)

sea transport cheap(er)/land transport (more) expensive,

labour Western Cape/nearby densely populated area,

Allow points expressed as advantages or disadvantages where relevant.

[5]