|                       | OF CAMBRIDGE INTERNATIO  |                             |
|-----------------------|--|-----------------------------|
| PHYSICAL SCIEN        | ICE  | 0652/01                     |
| Paper 1 Multiple (    | Choice   | October/November 2004       |
| Additional Materials: | Multiple Choice Answer Sheet<br>Soft clean eraser<br>Soft pencil (type B or HB is recomm | <b>45 minutes</b><br>ended) |

## **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid. Write your name, Centre number and candidate number on the answer sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C**, and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate answer sheet.

## Read the instructions on the answer sheet very carefully.


Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16.

This document consists of **16** printed pages.



[Turn over

- 1 Which change of state is brought about by heating?
  - $\textbf{A} \quad \text{solid} \rightarrow \text{liquid}$
  - $\textbf{B} \quad \text{gas} \rightarrow \text{solid}$
  - **C** gas  $\rightarrow$  liquid
  - **D** liquid  $\rightarrow$  solid
- 2 Which diagram shows the process of diffusion?



- **3** Fractional distillation can be used to separate the components in crude oil because the components have different
  - A boiling points.
  - B densities.
  - **C** melting points.
  - D volumes.


4 Propanone, a liquid covalent compound, is soluble in water.


Sodium chloride, a solid ionic compound, is also soluble in water.


Do these compounds conduct electricity when liquid and when in solution?

|   | propa              | anone        | sodium chloride |              |  |
|---|--------------------|--------------|-----------------|--------------|--|
|   | liquid in solution |              | liquid          | in solution  |  |
| Α | $\checkmark$       | x            | x               | 1            |  |
| в | x                  | $\checkmark$ | x               | $\checkmark$ |  |
| С | x                  | $\checkmark$ | $\checkmark$    | $\checkmark$ |  |
| D | x x                |              | $\checkmark$    | $\checkmark$ |  |

5 Which diagram shows the electronic structure of a noble gas?







6 What are the charges on the calcium ion and the chloride ion in calcium chloride?

|   | calcium ion | chloride ion |
|---|-------------|--------------|
| Α | +1          | -1           |
| В | +1          | -2           |
| С | +2          | -1           |
| D | -2          | +1           |

7 The table shows the electronic structures of four atoms.

Which atom would form an ion with a negative charge?

|   | electronic structure |  |  |  |  |  |  |
|---|----------------------|--|--|--|--|--|--|
| Α | 2, 8, 1              |  |  |  |  |  |  |
| В | 2, 8, 2              |  |  |  |  |  |  |
| С | 2, 8, 7              |  |  |  |  |  |  |
| D | 2, 8, 8              |  |  |  |  |  |  |

8 Which compound contains three different non-metallic elements?


| Α | C₂H₅C1 | В | LiBH₄ | C SeO <sub>2</sub> | D | Si <sub>2</sub> H <sub>6</sub> |
|---|--------|---|-------|--------------------|---|--------------------------------|
|---|--------|---|-------|--------------------|---|--------------------------------|

**9** When drops of water are added to a sample of an anhydrous salt, a reaction occurs.

How can the reaction be reversed?


- A cool the salt
- B crystallise the salt
- **C** filter the salt
- D heat the salt

**10** The diagram shows apparatus being used to fill a balloon with hydrogen.



Which form of iron makes the balloon fill most quickly?


- A a lump
- B pieces of wire
- **C** a powder
- D thin sheets
- **11** The diagrams show some pieces of laboratory equipment.



Which of these pieces of equipment are needed to find out whether dissolving salt in water is an endothermic process?

| Α | 1 only | В | 1 and 2 only | С | 1 and 3 only | D | 3 only |
|---|--------|---|--------------|---|--------------|---|--------|
|---|--------|---|--------------|---|--------------|---|--------|

12 Ammonium chloride is heated as shown and two gases, X and Y, are formed.



Gas **X** turns the red litmus paper blue and then gas **Y** turns the blue litmus paper red.

|   | X is              |        |  |  |  |  |  |
|---|-------------------|--------|--|--|--|--|--|
| Α | ammonia           | acidic |  |  |  |  |  |
| В | ammonia           | basic  |  |  |  |  |  |
| С | hydrogen chloride | acidic |  |  |  |  |  |
| D | hydrogen chloride | basic  |  |  |  |  |  |

What does this experiment show about gas X?


**13** Samples of sodium oxide and sulphur dioxide are dissolved in water.

What could be the pH values of the solutions formed?

|   | sodium oxide | sulphur dioxide |
|---|--------------|-----------------|
| Α | 5            | 5               |
| В | 5            | 10              |
| С | 10           | 5               |
| D | 10           | 10              |

14 An excess of powder Y is added to hot, dilute sulphuric acid.

The excess of **Y** is then removed by filtering as shown.



The solid left behind on the filter paper and the filtrate are coloured.

What could Y be?

- A copper
- B copper(II) oxide
- C zinc
- D zinc oxide
- **15** Limestone is used as the raw material in a lime kiln. The equation for the reaction occurring in the lime kiln is shown.

$$CaCO_3 \rightarrow CaO + CO_2$$

Which type of reaction is this?

- A decomposition
- **B** neutralisation
- **C** oxidation
- **D** reduction
- **16** Two cooking pans, X and Y, are the same size and shape. X is made of aluminium and Y is made of iron.


Which pan, X or Y, is the heavier and which is more likely to rust?

|   | is heavier | more likely to rust |
|---|------------|---------------------|
| Α | х          | х                   |
| В | х          | Y                   |
| С | Y          | х                   |
| D | Y          | Y                   |

**17** The structure of an organic compound is shown.

To which homologous series does this compound belong?

- A acids
- B alcohols
- **C** alkanes
- D alkenes
- **18** The diagrams show models of three molecules.




Which of these molecules is formed by the incomplete combustion of ethane?

|   | 1 | 2 | 3            |
|---|---|---|--------------|
| Α | 1 | 1 | 1            |
| в | 1 | x | x            |
| С | x | 1 | x            |
| D | x | x | $\checkmark$ |

19 Which of acetylene, butane and charcoal are classified as hydrocarbon fuels?


|   | yes               | no                |
|---|-------------------|-------------------|
| Α | acetylene, butane | charcoal          |
| В | acetylene         | butane, charcoal  |
| С | butane, charcoal  | acetylene         |
| D | charcoal          | acetylene, butane |

20 The combustion of ethanol can be investigated by using a simple burner.



What is the colourless liquid collected in the flask?


- A ethanoic acid
- B ethanol
- **C** ethene
- D water
- **21** A floor is covered with square tiles. The diagram shows a ruler on the tiles.



How long is one tile?

| Α | 3 cm  | В | 6 cm  | С | 9 cm  | D | 12 cm |
|---|-------|---|-------|---|-------|---|-------|
|   | • • • | _ | • • • | - | • • • | _ |       |


22 The diagrams show the times on a stopclock at the beginning and at the end of an experiment.




How long did the experiment take?

**A** 10s **B** 25s **C** 35s **D** 45s

23 Which speed/time graph applies to an object at rest?




24 A spring is stretched by hanging a piece of metal from it.




What is the name given to the force that stretches the spring?

- **A** friction
- B mass
- **C** power
- **D** weight


**25** The diagram shows some liquid in a measuring cylinder. The mass of the liquid is 16 g.



**26** A student carries out an experiment to plot an extension / load graph for a spring. The diagrams show the apparatus at the start of the experiment and with a load added.



27 Three horizontal forces act on a car that is moving along a straight, level road.



Which combination of forces would result in the car moving at constant speed?

|   | air resistance | friction | driving force |
|---|----------------|----------|---------------|
| Α | 200 N          | 1000 N   | 800 N         |
| в | 800 N          | 1000 N   | 200 N         |
| С | 800 N          | 200 N    | 1000 N        |
| D | 1000 N         | 200 N    | 800 N         |

**28** A child pushes a toy car along a level floor and then lets it go.


As the car slows down, what is the main energy change?

- **A** from chemical to heat
- **B** from chemical to kinetic
- **C** from kinetic to gravitational (potential)
- **D** from kinetic to heat
- 29 A beaker of water is heated at its base.

Why does the water at the base rise?


- A It contracts and becomes less dense.
- **B** It contracts and becomes more dense.
- **C** It expands and becomes less dense.
- **D** It expands and becomes more dense.
- **30** Waves move from deep water to shallow water where they are slower.

Which diagram shows what happens to the waves?



- **31** Which type of radiation lies between visible light and microwaves in the electromagnetic spectrum?
  - A infra-red
  - B radio waves
  - C ultra-violet
  - D X-rays

**32** The diagram shows the image of a clockface in a plane mirror.




- 33 What is the approximate range of audible frequencies for most humans?
  - 10 Hz to 10 000 Hz Α

**A** 02.25

- 20 Hz to 20 000 Hz В
- 10 kHz to 10 000 kHz С
- **D** 20 kHz to 20 000 kHz
- 34 A circuit is set up with a gap between two terminals X and Y. The four strips of material shown in the diagram are connected in turn across the gap.

Which strip completes the circuit so that the lamp lights?




35 A pupil measures the potential difference across a device and the current in it.

Which calculation gives the resistance of the device?

- Α current + potential difference
- current + potential difference В
- С potential difference + current
- D potential difference x current

**36** In the circuit shown, the reading on ammeter 1 is 2A.




**A** 0A **B** 1A **C** 2A

**37** In which position in the circuit shown should a switch be placed so that both lamps can be switched on or off at the same time?


D

4 A



- 38 Which particles are emitted during thermionic emission?
  - A electrons
  - **B** ions
  - C neutrons
  - **D** protons

**39** During a fire in a laboratory storeroom, some radioactive material was spilled. A firefighter detected radiation through the lead-lined walls of the storeroom. The radiation was emitted by the radioactive material.



Which type of radiation was being detected?

- A alpha-particles
- B beta-particles
- C gamma-rays
- D X-rays
- **40** How many neutrons are in a nucleus of  ${}^{14}_{6}$ C?

| Α | 0 | В | 6 | С | 8 | D | 14 |
|---|---|---|---|---|---|---|----|
|   |   |   |   |   |   |   |    |

Every reasonable effort has been made to trace all copyright holders. The publishers would be pleased to hear from anyone whose rights we have unwittingly infringed.

DATA SHEET The Periodic Table of the Elements

|   |   |   |                                    |                              |   |  |                                  | Gro                                | Group                              |                                      |  |   |  |   |  |                                     |  |
|---|---|---|------------------------------------|------------------------------|---|--|----------------------------------|------------------------------------|------------------------------------|--------------------------------------|--|---|--|---|--|-------------------------------------|--|
| -   | =   |   |                                    |                              |   |  |                                  |                                    |                                    |                                      |  | =   | $\geq$                                     | >   | N  | ١١٨                                 | 0  |
|   |   |   |                                    |                              |   |  | <sup>1</sup> Hydrogen            |                                    |                                    |                                      |  |   |  |   |  |                                     | 4<br>Helium<br>2                                     |
| 23 Lithium<br>3 Lithium<br>23 23<br>11 Sodium | 9<br>Beryllum<br>4<br>Beryllum<br>4<br>Beryllum<br>74<br>24<br>12<br>12 | E E   |                                    |                              |   |  |                                  |                                    |                                    |                                      |  | 11<br>B B<br>Boron<br>5<br>Auminium<br>13 | 12<br>6 Carbon<br>6 28<br>28<br>14 Silicon | 14<br>Nitrogen<br>7<br>31<br>Phosphorus<br>15 | 16<br>Oxygen<br>8<br>32<br>32<br>Sulphur<br>16 | 19<br>Fluorine<br>35.5<br>C C<br>C  | 20<br>Neon<br>10<br>Ar<br>Sagon<br>18<br>Ar<br>Sagon |
| 39<br>Potassium<br>19                         | 40<br>Calcium<br>20   | 45<br>SC<br>21<br>21  | 48<br>Titanium<br>22               | 51<br>Vanadium<br>23         | 52<br><b>Cr</b><br>Chromium<br>24   | 55<br>Mn<br><sup>Manganese</sup><br>25 | 56<br>Iron<br>26                 | 59<br><b>Co</b><br>Cobalt<br>27    | 59<br>Nickel                       | 64<br>Cu<br>Copper<br>29             | 65<br><b>Zn</b><br><sup>Zinc</sup>           |   |  | 75<br><b>AS</b><br>Arsenic<br>33              | 79<br>Selenium<br>34                           | 80<br>Bromine                       | 84<br><b>Krypton</b><br>36                           |
| 85<br><b>Rb</b><br>Rubidium<br>37             | 88<br>Strontium<br>38   | m Xttrium 89  | 91<br><b>Zr</b><br>Zirconium<br>40 | 93<br>Niobium<br>41          | 96<br><b>MO</b><br>Molybdenum<br>42   | TC<br>Technetium<br>43                 | 101<br><b>Ru</b> thenium<br>44   | 103<br><b>Rh</b><br>Rhodium<br>45  | 106<br>Pd<br>Palladium<br>46       |                                      | 112<br>Cd<br>Cadmium<br>48                   | 115<br>In<br>Indium                       | 119<br><b>Sn</b><br>50                     |   | 128<br><b>Te</b><br>Tellurium<br>52            | 127<br>I<br>lodine<br>53            | 131<br><b>Xe</b><br>54                               |
| 133<br><b>CS</b><br>Caesium<br>55             | 137<br>Ba<br><sup>m</sup> Barium  | 139<br>La<br>Lanthanum<br>57  | 178<br>Hafnium<br>72               | 181<br><b>Ta</b><br>73       | 184<br><b>V</b><br>Tungsten<br>74   | 186<br><b>Re</b><br>Rhenium<br>75      | 190<br><b>OS</b><br>Osmium<br>76 |                                    | 195<br><b>Pt</b><br>Platinum<br>78 | 197<br><b>Au</b><br>Gold<br>79       |  | 204<br><b>T1</b><br>Thallium              | 207<br><b>Pb</b><br>Lead<br>82             | 209<br><b>Bi</b> smuth<br>83                  | Polonium<br>84                                 | At<br>Astatine<br>85                | 86 Radon   |
| <b>Fr</b><br>Francium<br>87                   | m Radium 88   | 227<br>Actinium<br>89   |                                    | -                            |   |  |                                  |                                    |                                    |                                      |  |   |  |   |  |                                     |  |
| *58-71<br>90-10                               | 58-71 Lanthanoid seri<br>90-103 Actinoid series                         | *58-71 Lanthanoid series<br>90-103 Actinoid series                          |                                    | 140<br><b>Ce</b><br>58       | 141<br><b>Pr</b><br>Fraseodymium<br>59  | 144<br>Neodymium<br>60                 | Promethium<br>61                 | 150<br><b>Sm</b><br>Samarium<br>62 | 152<br><b>Eu</b><br>Europium<br>63 | 157<br><b>Gd</b><br>Gadolinium<br>64 | 159<br><b>Tb</b><br><sup>Terbium</sup><br>65 | 162<br>Dysprosium<br>66                   | 165<br><b>HO</b><br>Holmium<br>67          | 167<br><b>Er</b><br>Erbium<br>68              | 169<br><b>Tm</b><br>Thulium                    | 173<br><b>Yb</b><br>Ytterbium<br>70 | 175<br><b>Lu</b><br>Lutetium<br>71                   |
| Key   | a X   | a = relative atomic mass<br>X = atomic symbol<br>b = proton (atomic) number | omic mass<br>mbol<br>omic) number  | 232<br><b>7</b> horium<br>90 | Protactinium<br>91  | 238<br><b>U</b><br>Uranium<br>92       | Neptunium<br>93                  |                                    | Am<br>Americium<br>95              | Canium<br>B6                         | BK<br>Berkelium<br>97                        | Californium<br>98                         | Einsteinium<br>99                          | Fm<br>Fermium<br>100                          | Mendelevium<br>101                             | Nobelium<br>102                     | Lr<br>Lawrencium<br>103                              |
|   |   |   |                                    | The v                        | The volume of one mole of any gas is 24 dm $^3$ at room temperature and pressure (r.t.p.) | one mole                               | of any ga                        | s is 24 dn                         | n <sup>3</sup> at roor             | n tempera                            | ature and                                    | pressure                                  |  |   |  |                                     |  |

University of Cambridge International Examinations is part of the University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

16