

**MARK SCHEME for the October/November 2011 question paper  
for the guidance of teachers**

**0654 CO-ORDINATED SCIENCES**

**0654/21**

Paper 2 (Core Theory), maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2011	0654	21


- 1 (a) (i) X retina ;  
Y optic nerve ; [2]
- (ii) line drawn starting outside the eye, passing through pupil and lens ;  
line ends at retina ; [2]
- (iii) label to either cornea, lens or vitreous humour ; [1]
- (iv) as impulse/electrical signal/action potentials ;  
along nerve/along Y ; [2]
- (b) (i) red blood cell ; [1]
- (ii) 46 ; [1]
- (iii) stores information;  
on making proteins ;  
ref. to hereditary material ; [max 2]
- [Total: 11]**
- 2 (a) (i) (Y) (no mark)  
proton number of 6 ; [1]
- (ii) 11 ; [1]
- (b) (i) contains elements aluminium and oxygen ;  
proportions/number ratio Al : O is 2:3/owtte ; [2]
- (ii) ion (electrically) charged/ion protons  $\neq$  electrons ; [1]
- (c) (i) electrolysis ;  
positive electrode ; [2]
- (ii) (contains) ions (which) must be mobile/if solid then ions cannot move ;  
conduct electrical charge/make an electrolyte; [2]
- (iii)  $\rightarrow$  aluminium + oxygen ; [1]
- [Total: 10]**

<b>Page 3</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – October/November 2011</b>	<b>0654</b>	<b>21</b>

- 3 (a) (i) constant speed ; [1]  
(ii) deceleration/slowing down ; [1]
- (b)  $8/5$  ;  
 $= 1.6(m/s^2)$  ; [2]
- (c) speed =) distance/time ;  
 $= 160/25 = 6.4(m/s)$  ; [2]
- (d) (energy =) power  $\times$  time ;  
 $= 600 \times 5 = 3000(J)$  ; [2]
- (e) heat transferred to (water) particles (from surroundings) ;  
(water) changes from liquid to gas ;  
ref. to attraction between particles in the liquid ;  
fastest moving particles escape ;  
(escape) at surface/ref. to process happening at temperature below boiling point ;  
average energy of the rest of the particles reduced/heat removed from liquid ; [max 2]

**[Total: 10]**

4 (a)



all correct for 3 marks, 2 or 3 correct for 2 marks, 1 correct for 1 mark ;;; [3]

(b)

<b>enzyme</b>	<b>substrate</b>	<b>product</b>
amylase	<b>starch ;</b>	maltose
<b>protease ;</b>	proteins	amino acids
<b>lipase ;</b>	<b>fats /lipids ;</b>	fatty acids and glycerol

[4]

- (c) (i) urea ; [1]
- (ii) kidneys ; [1]
- (iii) cells might take up water ;  
because concentration inside cells is greater than outside ; [2]
- (iv) for energy ;  
respiration ;  
glucose oxidised / glucose combined with oxygen ;  
for movement / other named use of energy ; [max 2]

**[Total: 13]**

- 5 (a) (i) the power rating of bulb / how much energy is transferred per second ;  
the voltage / potential difference that the bulb operates at ; [2]
- (ii) electrical ;  
into light ;  
into heat ; [3]
- (iii) gas will not react with hot filament / reduces oxidation ; [1]
- (b) (i) decreases ;  
to constant (minimum) value ; [2]
- (ii) 0.20 (A) ; [1]
- (c) (i)  $R_T = R_1 + R_2$  ;  
(= 1000 + 2000)  
 $R = 3000 (\Omega)$  ; [2]
- (ii) cross sectional area / thickness ;  
temperature of wire ; [2]

**[Total: 13]**


Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2011	0654	21

- 6 (a) (i) (B) low electrical conductivity ; [1]
- (ii) (C) high density and (high) electrical conductivity ; [1]
- (b) (i) all three metals must be melted together ; [1]
- (ii) solder maintains the electrical connection / owtte ; [1]
- (c) second electrode ;  
 container plus liquid ;  
 suitable named electrolyte (into which electrodes are placed) ;  
 indication that second electrode is a different metal ;  
 indication that pd is produced e.g. value on voltmeter ; [max 3]
- (d) (i) carbon dioxide ; [2]  
 water (vapour) ;
- (ii) carbon monoxide / NO<sub>x</sub> or specific example / hydrocarbons ; [1]
- [Total: 10]**
- 7 (a) (i) (frequency =) 0.5 (Hz) ; [1]
- (ii) matter / mass ; [2]  
 travels / moves / goes ;
- (iii) sound / ultra sound / infrasound ; [1]
- (b) (i) 500 (N) ; [1]
- (ii) (work done =) force × distance ; [2]  
 = 500 × 10 = 5000 (J) ;
- (iii) (kinetic energy =)  $\frac{1}{2} mv^2$  ; [2]  
 =  $\frac{1}{2} \times 50 \times 12 \times 12 = 3600$  (J) ;
- (c) radiation ; [1]
- [Total: 10]**

<b>Page 6</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – October/November 2011</b>	<b>0654</b>	<b>21</b>

- 8 (a) (i) binomial ; [1]  
(ii) idea that it is the same all over the world/in every language ; [1]

(b) (i)



plants and tamarins connection correct ;  
all three predators connection correct ;  
all arrows in right direction ; [3]

(ii) circle round tree, nectar or fruit ; [1]

(c) (i) fewer faeces further from tree ;  
furthest distance from tree is 400 m ;  
figures quoted, e.g. 31% of faeces deposited within 50 m of tree ; [max 2]

(ii) faeces provide nutrients for, young plants/seedlings (**not** seeds) ;  
less competition (for seedlings) away from parent tree ;  
factor competed for – water/light ;  
help to colonise new areas ; [max 2]

**[Total: 10]**

Page 7	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2011	0654	21

- 9 (a) (i) element made of one type of atom/found in Periodic Table ;  
compound made of two or more different elements ; [2]
- (ii) (damp red) litmus paper/(red) litmus solution/full range/Universal Indicator ;  
turns blue ; [2]
- (b) (i) nitrogen inert/difficult to break N<sub>2</sub> molecule ; [1]
- (ii) nitric acid ; [1]
- (iii) carbon, hydrogen, oxygen ;; [2]  
(all three – 2 marks, only two correct – 1 mark)
- (iv) join/link/react together ;  
to form a (long) chain ; [2]
- (c) (i) increases rate of reaction ;  
not consumed/used up/can be regenerated ; [2]
- (ii) it would react/corrode/sodium does not have catalytic properties/sodium  
not a transition metal ; [1]

**[Total: 13]**